

Contents

General indexes to the first 42 vols.

Herbert, W. - An Appendix. (Amaryllidaceae)

General index to vols. 43 - 48.



Engraved by F. Sanfom.

William Curtis,
Author of the

FLORA LONDINENSIS, BOTANICAL MAGAZINE &c.

GENERAL INDEXES

TO THE

PLANTS

CONTAINED IN

THE FIRST FORTY-TWO VOLUMES

OF THE

Quarterly

BOTANICAL MAGAZINE,

IN TWO PARTS.

CONTAINING

PART I.

1. An Alphabetical **LATIN** INDEX of the Genera, Species, and Synonyms.

2. An Alphabetical **ENGLISH** INDEX of such Plants as have English Names different from the Latin or Botanical ones.

PART II.

1. A **SYSTEMATICAL INDEX**.
2. A **LIST** of such **PLANTS** as occur under different Names in the Hortus Kewensis, from those under which they were published in the **BOTANICAL MAGAZINE**.
3. An **ENUMERATION**, in the Order and Time of Publication.

L O N D O N :

Printed by **STEPHEN COUCHMAN**, Throgmorton-Street.

Published by **SHERWOOD, NEELY, & JONES**, 20, *Paternoster-Row*;

And Sold by the principal Booksellers in Great-Britain and Ireland.

1817.

Mo. Bot. Garden,

1699.



ADVERTISEMENT.



PURCHASERS of the BOTANICAL MAGAZINE who have an opportunity of choosing the mode of arranging the articles, will do well to consider, before they send them to the bookbinders, which mode will be most advantageous to them.

There are three ways of arranging the Work.

1. *In the order in which they were published*; which being the way in which the Work must necessarily be quoted, has the advantage of a ready reference to the article quoted.

2. *In the systematic order, as pointed out in the Systematical Index.* This mode will be found best suited to the scientific Botanist, or to such as wish to become so; the former will readily find what he wants without the necessity of looking into the Index, and the Student will find the greatest advantage in having all the genera disposed in their proper classes and orders, and the species of each genus brought together. In both these modes, the letter-press and plates may be bound together, or separately, as may best suit the taste of the owner.

3. *The plates may be bound according to the systematic arrangement, and the letter-press according to the order of publication.* This mode will, in some measure, combine the advantages of the other two, and will be found most convenient; provided the trouble is taken to add the name to each figure, and the number, as prefixed in the Systematical Index, both to the figure and to the letter-press belonging to it.

N. B. The letter-press, bound separately, will make seven good-sized volumes,—six volumes in each.



GENERAL INDEXES

TO THE

PLANTS

CONTAINED IN

THE FIRST FORTY-TWO VOLUMES

OF THE

BOTANICAL MAGAZINE.

PART I.

CONTAINING

1. An Alphabetical **LATIN INDEX** of the Genera, Species, and Synonyms.
 2. An Alphabetical **ENGLISH INDEX** of such Plants as have English Names different from the Latin or Botanical ones.
-

L O N D O N :

Printed by **STEPHEN COUCHMAN**, Throgmorton-Street.

Published by **SHERWOOD, NEELY, & JONES**, 20, *Paternoster-Row* ;

And Sold by the principal Booksellers in Great-Britain and Ireland.

1816.



P R E F A C E.

IN submitting the following INDEXES to our Readers, we thankfully acknowledge the assistance we have received from Mr. HARROP, of *Manchester*, who kindly transmitted to us a copious index, compiled for his own use, containing not only the names of the plants, as given in the *Botanical Magazine*, but of their synonyms also. By the aid of this index we have been enabled to render this part of our labours more complete than it would have otherwise been. We have, however, thought it would add more to bulk than to usefulness, to insert the synonyms of the older authors, prior to Linnæus's happy invention of trivial names.


It was from Mr. HARROP's suggestion, that we have been induced to add the adopted names to the synonyms; which will not only save the trouble of referring to the work itself to find its approved appellation, but even to those who do not possess the *Botanical Magazine*, may be found useful, especially to purchasers of plants, by preventing their giving orders for the same under different names, an inconvenience, which we have been assured frequently occurs, more especially in the country.

That we might increase the bulk of the index as little as possible, we have placed the adopted name under the synonym, prefixing the word *est*, instead of inserting it in a different column. By so doing, however, we suspect that at first sight, our index will appear somewhat confused, but the difficulty will be easily got over by observing, that the line will always lead the eye to the true alphabetical arrangement of the species, the intervening names having no line prefixed. The synonyms are printed in *Italics*; and where the approved name is different from the one under which the plant was published in the *Magazine*, the latter name is inserted beneath, between brackets. In the same manner, when the name adopted

in the Hortus Kewensis is different from the one in the Magazine, the former is inserted within brackets, with the letters H.K. under the latter.

We have preferred making our Indexes include forty-two, rather than only forty volumes, because those who choose to bind up the plates and letter-press separately will find, that six volumes of the latter will make one of a convenient size, and the whole will be comprehended in seven equal volumes. We rather recommend the binding the plates according to the systematic arrangement, and the letter-press numerically, as published. It will be useful, to students particularly, to have all the species of the same genus arranged together, and the figures on the plates will refer readily to the letter-press.

The second part is in great forwardness, and will be published with as little delay as possible, containing 1st, the systematic arrangement; 2d, a list of the plants which have different names in the last edition of the Hortus Kewensis from those under which they are published in the Botanical Magazine; and 3d, an enumeration of the whole in numerical order with corrections.





EXPLANATION

OF THE

Abridgments used in the LATIN INDEX.

- Ad. **A**DANSON, Familles des Plantes.
- Aubl. Aublet, Histoire des Plantes de la Guiane.
- Berg. Bergius Descriptiones Plantarum Capitis Bonæ Spei.
- Bieb. Marschal a Bieberstein, Flora Taurico-Caucasica.
- B.M. Botanical Magazine.
- B.R. Botanist's Repository.
- Br. Brown, Prodrômus Floræ Novæ Hollandiæ.
- Brof. Brotero, Flora Lusitanica.
- Burm. Burmannus, Flora Zeylanica-Africana, &c.
- Cav. Cavanilles, Icones Plantarum.
- Cyr. Cyrilli (Cirillo) Plantæ Rariores Regni Neapolitani.
- Dec. De Candolle, Plantes Grasses, and other Works.
- Desf. Desfontaines, Flora Atlantica, &c.
- Donn Donn, Hortus Cantabrigiensis.
- Doug. Douglas, Description of the Guernsey Lily.
- Ehr. Ehrhart, a celebrated German Botanist.
- Ex. Bot. Exotic Botany, by Dr. (now) Sir James Edward Smith.
- Fl. P. Flora Peruviana, by Ruez and Pavon.
- Forsk. Forskähl, Flora Ægyptiaca, &c.

- G.....Gawler, now John Bellenden Ker, Esq.
 Gært.....Gærtner, De Fructibus et Seminibus Plantarum.
 Habl.....Hablilz, a Russian Botanist.
 Haw.....Hawworth, Synopsis Plantarum Succulentarum, &c.
 H.B.....The Herbarium of the Right Hon. Sir Joseph Banks, Bart.
 H.K.....Aiton's Hortus Kewensis, 2d edition.
 H.K.I.....—— Hortus Kewensis, 1st edition.
 Hort.....Hortulanis, the Gardener's or Nurseryman's name.
 Jacq.....Jacquin, author of many splendid works.
 Kr.....Krocker, Flora Silesiaca.
 L.....Linnæus.
 Lam.....Lamarck, Encyclopediè Methodique, &c.
 Lour.....Loureiro, Flora Cochinchinensis.
 L.Sup.....Linnæus filius, Supplementum Plantarum.
 Mart.....Martyn, Plantarum Rariorum Decades.
 Mich.....Michaux, Flora Boreali-Americana.
 Mill.....Miller's Dictionary, 8th edition.
 Mill.ic.....—— Icones.
 Mont.....Montin in Act. Holm.
 Ort.....Ortega, Hortus Matritensis, &c.
 Pall.....Pallas, Flora Rossica, &c.
 Pers.....Persoon, Synopsis Plantarum.
 P.L.....Paradisus Londinensis.
 Pur.....Pursh, Flora Americæ Septentrionalis.
 Red.....Redouté, Liliacées.
 Retz.....Retz, Observationes Botanicae.
 Rich.....Richard, in Schrader's Journal, &c.
 Salisb.....Richard Anthony Salisbury, Esq. Icones Stirpium Rariorum, &c.
 Scop.....Scopoli, Flora Carniolica.
 Sm.....Sir James Edward Smith, President of the Linnean Society.
 Sol.....Solander, Descriptiones Plantarum, MSS.
 Sp. Pl.....Linnæi Species Plantarum, edit. II.
 S.V.....—— Systema Vegetabilium.
 Sw.....Swartz, Flora Indiæ-Occidentalis, Observationis Botanicae, &c.

- Th. Thunberg, *Flora Japonica*, &c.
 Vent. Ventenat, *Jardin de Malmaison*, &c.
 Vill. Villars, *Histoire des Plantes de Dauphiné*.
 Walt. Walter, *Flora Caroliniana*.
 Wang. Wangenheim, *Arbores Americæ Septentrionalis*.
 Wend. Wendland, *Hortus Herenhausen*, &c.
 W. Willdenow, *Species Plantarum*.
 W.en. ————— *Enumeratio Plantarum Horti Berolinensis*.
 W. Hort. ————— *Hortus Berolinensis*.





I N D E X.

In which the *Latin Names* of the Plants contained in the first *Forty-Two Volumes* of the **BOTANICAL MAGAZINE**, together with their modern *Synonyms*, are alphabetically arranged.



Vol.	No.	A	Vol.	No.	B
40	1653	CACIA armata.	26	1046	Albuca physodes.
42	1745	————— decipiens.	36	1481	————— setosa.
—	1750	————— discolor.	40	1656	————— viridiflora.
40	1659	————— melanoxyton.	33	1329	————— vittata.
9	302	————— myrtifolia. [Mimosa myrtifolia.]	14	501	<i>Aletris capensis</i> , <i>est Veltheimia capensis.</i>
31	1263	————— pubescens. [Mimosa pubescens.]	34	1418	<i>Aletris farinosa.</i>
28	1121	————— stricta.	27	1081	<i>Aletris fragrans</i> , W. <i>est Dracæna fragrans.</i>
4	110	————— verticillata. [Mimosa verticillata.]	27	1091	————— <i>glauca</i> , H.K.I. <i>est Veltheimia glauca.</i>
32	1287	<i>Achillea Clavenæ.</i>	29	1179	————— <i>guineensis</i> , Ja. <i>est Sansevieria guineensis.</i>
14	498	————— tomentosa.	29	1179	————— <i>hyacinthoides</i> , L.β. <i>est Sansevieria guineensis.</i>
21	830	<i>Achyranthes porrigens.</i>	20	764	————— <i>pumila</i> , H.K.I. <i>est Tritoma pumila.</i>
4	134	<i>Adonis vernalis</i>	29	1180	————— <i>pumila</i> , Donn, <i>est Dracæna ovata.</i>
20	775	————— <i>vesicatoria</i> , L. <i>est Knowltonia vesicat.</i>	20	744	————— <i>sarmentosa</i> , B.R. <i>est Tritoma media.</i>
16	554	<i>Agapanthus ensifolius</i> , W. <i>est Massonia ensifolia.</i>	20	758	————— <i>Uvaria</i> , L. <i>est Tritoma Uvaria.</i>
14	500	<i>Agapanthus umbellatus.</i>	10	338	<i>Allamanda cathartica.</i>
37	1522	<i>Agave lurida.</i>	30	1230	<i>Allium altaicum</i> , Pall. <i>est A. fistulosum.</i>
37	1522	————— <i>rigida</i> , Mill.	34	1385	————— <i>Ampeloprasum.</i>
29	1157	————— <i>virginica.</i>	38	1560	————— <i>Atapeloprasum</i> , β.
42	1730	<i>Ageratum cœlestinum.</i>	29	1149	————— <i>angulosum.</i>
9	295	<i>Agrostemma Cœli-Rosa.</i>	29	1150	————— <i>angulosum</i> , Lam. <i>est senescens.</i>
1	24	————— <i>coronaria.</i>	34	1381	————— <i>bisulcum.</i>
12	398	————— <i>Flos-Jovis.</i>	25	973	————— <i>caucaseum</i> , v. 1143.
5	173	<i>Aitonia capensis.</i>	32	1324	————— <i>cernuum.</i>
41	1701	<i>Aizoon canariense</i> , B.R. <i>est</i> <i>Sesuvium Portulacastrum.</i>			
22	871	<i>Albuca exuviata.</i>			
19	720	————— <i>lutea</i> , β. Lam. <i>est minor.</i>			
21	804	————— <i>major.</i>			
19	720	————— <i>minor.</i>			

Vol.	No.		Vol.	No.	
30	1203	Allium Chamæ-moly.	26	1035	Allium striatum, v. 1324, b.
20	774	———— ciliatum, est subhirsutum, v. 1141.	37	1524	———— striatum, β.
28	1141, b.	———— clusianum, Retz.	20	774	———— subhirsutum.
		est subhirsutum, β.			[A. ciliatum, vide 1141.]
7	251	———— descendens.	28	1142	———— tataricum.
30	1230	———— fistulosum.	22	869	———— triquetrum.
33	1330	———— flavum.	30	1222	———— Victorialis.
28	1129	———— fragrans,	33	1331	Aloe acinaciformis, Dec.
		est gracile, vide 1524.			est carinata.
25	973	———— globosum, Red.	32	1322	———— acuminata, Lam.
		est caucaseum.			est Lingua.
28	1129	———— gracile,	35	1452	———— albicans.
		vide n. 1293, b. et 1524, b.	20	756	———— arachnoides.
28	1129	———— inodorum,	33	1361	———— arachnoides, β. pumila
		est gracile.	32	1314	———— arachn. γ. reticulata.
35	1420	———— longispathum, Red.	34	1417	———— arachn. δ. translucens
		est pallens.	32	1306	———— arborescens.
29	1148	———— magicum.	33	1345	———— attenuata, Haw.
14	499	———— Moly.			est Radula.
29	1148	———— monspessul. Desf.	33	1362	———— brevifolia, Haw.
		est magicum.			est mitraformis.
29	1148	———— multibulbosum, Ja.	33	1331	———— carinata, α.
		est magicum.	22	837	———— carinata, var. ensiformis, Dec. est verrucosa.
29	1150	———— narcissifol. Scop.	33	1337	———— cylindracea, β. Lam.
		est senescens.			est rigida.
29	1148	———— nigrum, S. V.	35	1455	———— cylindracea, α. Lam.
		est magicum.			est spiralis.
28	1141, b.	———— nivum, Roth.	21	802	———— cymbiformis.
		est subhirsutum, β.	33	1332	———— depressa.
28	1143	———— nutans.	13	457	———— disticha, γ. L.
34	1408	———— obliquum.			est plicatilis.
35	1420	———— pallens.	22	837	———— disticha, β. L.
35	1432	———— pallens, Red. ? est			est verrucosa.
35	1432	paniculatum.	22	838	———— disticha, Sp. Pl.
25	973	———— paniculatum, est caucas. v. 1143, b.			est Lingua, β.
30	1222	———— plantagin. Lam.	32	1322	———— disticha, α. L.
		est A. Victorialis.			est Lingua.
28	1142	———— ramosum, L.	33	1346	———— disticha, Mill.
		est tataricum.			est Saponaria, β.
34	1408	———— ramosum, Jacq.	33	1337	———— expansa, Haw.
		est obliquum.			est rigida.
25	978	———— roseum, β.	31	1278	———— glauca, Haw.
28	1141	———— roseum, Kr. est			est rhodacantha.
28	1141	Schœnoprasum.	33	1361	———— herbacea, Mill.
29	1150	———— senescens.			est margaratifera, β.
29	1149	———— senescens, Jacq.	20	757	———— humilis.
		est angulosum.	21	828	———— humilis, β. incurva.
28	1141	———— sibiricum, L. Mant.	35	1455	———— imbricata, Haw.
		est Schœnoprasum.			est spiralis.
29	1148	———— speciosum, Cyr.	32	1322	———— intermedia, Haw.
		est magicum.			est Lingua, α.
42	1764	———— sphærocephalum.	25	979	———— Lingua,
38	1576	———— stellatum.			est maculata, β. obliqua.
			32	1322	———— Lingua, α.

Vol.	No.		Vol.	No.	
22	838	<i>Aloe Lingua, β. crassifolia.</i>	32	1323	<i>Aloe perfoliata obscura,</i> H.K.I. <i>est</i> <i>Lingua.</i>
32	1322	— <i>linguaeformis, L. Sup.</i> <i>est</i> <i>Lingua.</i>	36	1460	— <i>perfoliata, ε. saponaria,</i> H.K.I. <i>est</i> <i>Saponaria.</i>
20	765	— <i>maculata.</i>	34	1415	— <i>perfoliata, λ. serrulata,</i> H.K.I. <i>est</i> <i>serrulata.</i>
25	979	— <i>maculata, σ. obliqua.</i>	14	472	— <i>perfoliata, δ. succotrina,</i> H.K.I. <i>est</i> <i>succotrina, α.</i>
21	815	— <i>margaratifera, β. minor,</i> <i>vide</i> 1360.	36	1474	— <i>perfoliata, δ. succotrina,</i> H.K.I. <i>est</i> <i>succotrina, β.</i>
33	1360	— <i>margaratif. γ. minima.</i>	31	1270	— <i>picta, ν. Thunb.</i> <i>est</i> <i>mitraeformis.</i>
38	1585	— <i>marginalis, Dec.</i> <i>est</i> <i>Phylloma aloifolium.</i>	32	1323	— <i>picta.</i>
35	1452	— <i>marginata, Lam.</i> <i>est</i> <i>albicans.</i>	36	1460	— <i>picta, β. minor, H.K.I.</i> <i>est</i> <i>Saponaria.</i>
38	1585	— <i>marginata, Willd.</i> <i>est</i> <i>Phylloma aloifolium.</i>	13	457	— <i>plicatilis.</i>
33	1354	— <i>mirabilis.</i>	20	756	— <i>pumila, δ. arachnoides,</i> L. <i>est</i> <i>arachnoides.</i>
31	1270	— <i>mitraeformis.</i>	21	815	— <i>pumila, Thunb.</i> <i>est</i> <i>margaratif. ν. media.</i>
33	1362	— <i>mitrae, β. brevifolia.</i>	32	1314	— <i>pumila, Haw.</i> <i>est</i> <i>arachn. ν. reticulata.</i>
22	838	— <i>nigricans, Haw.</i> <i>est</i> <i>Lingua, β.</i>	33	1361	— <i>pumila, ε. L.</i> <i>est</i> <i>arachnoid. ν. pumila.</i>
20	765	— <i>obliqua, Dec.</i> <i>est</i> <i>maculata.</i>	34	1417	— <i>pumilio, Ja. est</i> <i>arachnoid. ν. translucens.</i>
25	979	— <i>obliqua, Jacq.</i> <i>est</i> <i>maculata, β.</i>	36	1474	— <i>purpurascens, Haw.</i> <i>est</i> <i>succotrina, β.</i>
33	1338	— <i>pentagona.</i>	38	1585	— <i>purpurea, Lam.</i> <i>est</i> <i>Phylloma aloifolium.</i>
20	757	— <i>perfoliata,</i> <i>est</i> <i>humilis.</i>	33	1345	— <i>Radula.</i>
14	472	— <i>perfoliata, ν. succotrina,</i> <i>est</i> <i>succotrina, α.</i>	33	1353	— <i>recurva.</i>
31	1270	— <i>perfoliata, ε. mitraeformis,</i> H.K.I. <i>est</i> <i>mitraeformis.</i>	32	1314	— <i>reticulata, Haw. est</i> <i>arachnoid. var. retic.</i>
31	1278	— <i>perfoliata, κ. Sp. Pl.</i> <i>est</i> <i>rhodacantha.</i>	13	453	— <i>retusa.</i>
32	1306	— <i>perfoliata, α. arborescens,</i> H.K.I. <i>est</i> <i>arborescens.</i>	31	1278	— <i>rhodacantha.</i>
32	1323	— <i>perfoliata, μ. Sp. Pl.</i> <i>est</i> <i>picta.</i>	33	1337	— <i>rigida.</i>
33	1332	— <i>perfoliata. ν. depressa,</i> H.K.I. <i>est</i> <i>depressa.</i>	36	1460	— <i>Saponaria, α.</i>
36	1460	— <i>perfoliata, ζ. λ. Sp. Pl.</i> <i>est</i> <i>Saponaria.</i>	33	1346	— <i>Saponaria, β. latifolia.</i>
36	1474	— <i>perfoliata. ξ. Sp. Pl.</i> <i>est</i> <i>succotrina, β.</i>	32	1323	— <i>Saponaria, ν. obscura,</i> Haw. <i>est</i> <i>picta.</i>
33	1362	— <i>perfoliata, π. brevifolia,</i> H.K.I. <i>est</i> <i>mitraeformis,</i> <i>var. brevifolia.</i>	36	1460	— <i>Sapon. minor, Haw.</i> <i>est</i> <i>Saponaria.</i>
33	1346	— <i>perfoliata, η. Saponaria,</i> H.K.I. <i>est</i> <i>Saponaria,</i> <i>var. latifolia.</i>	34	1415	— <i>serrulata.</i>
31	1278	— <i>perfoliata, ζ. glauca,</i> H.K.I. <i>est</i> <i>rhodacantha.</i>	36	1474	— <i>sinuata, Willd.</i> <i>est</i> <i>succotrina.</i>
31	1270	— <i>perfoliata, ο. mitraeformis,</i> H.K.I. <i>est</i> <i>mitraeformis.</i>	35	1455	— <i>spiralis.</i>
			33	1338	— <i>spiralis, β. H.K.I.</i> <i>est</i> <i>pentagona.</i>
			35	1455	— <i>spiralis, α. imbricata.</i> H.K.I. <i>est</i> <i>spiralis.</i>
			14	472	— <i>succotrina, α.</i>
			36	1474	— <i>succotrina, β.</i>

Vol.	No.		Vol.	No.	
34	1417	<i>Aloe translucens</i> , Haw. <i>est</i> <i>arachnoid. v. translucens.</i>	30	1217	<i>Amaryllis disticha</i> , L. <i>est</i> <i>Hæmanthus toxicarius.</i>
21	814	— <i>triangulare</i> , Lam. <i>est viscosa.</i>	9	305	— <i>equestris.</i>
33	1353	— <i>tricolor</i> , H.K.I. <i>est recurva.</i>	35	1443	— <i>falcata</i> , L'Her. <i>est Brunsvigia falcata.</i>
33	1331	— <i>tristicha</i> , Medic. <i>est carinata.</i>	2	47	— <i>formosissima.</i>
15	513	— <i>variegata.</i>	19	725	— <i>Fothergillia</i> , B.R. <i>est curvifolia.</i>
33	1353	— <i>venosa</i> , Lam. <i>est recurva.</i>	24	923*	— <i>gigantea.</i> [<i>Amaryllis ornata</i> , β.]
14	472	— <i>vera</i> , Mill. <i>est</i> <i>perfoliata, v. succot.</i>	19	726	— <i>humilis</i> , β.
22	837	— <i>verrucosa.</i>	27	1089	— <i>humilis</i> , <i>vide</i> 1430, <i>est corusca.</i>
33	1355	— <i>virens.</i>	24	923*	— <i>Jagus</i> , Thomp. <i>est gigantea.</i>
21	814	— <i>viscosa.</i>	39	1619	— <i>Josephinæ</i> , Red. <i>est Brunsvigia multiflora.</i>
36	1460	— <i>umbellata</i> , Dec. <i>est Saponaria, α.</i>	18	661	— <i>longifolia.</i>
20	758	— <i>Uvaria</i> , <i>est Tritoma Uvaria.</i>	35	1443	— <i>longifolia</i> , L. <i>est Brunsvigia falcata.</i>
11	367	<i>Aloysia citrodora</i> , Orteg. <i>est Verhena triphylla.</i>	9	290	— <i>lutea.</i>
22	850	<i>Alpinia sessilis</i> , Retz. <i>est Kæmpferia Galanga.</i>	39	1619	— <i>multiflora</i> , Bütn. <i>est Brunsvigia multiflora.</i>
28	1118	<i>Alsine montana</i> , Vent. <i>est Arenaria montana.</i>	39	1619	— <i>orientalis</i> , L. <i>est Brunsvigia multiflora.</i>
39	1613	<i>Alstrœmeria edulis</i> , B.R. <i>est Alstrœmeria Salsilla.</i>	24	923*	— <i>ornata</i> , β. <i>vide</i> 1171 et 1253, <i>est gigantea.</i>
4	125	— <i>Ligtu.</i>	31	1253	— <i>ornata</i> , α.
4	139	— <i>Pelegrina.</i>	29	1171	— <i>ornata</i> , β.
39	1613	— <i>Salsilla.</i>	35	1430	— <i>purpurea.</i>
23	892	<i>Althæa flexuosa.</i>	13	453	— <i>Reginæ.</i>
3	83	— <i>frutex</i> , Hort. <i>est Hibiscus syriacus.</i>	18	657	— <i>reticulata.</i>
4	126	<i>Alyssum deltoideum.</i>	23	915	— } <i>revoluta.</i>
3	101	— <i>maritimum</i> , H.K. [<i>Alyssum halimifolium.</i>]	29	1178	— }
12	419	— <i>montanum.</i>	9	294	— <i>sarniensis.</i>
5	159	— <i>saxatile.</i>	27	1090	— <i>sarniensis</i> , β. Ja. <i>est venusta.</i>
4	130	— <i>utriculatum.</i>	35	1430	— <i>speciosa</i> , L'Her. <i>est purpurea.</i>
28	1125	<i>Amaryllis advena.</i>	34	1383	— <i>spiralis</i> , L'Her. <i>est Strumaria spiralis.</i>
7	239	— <i>Atamasco.</i>	38	1586	— <i>tubispatha.</i>
12	409	— <i>aurea.</i>	29	1178	— <i>variabilis</i> , Jacq. <i>vide</i> 915 et 917, <i>est revoluta.</i>
19	733	— <i>Belladonna.</i>	27	1090	— <i>venusta.</i>
35	1450	— <i>blanda.</i>	4	129	— <i>vittata.</i>
31	1253	— <i>Brousoneti</i> , Red. <i>est ornata.</i>	28	1133	— <i>umbrella</i> , L'Her. <i>est Cyrtanthus obliquus.</i>
18	662	— <i>capensis</i> , L. <i>est Hypoxis stellata.</i>	11	369	— <i>undulata.</i>
27	1089	— <i>corusca</i> , <i>v.</i> 1430, b. [<i>Amaryllis humilis.</i>]	24	923*	— <i>yuccoides</i> , <i>est gigantea.</i>
33	1363	— <i>crispa</i> , Ja. et H.K. <i>est Strumaria crispa.</i>	29	1171	— <i>zeylanica</i> , L. <i>est ornata.</i>
19	725	— <i>curvifolia.</i>	5	161	<i>Amygdalus indica</i> , <i>est nana.</i>

Vol.	No.		Vol.	No.	
5	161	<i>Amygdalus nana.</i>	10	330	<i>Anoda hastata</i> , Gmel. <i>est Sida cristata.</i>
33	1368	<i>Anacampseros arachnoides</i> [<i>Talinum arachn.</i> H.K.]	37	1541	———— <i>hastata</i> , Cav. <i>est Sida hastata.</i>
33	1367	———— <i>filamentosa.</i> [<i>Talinum filament.</i> H.K.]	17	606	<i>Anomatheca juncea.</i>
21	831	<i>Anagallis fruticosa.</i>	13	462	<i>Anthemis Pyrethrum.</i>
21	831	———— <i>grandiflora</i> , B.R. <i>est fruticosa.</i>	32	1317	<i>Anthericum alooides.</i>
9	319	———— <i>Monelli.</i>	33	1339	———— <i>altissimum</i> , Mill. <i>est longiscapum.</i>
20	775	<i>Anamenia laserpitiiifolia</i> , Vent. <i>est Knowltonia ve-</i> <i>sicatoria.</i>	35	1451	———— <i>annuum.</i>
38	1554	<i>Ananas ovata</i> , Mill. <i>est Bromelia ananas.</i>	33	1339	———— <i>asphodeloid.</i> H.K.I. <i>est longiscapum.</i>
39	1608	<i>Anchusa ochroleuca.</i>	28	1124	———— <i>canaliculatum</i>
15	515	———— <i>orientalis</i> , L. <i>est</i> <i>Lithospermum orientale.</i>	22	871	———— <i>exuviatum</i> , Jacq. <i>est Albuca exuviata</i>
40	1645	<i>Andersonia sprengelioides</i>	26	1044	———— <i>flexifolium</i> , Jacq. <i>est revolutum.</i>
23	905	<i>Andromeda arborea.</i>	21	816	———— <i>frutescens.</i>
32	1288	———— <i>baccata</i> , Wang. <i>est Vaccinium resinum.</i>	28	1124	———— <i>hirsutum</i> . Th. <i>est canaliculatum.</i>
25	970	———— <i>cassinifolia.</i>	23	914	———— <i>Liliago</i> , α . L. <i>est</i> <i>Phalangium Liliago</i> , α .
32	1286	———— <i>calyculata</i> , v. ven- <i>triosa.</i>	39	1635	———— <i>Liliago</i> , β . L. <i>est</i> <i>Phalangium Liliago</i> , β .
27	1095	———— <i>coriacea.</i>	9	318	———— <i>Liliastrum.</i>
38	1566	———— <i>floribunda.</i>	33	1339	———— <i>longiscapum.</i>
27	1095	———— <i>lucida</i> , Lam. <i>est coriacea.</i>	35	1421	———— <i>milleflorum</i> , Red. <i>est Anthopodium panic.</i>
29	1152	———— <i>luridifolia</i> , Gawl. <i>Rec. est Vaccinium crassi-</i> <i>folium.</i>	35	1421	———— <i>paniculatum</i> , B.R. <i>est Anthopodium panic.</i>
27	1095	———— <i>mariana</i> , Jacq. <i>est coriacea.</i>	26	1046	———— <i>physodes</i> , Jacq. <i>est Albuca physodes.</i>
38	1579	———— <i>mariana</i> , α . <i>ovalis.</i>	35	1454	———— <i>pugioniforme.</i>
27	1095	———— <i>nitida</i> , Mich. <i>est coriacea.</i>	26	1055	———— <i>ramosum</i> , Willd. <i>est Phalangium ramosum.</i>
18	667	———— <i>pulverulenta.</i>	26	1044	———— <i>revolutum.</i>
25	970	———— <i>speciosa</i> , v. <i>nitida</i> , Mich. <i>est cassinifolia.</i>	37	1540	———— <i>subtrigynum</i> , Ja. <i>est Helonias læta.</i>
22	868	<i>Androsace lactea.</i>	26	1040	———— <i>vespertinum.</i>
22	868	———— <i>pauciflora</i> , Vill. <i>est lactea.</i>	16	561	<i>Antholyza æthiopica</i> , α .
20	743	———— <i>villosa.</i>	29	1172	———— <i>æthiopica</i> , β .
22	841	<i>Anemone coronaria.</i>	15	533	———— <i>aletroides</i> , β . <i>est Watsonia aletroides.</i>
1	10	———— <i>hepatica.</i>	10	343	———— <i>Cunonia</i> , <i>est Gladiolus Cunonia.</i>
4	123	———— <i>hortensis.</i>	17	600	———— <i>fulgens</i> , B.R. <i>est Watsonia iridifolia.</i>
28	1120	———— <i>narcissiflora.</i>	12	418	———— <i>Meriana</i> , L. <i>est Watsonia Meriana</i> , α .
2	54	———— <i>sylvestris.</i>	30	1194	———— <i>Meriana</i> , γ . <i>est Watsonia Meriana</i> , γ .
22	866	———— <i>thalictroides.</i>	15	533	———— <i>Merianella</i> , L. <i>est Watsonia aletroides</i> , β .
29	1151	<i>Anigozanthus flavida.</i>	16	574	———— <i>Merianella</i> , Reich. <i>est Gladiolus hirsutus.</i>
29	1151	<i>Anigozanthus grandiflora</i> , P.L. <i>est flavida.</i>			
35	1447	<i>Anneslea spinosa</i> , B.R. <i>est Euryale ferox.</i>			

Vol.	No.		Vol.	No.	
16	567	<i>Antholyza quadrangularis</i> , Burm. est <i>Gladiolus quad-</i> <i>rangularis</i> .	15	534	<i>Aristolochia Siph.</i>
16	569	———— <i>revoluta</i> , Burm. est <i>Gladiolus Watsonius</i> .	33	1369	———— <i>tomentosa</i> .
16	561	———— <i>ringens</i> , B.R. est <i>æthiopica</i> .	30	1196	<i>Arnica Bellidiastrum</i> .
17	601	———— <i>spicata</i> , B.R. est <i>Watsonia brevifolia</i> .	42	1749	———— <i>montana</i> .
15	533	———— <i>tubulosa</i> , B.R. est <i>Watsonia aletroides</i> .	39	1623	<i>Arnopogon Dalechampii</i> .
27	1092	<i>Anthyllis cretica</i> .	35	1421	<i>Arthropodium paniculat.</i>
18	676	———— <i>erinacea</i> .	91	820	<i>Arum bicolor</i> .
3	108	———— <i>tetraphylla</i> .	10	339	———— <i>trilobatum</i> .
6	207	<i>Antirrhinum alpinum</i> .	24	950	———— <i>triphyll. v. zebrinum</i> .
23	902	———— <i>Asarina</i> .	23	902	<i>Asarina procumbens</i> , Mill. est <i>Antirrhinum Asarina</i> .
11	368	———— <i>hirtum</i> , Jacq. est <i>viscosum</i> .	21	788	<i>Asclepias carnosae</i> .
3	99	———— <i>purpureum</i> .	39	1628	———— <i>fruticosa</i> , L. est <i>Gomphocarpus fruticosus</i>
6	200	———— <i>sparteum</i> .	29	1182	———— <i>hybrida</i> , Mich. est <i>variegata</i> .
15	525	———— <i>triornithophorum</i> .	29	1181	———— <i>nivea</i> .
9	324	———— <i>triphyllum</i> .	29	1182	———— <i>variegata</i> .
3	74	———— <i>triste</i> .	21	829	<i>Aspalathus araneosa</i> .
11	368	———— <i>viscosum</i> .	32	1289	———— <i>carnosae</i> .
24	949	<i>Aotus villosa</i> .	10	344	———— <i>pedunculata</i> .
38	1578	<i>Aphelandra cristata</i> .	15	515	<i>Asperugo divaricata</i> , Mur. est <i>Lithospermum orient.</i>
28	1132	<i>Aphyllanthes monspeliens.</i>	23	913	<i>Asphodelus comosus</i> , Hout.
8	280	<i>Apocynum androsæmifol.</i>	37	1539	est <i>Eucomis punctata</i> .
31	1268	<i>Aponogeton angustifolium</i> .	25	984	<i>Asphodelus fistulosus</i> .
32	1293	———— <i>distachyon</i> .	20	773	———— <i>lateus</i> .
30	1221	<i>Aquilegia bicolor</i> , Ehr. est <i>hybrida</i> .	21	799	———— <i>ramosus</i> .
7	246	———— <i>canadensis</i> .	6	199	<i>Aster alpinus</i> .
30	1221	———— <i>hybrida</i> .	38	1563	———— <i>argophyllus</i> .
30	1221	———— <i>vulg. n. specios.</i> H.K. est <i>hybrida</i> .	30	1196	———— <i>Bellidiastrum</i> , Scop. est <i>Arnica Bellidiastrum</i> .
7	226	<i>Arabis alpina</i> .	37	1509	———— <i>liratus</i> .
27	1085	<i>Aralia hispida</i> .	23	884	———— <i>reflexus</i> .
38	1577	<i>Arbutus canariensis</i> .	1	33	———— <i>tenellus</i> .
15	544	<i>Arctotis anthemoides</i> . [<i>Sphenogyne anthem.</i> H.K.]	33	1350	<i>Astragalus lotoides</i> , Lam. et Pall. est <i>sinicus</i> .
33	1343	———— <i>glutinosa</i> .	11	375	———— <i>monspessulanus</i> .
40	1678	<i>Ardisia acuminata</i> .	22	843	———— <i>montanus</i> .
40	1677	———— <i>solanacea</i> .	33	1350	———— <i>sinicus</i> .
28	1118	<i>Arenaria montana</i> .	38	1553	<i>Astrantia helleborifolia</i> , P.L. et H.K. est <i>maxima</i> .
7	243	<i>Argemone mexicana</i> .	38	1553	———— <i>heterophylla</i> , W. est <i>maxima</i> .
17	605	<i>Aristea capitata</i> .	38	1553	———— <i>maxima</i> .
13	458	———— <i>cyanea</i> .	35	1439	<i>Astroloma humifusum</i> .
17	605	———— <i>major</i> , B.R. est <i>capitata</i> .	15	530	<i>Atragene alp. v. austriaca</i> . est <i>austriaca</i> , H.K.
31	1277	———— <i>melaleuca</i> .	23	887	<i>Atragene americana</i> .
30	1231	———— <i>pusilla</i> .	15	530	———— <i>austriaca</i> , v. 887. [<i>A. alpina</i> , v. <i>austriaca</i> .]
15	520	———— <i>spiralis</i> .	19	716	———— <i>capensis</i> .
28	1115	<i>Aristolochia glauca</i> .	30	1197	<i>Aucuba japonica</i> .
28	1116	———— <i>sempervirens</i> .	41	1721	<i>Azalea calendulacea</i> , β. cro- cea.

Vol.	No.		Vol.	No.	
36	1480	<i>Azalea indica</i> .	39	1613	<i>Bomarea</i> species, Lam. <i>est</i> <i>Alstrœmeria Salsilla</i> .
5	180	——— <i>nudiflora</i> v. <i>coccin</i> .	34	1412	<i>Bombax carolinoides</i> , Donn <i>est</i> <i>Carolinea minor</i> .
13	433	——— <i>pontica</i> .	8	274	<i>Borbonia crenata</i> .
17	626	<i>Babiana disticha</i> .	28	1144	<i>Bossiaea heterophylla</i> , Vent. <i>est</i> <i>lanceolata</i> .
16	576	——— <i>plicata</i> .	28	1144	——— <i>lanceolata</i> .
12	410	——— <i>rubro-cyanea</i> .	36	1493	——— <i>prostrata</i> .
26	1019	——— <i>sambucina</i> .	30	1235	——— <i>Scolopendria</i> .
17	638	——— <i>spathacea</i> .	41	1691	<i>Brassia maculata</i> .
17	637	——— <i>stricta</i> , α . <i>saturate</i> , <i>cœrulea</i> .	10	357	<i>Briza maxima</i> .
17	621	——— <i>stricta</i> , β .	38	1554	<i>Bromelia Ananas</i> .
26	1052	——— <i>stricta</i> , γ .	42	1732	——— <i>pyramidalis</i> .
26	1053	——— <i>sulphurea</i> .	28	1136	<i>Browallia demissa</i> .
22	847	——— <i>tubiflora</i> , α .	1	34	——— <i>elata</i> .
18	680	——— <i>tubiflora</i> , β .	11	393	<i>Brunfelsia americana</i> .
16	583	——— <i>villosa</i> .	35	1443	<i>Brunsvigia falcata</i> .
19	738	<i>Banksia ericæfolia</i> .	39	1619	——— <i>multiflora</i> .
39	1615	<i>Barleria cristata</i> .	34	1409	<i>Bryophyllum calycinum</i> .
36	1487	<i>Bartonia decapetala</i> .	9	308	<i>Buchnera canadensis</i> , L. <i>est</i> <i>Verbena Aubletia</i> .
27	1083	<i>Basilæa coronata</i> , Lam. <i>est</i> <i>Eucomis undulata</i> .	7	217	<i>Buchnera viscosa</i> .
19	715	<i>Bauera rubioides</i> .	11	374	——— <i>coccinea</i> , Scop. <i>est</i> <i>Cyrilla pulchella</i> .
41	1708	<i>Bauhinia porrecta</i> .	11	361	<i>Buchozia coprosmoid</i> , L'H. <i>est</i> <i>Lycium japonicum</i> .
42	1743	<i>Beaufortia decussata</i> .	5	174	<i>Buddlea globosa</i> .
30	1196	<i>Bellidiastrum alpinum</i> , M. <i>est</i> <i>Arnica Bellidiastrum</i> .	27	1073	<i>Bulbine asiatica</i> , Gært. <i>est</i> <i>Crinum asiaticum</i> .
7	228	<i>Bellis perennis</i> , var. <i>major</i> <i>flore pleno</i> .	21	816	——— <i>caulescens</i> , H. Cl. <i>est</i> <i>Anthericum frutescens</i> .
28	1146	<i>Besleria pulchella</i> .	5	153	<i>Bulbocodium vernum</i> .
19	700	<i>Betonica grandiflora</i> .	16	564	<i>Cacalia coccinea</i> .
39	1627	<i>Bidens crocata</i> , Willd. <i>est</i> <i>Spilanthes crocata</i> .	1	17	<i>Cactus flagelliformis</i> .
22	865	<i>Bignonia australis</i> , H.K. <i>est</i> <i>B. Pandoræ</i> .	38	1557	——— <i>nigricans</i> , Haw. <i>est</i> <i>C. Tuna</i> , v. <i>nigricans</i> .
22	864	——— <i>capreolata</i> .	38	1557	——— <i>Opuntia</i> , <i>Tuna</i> , Dec. <i>est</i> <i>C. Tuna</i> , v. <i>nigricans</i> .
27	1094	——— <i>Catalpa</i> , H.K. <i>est</i> <i>Catalpa syringifolia</i> .	38	1557	——— <i>Tuna</i> , v. <i>nigricans</i> .
34	1398	——— <i>chinensis</i> , Lam. <i>est</i> <i>grandiflora</i> .	25	995	<i>Cæsalpinia pulcherrim</i> , Sw. <i>est</i> <i>Poinciana pulcherrima</i> .
34	1398	——— <i>grandiflora</i> .	34	1409	<i>Calanchoe pinnata</i> , Pers. <i>est</i> <i>Bryophyllum calycin</i> .
22	865	——— <i>Pandoræ</i> , <i>est</i> <i>australis</i> , H.K.	35	1436	——— <i>Verea</i> , Persoon, <i>est</i> <i>Cotyledon crenata</i> .
22	865	——— <i>pandorana</i> , B.R. <i>est</i> <i>Pandoræ</i> , B.M.	10	318	<i>Calceolaria Fothergillii</i> .
22	865	——— <i>pandorea</i> , Vent. <i>est</i> <i>Pandoræ</i> , B.M.	2	41	——— <i>pinnata</i> .
14	485	——— <i>radicans</i> .	42	1734	<i>Calea lobata</i> .
37	1511	<i>Bignonia uncata</i> .	12	408	<i>Calendula Tragus</i> .
37	1507	<i>Billardiera longiflora</i> .	21	832	<i>Calla æthiopica</i> .
32	1313	——— <i>mutabilis</i> .	39	1602	<i>Calonnea pulcherr</i> , Buch. <i>est</i> <i>Galardia bicolor</i> .
21	801	——— <i>scandens</i> .	37	1506	<i>Calothamnus quadrifida</i> .
35	1456	<i>Bixa orellana</i> .	14	503	<i>Calycanthus floridus</i> .
13	451	<i>Blakea trinervia</i> .			
8	276	<i>Blitum virgatum</i> .			

Vol.	No.		Vol.	No.	
13	466	<i>Calycanthus præcox.</i>	37	1525	<i>Castalia pygmaea</i> , P.L. <i>est Nymphæa pygmaea.</i>
2	42	<i>Camellia japonica.</i>	27	1094	<i>Catalpa syringifolia.</i>
40	1654	———— <i>jap. v. anemonifl.</i>	9	293	<i>Catananche cærulea.</i>
40	1646	<i>Cameraria dubia.</i>	4	131	<i>Catesbæa spinosa.</i>
23	912	<i>Campanula alliariæfolia.</i> [<i>C. macrophylla.</i>]	36	1479	<i>Ceanothus americanus.</i>
31	1258	———— <i>allionii</i> , Vill. <i>est barbata.</i>	29	1167	<i>Celastrus Pyracanthus.</i>
31	1258	———— <i>alpestris</i> , All. <i>est barbata.</i>	29	1167	———— <i>spinosa</i> , Th. <i>est C. Pyracanthus.</i>
24	957	———— <i>alpina.</i>	24	964	<i>Celsia cretica.</i>
16	551	———— <i>azurea.</i>	6	210	———— <i>linearis</i> , <i>est</i> <i>Hemimeris linearis.</i>
31	1258	———— <i>barbata.</i>	12	417	———— <i>urticæfolia</i> , <i>est</i> <i>Hemimeris urticæfolia.</i>
13	444	———— <i>canariensis</i> , L. <i>est Canarina Campanula.</i>	12	421	<i>Centaurea aurea.</i>
20	782	———— <i>capensis.</i>	29	1175	———— <i>caucasica</i> , Bieb. <i>est ochroleuca.</i>
21	811	———— <i>capitata.</i>	2	62	———— <i>glastifolia.</i>
4	117	———— <i>carpatica.</i>	31	1248	———— <i>macrocephala.</i>
24	927	———— <i>collina.</i>	3	77	———— <i>montana.</i>
18	691	———— <i>gracilis.</i>	29	1175	———— <i>ochroleuca.</i>
7	252	———— <i>grandiflora.</i>	14	494	———— <i>ragusina.</i>
23	912	———— <i>macrophylla</i> , B.M. <i>est alliariæfolia.</i>	42	1752	———— <i>Rhapontica.</i>
12	404	———— <i>mollis.</i>	19	737	<i>Cerbera Ahovai.</i>
31	1257	———— <i>peregrina.</i>	28	1138	<i>Cercis Siliquastrum.</i>
12	397	———— <i>persicifol. v. maxim.</i>	1	17	<i>Cereus flagelliformis</i> , Mill. <i>est Cactus flagelliformis.</i>
15	512	———— <i>pumila.</i>	10	333	<i>Cerintho glaber</i> , Mill. <i>est</i>
41	1723	———— <i>punctata.</i>	10	333	———— <i>major.</i>
15	512	———— <i>pusilla</i> , Jacq. <i>est pumila.</i>	42	1729	<i>Cestrum fastigiatum.</i>
15	512	———— <i>rotundifolia</i> , ß.L. <i>est pumila.</i>	42	1770	———— <i>Parqui.</i>
18	659	———— <i>sibirica.</i>	35	1434	<i>Chamærops acaulis</i> , Mich. <i>est Sabal Adansonii.</i>
3	102	———— <i>Speculum.</i>	22	835	<i>Cheiranthus armeniacus.</i>
32	1290	———— <i>thyrsoides.</i>	5	166	———— <i>maritimus.</i>
13	444	<i>Canarina Campanula.</i>	6	195	———— <i>mutabilis.</i>
13	454	<i>Canna indica.</i>	41	1711	———— <i>odoratissimus</i> , W. <i>est Matthiola odoratissim.</i>
9	291	<i>Capparis spinosa.</i>	19	729	———— <i>tristis.</i> <i>est Matthiola tristis</i> , H.K.
38	1556	<i>Capraria undulata.</i>	35	1425	<i>Chelone lævigata</i> , Pers. <i>est Pentstemon læv.</i>
20	781	<i>Caprifolium sempervirens</i> , Mich. <i>est Lonicera semp.</i>	35	1424	———— <i>pentstemon</i> , L. <i>est</i> <i>Pentstemon pubescens.</i>
42	1735	<i>Cardamine asarifolia.</i>	21	818	<i>Chironia angustifolia.</i>
13	452	———— <i>trifolia.</i>	7	233	———— <i>baccifera.</i>
26	1049	<i>Cardiospermum Halicacab.</i>	39	1600	———— <i>calycosa</i> , Mich. <i>est Sabbatia calycosa.</i>
33	1366	<i>Carduus spinosissimus</i> , La. <i>est Cnicus spinosis.</i>	19	707	———— <i>decussata.</i>
34	1391	<i>Carex Fraseri</i> , B.R. <i>est</i>	2	37	———— <i>frutescens.</i>
34	1391	———— <i>fraseriana.</i>	19	707	———— <i>latifolia</i> , Hort. <i>est Chironia decussata.</i>
34	1412	<i>Carolinea minor.</i>	15	511	———— <i>linoides.</i>
21	810	<i>Cassia biflora.</i>	27	1071	<i>Chlorophytum inornatum.</i>
3	107	———— <i>Chamæcrista.</i>			
17	633	———— <i>corymbosa.</i>			
31	1280	<i>Castalia magnifica</i> , P.L. <i>est Nymphæa rubra.</i>			

Vol.	No.		Vol.	No.	
26	1032	<i>Chorizema nanum</i> .	21	792	<i>Colutea galegifolia</i> ,
36	1477	——— <i>trilobum</i> , Smith.			est <i>Swainsonia galeg.</i> H.K.
		est <i>Podolobium trilobum</i> .	35	1431	<i>Commelina africana</i> .
27	1080	<i>Chrysanthemum coccin.</i>	41	1695	——— <i>cælestis</i> , W. en.
10	327	——— <i>indicum</i> .			est <i>tuberosa</i> .
15	508	——— <i>tricolor</i> .	35	1435	——— <i>crislata</i> , L. est
39	1630	<i>Cimicifuga palmata</i> .			<i>Tradescantia cristata</i> .
7	249	<i>Cineraria amelloides</i> .	41	1695	——— <i>tuberosa</i> .
12	406	——— <i>cruenta</i> .	39	1596	<i>Conostylis americana</i> , Pur.
2	53	——— <i>lanata</i> .			est <i>Lophiola aurea</i> .
37	1536	——— <i>Petasitis</i> .	15	510	<i>Convallaria bifolia</i> .
18	646	<i>Cipura paludosa</i> , Aubl.	27	1063	——— <i>japonica</i> , Th. est
		est <i>Marica paludosa</i> .			<i>Ophiopogon japonicus</i> .
33	1366	<i>Cirsium spinosissim.</i> Scop.	23	899	——— <i>racemosa</i> .
		est <i>Cnicus spinosissimus</i> .	26	1043	——— <i>stellata</i> .
17	627	<i>Cistus algarvensis</i> .	29	1155	——— <i>umbellulata</i> , Mich.
8	264	——— <i>formosus</i> .			est <i>Smilacina umbellata</i> .
2	43	——— <i>incanus</i> .	10	359	<i>Convolvulus althæoides</i> .
4	112	——— <i>ladaniferus</i> .	24	943	——— <i>bryoniaefolius</i> .
32	1309	<i>Claytonia alsinoides</i> .	19	699	——— <i>cairicus</i> .
33	1336	——— <i>cubensis</i> , Bonpl. est	30	1228	——— <i>canariensis</i> .
33	1336	——— <i>perfoliata</i> .	39	1603	——— <i>candicans</i> .
24	941	——— <i>virginica</i> .	13	459	——— <i>Cneorum</i> .
24	959	<i>Clematis balearica</i> , La. est	27	1067	——— <i>erubescens</i> .
24	959	——— <i>calycina</i> .	38	1572	——— <i>Jalapa</i> .
27	1070	——— <i>cirrhusa</i> .	9	289	——— <i>linearis</i> .
29	1160	——— <i>cylindrica</i> .	6	188	——— <i>Nil</i> .
22	834	——— <i>florida</i> .	39	1603	——— <i>panduratus</i> , Mich.
2	65	——— <i>integrifolia</i> .			est <i>candicans</i> .
29	1160	——— <i>reticulata</i> , Mich.	30	1228	——— <i>pannifolius</i> , P.L.
		est <i>cylindrica</i> .			est <i>canariensis</i> .
29	1160	——— <i>Viorna</i> , B.R.	4	113	——— <i>purpureus</i> .
		est <i>cylindrica</i> .	25	1005	——— <i>purpur. v. elatior</i> .
16	565	——— <i>Viticella</i> .	41	1682	——— <i>purpur. v. varius</i> .
40	1640	<i>Cleome pungens</i> , W. est	19	732	——— <i>sepium, v. americ.</i>
40	1640	——— <i>spinosa</i> .	1	27	——— <i>tricolor</i> .
37	1518	<i>Clerodendrum tomentos</i> .	32	1296	<i>Corchorus japonicus</i> .
26	1057	<i>Clethra arborea</i> .	21	794	<i>Cordia Sebestena</i> .
39	1625	<i>Cliftonia</i> , Herb. Banks. est	5	156	<i>Coreopsis verticillata</i> .
		<i>Mylocaryum ligustrinum</i> .	22	880	<i>Cornus canadensis</i> .
37	1542	<i>Clitoria Ternatea</i> .	15	526	——— <i>florida</i> .
32	1321	<i>Clutia alaternoides</i> , L. est	23	907	<i>Coronilla coronata</i> .
32	1321	<i>Cluytia alaternoides</i> .	13	445	——— <i>Emerus</i> .
33	1366	<i>Cnicus spinosissimus</i> .	1	13	——— <i>glauca</i> .
22	851	<i>Cobæa scandens</i> .	23	907	——— <i>montana</i> , Scop.
32	1303	<i>Coffea arabica</i> .			est <i>coronata</i> .
28	1122	<i>Colchicum byzantinum</i> .	6	185	——— <i>valentina</i> .
26	1028	——— <i>variegatum</i> .	8	258	——— <i>varia</i> .
30	1213	<i>Collinsonia anisata</i> .	25	987	<i>Cortusa Matthioli</i> .
30	1213	——— <i>serotina</i> , Walt. est	42	1746	<i>Corræa speciosa</i> .
		<i>Collinsonia anisata</i> .	37	1535	<i>Cosmea bipinnata</i> .
39	1614	<i>Columnnea rotundif.</i> P.L. est	41	1689	——— <i>lutea</i> .
39	1614	——— <i>scandens</i> .	11	384	<i>Cotyledon arboresc.</i> Mill.
3	81	<i>Colutea arborescens</i> .			est <i>Crassula Cotyledon</i> .
6	181	——— <i>frutescens</i> , est	35	1436	——— <i>crenata</i> .
		<i>Sutherlandia</i> , frut. H.K.			

- | Vol. | No. | | Vol. | No. | |
|------|------|-------------------------------------------------------------------------------|------|------|-------------------------------------------------------------------------------|
| 9 | 321 | <i>Cotyledon orbiculata.</i> | 18 | 652 | <i>Crocus susianus.</i> |
| 34 | 1409 | ———— <i>pinnata</i> , Lam. et
H.K. <i>est</i> <i>Bryoph. calycin.</i> | 30 | 1225 | ———— <i>triflorus</i> , Burm. Pr
<i>est</i> <i>Trichonema roseum.</i> |
| 42 | 1765 | <i>Crassula centauroides.</i> | 22 | 845 | ———— <i>vernus</i> , β. M. Mill.
<i>est</i> <i>biflorus.</i> |
| 14 | 495 | ———— <i>coccinea.</i> | 22 | 860 | ———— <i>vernus</i> , Eng. Bot.
<i>est</i> <i>vernus</i> , β. neapolit. |
| 11 | 384 | ———— <i>Cotyledon.</i> | 22 | 860 | ———— <i>vernus</i> , β. neapolit. |
| 16 | 596 | <i>Cratæva cappar.</i> B.R. <i>est</i> | 28 | 1110 | ———— <i>versicolor.</i> |
| 16 | 596 | ———— <i>fragrans.</i> | 29 | 1177 | <i>Crotalaria alba</i> , Sp. Pl.
<i>est</i> <i>Podalyria alba.</i> |
| 1 | 35 | <i>Crepis barbata.</i> | 24 | 965 | ———— <i>oxalidifolia</i> , Hortu.
<i>est</i> <i>Loddigesia oxalidifol.</i> |
| 14 | 500 | <i>Crinum africanum.</i> L.
<i>est</i> <i>Agapanthus umbellat.</i> | 41 | 1699 | ———— <i>pulchella.</i> |
| 39 | 1605 | ———— <i>amabile.</i> | 14 | 482 | ———— <i>triflora.</i> |
| 26 | 1034 | ———— <i>americanum.</i> | 25 | 989 | <i>Crowea saligna.</i> |
| 30 | 1232 | ———— <i>american.</i> β. Sp. Pl.
<i>est</i> <i>erubescens.</i> | 38 | 1558 | <i>Crucianella hispida</i> , Mill.
<i>est</i> <i>Spermacoce strigosa.</i> |
| 8 | 271 | ———— <i>angustifolium</i> , L.
<i>est</i> <i>Cyrtanthus angustifol.</i> | 28 | 1107 | <i>Cucubalus stellatus.</i> |
| 27 | 1073 | ———— <i>asiaticum.</i> | 40 | 1638 | <i>Cucumis acutangul.</i> Sp. Pl.
<i>est</i> <i>Luffa foetida.</i> |
| 30 | 1232 | ———— <i>erubescens.</i> | 10 | 343 | <i>Cunonia antholyza</i> , Mill.
<i>est</i> <i>Gladiolus Cunonia.</i> |
| 35 | 1443 | ———— <i>falcatum</i> , S. V.
<i>est</i> <i>Brunsvigia falcata.</i> | 27 | 1076 | <i>Curculigo orchioides.</i> |
| 24 | 923* | ———— <i>giganteum</i> , B.R.
<i>est</i> <i>Amaryllis gigantea.</i> | 37 | 1546 | <i>Curcuma aromat.</i> P.L. <i>est</i> |
| 29 | 1171 | ———— <i>latifolium</i> , B.R. | 37 | 1546 | ———— <i>Zedoaria.</i> |
| 31 | 1253 | <i>est</i> <i>Amaryllis ornata.</i> | 23 | 903 | <i>Cyamus mysticus</i> , P.L.
<i>est</i> <i>Nelumbium specios.</i> |
| 18 | 661 | ———— <i>longifolium</i> . Th.
<i>est</i> <i>Amaryllis longifolia.</i> | 23 | 903 | ———— <i>Nelumbo</i> , Ex. Bot.
<i>est</i> <i>Nelumbium speciosum</i> |
| 35 | 1419 | ———— <i>nervosum</i> , Willd.
<i>est</i> <i>Pancreatium amboin.</i> | 16 | 568 | <i>Cyanella capensis.</i> |
| 28 | 1133 | ———— <i>obliquum</i> , L.
<i>est</i> <i>Cyrtanthus obliquus.</i> | 31 | 1232 | ———— <i>lutea.</i> |
| 35 | 1430 | ———— <i>speciosum</i> , L.
<i>est</i> <i>Amaryllis purpurea.</i> | 1 | 4 | <i>Cyclamen coum.</i> |
| 34 | 1383 | ———— <i>spirale</i> , B.R.
<i>est</i> <i>Strumaria spiralis.</i> | 25 | 1001 | ———— <i>europæum</i> , Mill. <i>est</i> |
| 34 | 1383 | ———— <i>tenellum</i> , Jacq.
<i>est</i> <i>Strumaria spiralis.</i> | 25 | 1001 | ———— <i>hederæfolium.</i> |
| 29 | 1171 | ———— <i>yuccæflorum</i> , P.L. | 2 | 44 | ———— <i>persicum.</i> |
| 31 | 1253 | <i>est</i> <i>Amaryllis ornata.</i> | 11 | 387 | <i>Cymbidium aloifol.</i> H.K.
[<i>Epidendrum aloifolium.</i>] |
| 31 | 1253 | ———— <i>zeylanicum</i> , L.
<i>est</i> <i>Amaryllis ornata.</i> | 35 | 1437 | ———— <i>coccineum.</i>
[<i>Ornithidium cocc.</i> H.K.] |
| 28 | 1111 | <i>Crocus aureus</i> , Fl. Gr.
<i>est</i> <i>mæsiacus.</i> | 42 | 1751 | ———— <i>ensifolium.</i> |
| 22 | 845 | ———— <i>biflorus.</i> | 36 | 1492 | ———— <i>hyacinthinum.</i>
[<i>Bletia hyacinthin.</i> H.K.] |
| 28 | 1111 | ———— <i>luteus</i> , Lam.
<i>est</i> <i>mæsiacus.</i> | 23 | 888 | ———— <i>sinense</i> , H.K.
[<i>Epidendrum sinense.</i>] |
| 2 | 45 | ———— <i>mæsiacus.</i> | 25 | 976 | <i>Cymburus mutabilis</i> , P.L.
<i>est</i> <i>Stachytarpheta mutab.</i> |
| 28 | 1111 | ———— <i>mæsiacus.</i> | 31 | 1273 | <i>Cynanchum discolor.</i> |
| 22 | 860 | ———— <i>officinalis</i> , β. Huds.
<i>est</i> <i>vernus</i> , β. neapolit. | 1 | 7 | <i>Cynoglossum omphalodes.</i> |
| 22 | 860 | ———— <i>sativus</i> , β. L.
<i>est</i> <i>vernus</i> , β. neapolit. | 6 | 192 | <i>Cypripedium acule.</i>
[<i>Cypriped. humile</i> , H.K.] |
| 31 | 1267 | ———— <i>serotinus.</i> | 6 | 216 | ———— <i>album,</i>
<i>est</i> <i>spectabile</i> , H.K. |
| 24 | 938 | ———— <i>sulphureus</i> , α. | 38 | 1569 | ———— <i>arietinum.</i> |
| 34 | 1384 | ———— <i>sulphureus</i> , β. | | | |

Vol.	No.		Vol.	No.	
23	911	<i>Cypripedium Calceolus</i> , M. <i>est</i> parviflorum.	30	1204	<i>Dianthus petræus</i> .
6	216	———— <i>hirsutum</i> , Mill. <i>est</i> spectabile.	28	1132	———— <i>prolifer</i> , Forsk. <i>est</i> <i>Aphyllanthes monsp.</i>
6	192	———— <i>humile</i> , H.K. [<i>Cypripedium acaule</i> .]	9	297	———— <i>superbus</i> .
23	911	———— <i>parviflorum</i> .	28	1108	<i>Diapensia lapponica</i> .
6	216	———— <i>spectabile</i> , H.K. [<i>Cypripedium album</i> .]	29	1159	<i>Digitalis lanata</i> .
11	374	<i>Cyrilla pulchella</i> .	13	449	<i>Dillenia speciosa</i> , B.M. <i>est</i> <i>Hibbertia volub.</i> H.K.
8	271	<i>Cyrtanthus angustifolius</i> .	37	1545	<i>Dillwynia ericifolia</i> .
28	1133	———— <i>obliquus</i> .	24	944	———— <i>glaberrima</i> .
34	1387	<i>Cytisus divaricatus</i> .	33	1274	———— <i>obovata</i> .
12	426	———— <i>foliolosus</i> .	37	1527	———— <i>parvifolia</i> .
5	176	———— <i>Laburnum</i> .	20	785	<i>Dionæa Muscipula</i> .
35	1438	———— <i>leucanthus</i> .	37	1519	<i>Diosma fragrans</i> .
14	476	———— <i>psoraloides</i> , L. <i>est</i> <i>Indigofera psoraloides</i>	39	1616	———— <i>ovata</i> .
29	1176	———— <i>purpureus</i> .	33	1357	———— <i>pulchella</i> .
8	255	———— <i>sessilifolius</i> .	31	1271	———— <i>rugosa</i> , Donn. <i>est</i> <i>speciosa</i> .
20	762	<i>Dahlia coccinea</i> .	13	456	———— <i>serratifolia</i> .
41	1707	<i>Dalea violacea</i> , W. <i>est</i> <i>Petalostemum violac.</i>	31	127f	———— <i>speciosa</i> .
5	147	<i>Dais cotinifolia</i> .	31	1271	———— <i>umbellata</i> , <i>est</i> <i>speciosa</i> .
5	147	———— <i>laurifolia</i> , Jacq. <i>est</i> <i>cotinifolia</i> .	8	273	———— <i>uniflora</i>
38	1567	<i>Dalibarda fragarioides</i> .	40	1666	<i>Diphylleia cymosa</i> .
30	1201	<i>Damasonium indicum</i> .	7	218	<i>Disandra prostrata</i> .
9	313	<i>Daphne Cneorum</i> .	1	12	<i>Dodecatheon Meadia</i> .
12	428	———— <i>collina</i> .	23	896	<i>Dolichos Lablab</i> .
38	1587	———— <i>odora</i> .	11	380	———— <i>lignosus</i> .
31	1282	———— <i>pontica</i> .	25	1000	<i>Dombeya Erythroxyll</i> , W. <i>est</i> <i>Pentapetes Erythrox.</i>
35	1440	<i>Datura innoxia</i> , Mill. <i>est</i>	41	1706	<i>Donia squarrosa</i> .
35	1440	———— <i>Metel.</i>	30	1196	<i>Doronicum Bellidiasr.</i> L. <i>est</i> <i>Arnica Bellidiasstrum</i> .
29	1190	<i>Daviesia denudata</i> , Vent. <i>est</i> <i>Viminaria denudata</i> .	41	1685	<i>Doryanthes excelsa</i> .
42	1757	<i>Daviesia latifolia</i> .	5	170	<i>Draba aizoides</i> .
41	1686	<i>Delphinium grandiflorum</i> .	19	713	———— <i>pyrenaica</i> .
36	1465	<i>Dentaria diphylla</i> .	34	1403	<i>Dracæna borealis</i> , H.K. <i>est</i> <i>Smilacina borealis</i> .
17	615	<i>Diana viridiflora</i> , Red. <i>est</i> <i>Melasphærulea gramin.</i>	34	1404	———— <i>ensifolia</i> , H.K. I. <i>est</i> <i>Dianella ensifolia</i> .
15	505	<i>Dianella cærulea</i> .	27	1081	———— <i>fragrans</i> .
34	1404	———— <i>ensifolia</i> , α .	38	1585	———— <i>marginata</i> , H.K. I. <i>est</i> <i>Phylloma aloifolium</i> .
34	1404	———— <i>nemorosa</i> , Lam. <i>est</i> <i>ensifolia</i> , β .	29	1180†	———— <i>ovata</i> .
30	1205	<i>Dianthus alpinus</i> .	25	1009	<i>Dracocephalum altaense</i> , Laxm. <i>est</i> <i>grandiflorum</i> .
6	205	———— <i>barbatus</i> .	6	214	———— <i>denticulatum</i> .
2	39	———— <i>Caryophyllus</i> .	25	1009	———— <i>grandiflorum</i> .
39	1622	———— <i>Caryophyllus</i> , var. <i>imbricatus</i> .	27	1084	———— <i>peregrinum</i> .
21	795	———— <i>caucaseus</i> .	13	467	———— <i>virginianum</i> .
1	25	———— <i>chinensis</i> .	22	836	<i>Dracontium fatidum</i> , L. <i>est</i> <i>Pothos fatida</i> .
29	1162	———— <i>discolor</i> .	34	1375	———— <i>pentaphyll.</i> Aub <i>est</i> <i>Pothos pentaphylla</i>
42	1739	———— <i>leptopetalus</i> .			
27	1069	———— <i>orientalis</i> .			

† By mistake, 1179 in some Copies.

- | Vol. | No. | | Vol. | No. | |
|------|------|--------------------------------------|------|------|------------------------------------|
| 27 | 1074 | <i>Drimia altissima.</i> | 7 | 220 | <i>Erica cerinthoides.</i> |
| 35 | 1444 | ———— <i>ciliaris.</i> | 11 | 484 | ———— <i>ciliaris.</i> |
| 21 | 822 | ———— <i>elata.</i> | 38 | 1548 | ———— <i>dilecta.</i> |
| 34 | 1380 | ———— <i>lanceæfolia.</i> 3. | | | <i>est primuloides.</i> |
| 38 | 1581 | <i>Dryandra floribunda.</i> | 21 | 966 | ———— <i>elegans.</i> |
| 38 | 1582 | ———— <i>longifolia.</i> | 13 | 447 | ———— <i>empetrifolia.</i> |
| 27 | 1092 | <i>Ebenus cretica, L.</i> | 38 | 1548 | ———— <i>fastigiata, ß. H. K.</i> |
| | | <i>est Anthyllis cretica.</i> | | | <i>est primuloides.</i> |
| 27 | 1064 | <i>Echites suberecta, ß.</i> | 16 | 580 | ———— <i>glauca.</i> |
| 35 | 1442 | <i>Edwardsia microphylla.</i> | 6 | 189 | ———— <i>grandiflora.</i> |
| 5 | 167 | ———— <i>tetraptera.</i> | 1 | 11 | ———— <i>herbacea.</i> |
| | | [<i>Sophora tetraptera.</i>] | 42 | 1758 | ———— <i>Hibbertiana.</i> |
| 42 | 1737 | <i>Elæocarpus cyaneus.</i> | 14 | 481 | ———— <i>hirtiflora.</i> |
| 22 | 862 | <i>Embothrium cytisoid. Cav.</i> | 41 | 1720 | ———— <i>Lawsoni.</i> |
| | | <i>est sericeum.</i> | 19 | 706 | ———— <i>longifolia, v. carnea.</i> |
| 31 | 1272 | ———— <i>herbaceum, Cav.</i> | 10 | 356 | ———— <i>Massoni.</i> |
| | | <i>est Lomatia silaifolia.</i> | 30 | 1214 | ———— <i>medioliflora, Salisb.</i> |
| 22 | 862 | ———— <i>sericeum.</i> | | | <i>est Thunbergii.</i> |
| 31 | 1272 | ———— <i>silaifolium, Sm.</i> | 14 | 471 | ———— <i>mediterranea.</i> |
| | | <i>est Lomatia silaifolia.</i> | 17 | 612 | ———— <i>metulæflora.</i> |
| 28 | 1128 | ———— <i>speciosissimum.</i> | 33 | 1370 | ———— <i>monadelpha.</i> |
| | | <i>est Telopea specios. H. K.</i> | 34 | 1399 | ———— <i>odorata.</i> |
| 40 | 1649 | <i>Enkianthus quinqueflora.</i> | 10 | 342 | ———— <i>persoluta.</i> |
| 25 | 982 | <i>Epæris grandiflora.</i> | 13 | 443 | ———— <i>physodes.</i> |
| 25 | 982 | ———— <i>longiflora, Cav.</i> | 38 | 1548 | ———— <i>primuloides.</i> |
| | | <i>est grandiflora.</i> | 14 | 480 | ———— <i>pubescens.</i> |
| 29 | 1170 | ———— <i>pulchella.</i> | 11 | 366 | ———— <i>pyramidalis.</i> |
| 30 | 1199 | ———— <i>pungens, v. rubra.</i> | 28 | 1139 | ———— <i>resinosa.</i> |
| 22 | 844 | ———— <i>purpurascens.</i> | 11 | 362 | ———— <i>retorta.</i> |
| 11 | 387 | <i>Epidendrum aloifolium,</i> | 10 | 342 | ———— <i>subdivaricata, Berg.</i> |
| | | <i>est Cymbidium aloif. H. K.</i> | | | <i>est persoluta.</i> |
| 13 | 463 | ———— <i>ciliare.</i> | 30 | 1214 | ———— <i>Thunbergii.</i> |
| 35 | 1437 | ———— <i>coccineum, Sp. Pl.</i> | 39 | 1626 | ———— <i>togata.</i> |
| | | <i>est Ornithid. cocc. H. K.</i> | 10 | 350 | ———— <i>ventricosa.</i> |
| 16 | 572 | ———— <i>cochleatum.</i> | 28 | 1139 | ———— <i>Vernix, Hort.</i> |
| 15 | 543 | ———— <i>cucullatum.</i> | | | <i>est resinosa.</i> |
| 17 | 611 | ———— <i>elongatum.</i> | 12 | 402 | ———— <i>vestita, v. coccinea.</i> |
| 5 | 152 | ———— <i>fragrans.</i> | 9 | 310 | <i>Erinus alpinus.</i> |
| 40 | 1669 | ———— <i>sinense.</i> | 22 | 833 | <i>Eriocephalus africanus.</i> |
| 23 | 888 | [<i>Cymbidium sinense, H. K.</i>] | 22 | 833 | ———— <i>racemosus, Gärt.</i> |
| | | ———— <i>undulatum.</i> | | | <i>est Eriocephalus africanus</i> |
| 20 | 777 | [<i>Oncidium carthagen. H. K.</i>] | 34 | 1382 | <i>Eriospermum latifolium.</i> |
| 3 | 76 | <i>Epilobium angustissimum.</i> | 1 | 18 | <i>Erodium chamaedrioides.</i> |
| 33 | 1358 | <i>Eranthemum pulchellum,</i> | 29 | 1174 | ———— <i>hymenodes.</i> |
| | | <i>B. R. est Justicia nervosa.</i> | 8 | 261 | ———— <i>incarnatum.</i> |
| 12 | 429 | <i>Erica Aitonia.</i> | 11 | 377 | ———— <i>romanum.</i> |
| 13 | 440 | ———— <i>albens.</i> | 23 | 922 | <i>Eryngium alpinum.</i> |
| 9 | 303 | ———— <i>ampullacea.</i> | 35 | 1427 | ———— <i>corniculatum.</i> |
| 31 | 1250 | ———— <i>andromedæflora.</i> | 35 | 1427 | ———— <i>cornutum, Donn.</i> |
| 31 | 1249 | ———— <i>aristata.</i> | | | <i>est corniculat.</i> |
| 12 | 423 | ———— <i>articularis.</i> | 22 | 877 | <i>Erythrina herbacea.</i> |
| 10 | 358 | ———— <i>baccans.</i> | 28 | 1113 | <i>Erythronium americanum.</i> |
| 1 | 11 | ———— <i>carnea, Jacq.</i> | 1 | 5 | ———— <i>Dens Canis.</i> |
| | | <i>est herbacea.</i> | 20 | 754 | <i>Erythrorhiza rotundifolia</i> |
| | | | | | <i>Mich. est Galax aphylla,</i> |

- | Vol. | No. | | Vol. | No. | |
|------|------|---------------------------------------------------------------------------------|------|------|-------------------------------------------------------------------------------|
| 22 | 840 | <i>Eucomis bifolia</i> . | 27 | 1083 | <i>Fritillaria autumnalis</i> , Mill.
<i>est</i> <i>Eucomis undulata</i> . |
| 36 | 1495 | ———— <i>nana</i> . | 23 | 916 | ———— <i>cantonensis</i> , Lour.
<i>est</i> <i>Uvularia chinensis</i> . |
| 23 | 913 | ———— <i>punctata</i> . | 22 | 857 | ———— <i>caucasica</i> , Adam.
<i>est</i> <i>obliqua</i> . |
| 37 | 1539 | ———— <i>striata</i> , Donn.
<i>est</i> <i>punctata</i> , v. <i>striata</i> . | 6 | 194 | ———— <i>Imperialis</i> , α. |
| 27 | 1083 | ———— <i>undulata</i> . | 30 | 1215 | ———— <i>Imperialis</i> , β. |
| 31 | 1242 | <i>Eugenia fragrans</i> . | 22 | 840 | ———— <i>nana</i> , Burm.
<i>est</i> <i>Eucomis bifolia</i> . |
| 31 | 1242 | ———— <i>mon'ano</i> , Aubl. G.
<i>est</i> <i>fragrans</i> . | 24 | 952 | ———— <i>nigra</i> , Mill.
<i>est</i> <i>racemosa</i> , β. |
| 14 | 473 | ———— <i>uniflora</i> , Sp. Pl.
<i>est</i> <i>Plinia pedunculata</i> . | 22 | 857 | ———— <i>obliqua</i> . |
| 34 | 1396 | <i>Eunonymus Tobira</i> , Thun.
<i>est</i> <i>Pittosporum Tobira</i> . | 37 | 1537 | ———— <i>persica</i> , α. |
| 36 | 1494 | <i>Euphorbia Ipecacuanha</i> . | 24 | 962 | ———— <i>persica</i> , β. |
| 32 | 1305 | ———— <i>longifolia</i> , Lam. <i>est</i> | 24 | 952 | ———— <i>pyrenaica</i> , Sp. Pl.
<i>est</i> <i>racemosa</i> , β. |
| 32 | 1305 | ———— <i>mellifera</i> . | 18 | 664 | ———— <i>pyrenaica</i> , α. |
| 23 | 883 | ———— <i>petiolaris</i> . | 22 | 857 | ———— <i>racemosa</i> , Mill.
<i>est</i> <i>obliqua</i> . |
| 42 | 1747 | ———— <i>variegata</i> . | 30 | 1216 | ———— <i>racemosa</i> , α. |
| 35 | 1447 | <i>Euryale ferox</i> . | 24 | 952 | ———— <i>racemosa</i> , β. |
| 28 | 1137 | <i>Euthales tenella</i> , H. K.
[<i>Goodenia tenella</i> .] | 3 | 97 | <i>Fuchsia coccinea</i> . |
| 32 | 1304 | <i>Fabricia lævigata</i> . | 26 | 1024 | ———— <i>lycioides</i> . |
| 19 | 709 | ———— <i>serrata</i> , Thunb.
<i>est</i> <i>Hypoxis serrata</i> . | 7 | 232 | <i>Fumaria bulbosa</i> , W. <i>est</i> |
| 18 | 662 | ———— <i>stellata</i> , Thunb.
<i>est</i> <i>Hypoxis stellata</i> . | 7 | 232 | ———— <i>cava</i> . |
| 19 | 711 | ———— <i>villosa</i> , Thunb.
<i>est</i> <i>Hypoxis sobolifera</i> . | 28 | 1127 | ———— <i>cucullaria</i> . |
| 7 | 241 | <i>Fagonia cretica</i> . | 33 | 1335 | ———— <i>formosa</i> . |
| 19 | 714 | <i>Fedia sibirica</i> , Gærtn.
<i>est</i> <i>Valeriana sibirica</i> . | 5 | 179 | ———— <i>glauca</i> . |
| 20 | 751 | <i>Ferraria antherosa</i> . | 5 | 179 | ———— <i>sempervirens</i> , L.
<i>est</i> <i>glauca</i> . |
| 18 | 654 | ———— <i>elegans</i> , P. L.
<i>est</i> <i>Marica northiana</i> . | 7 | 231 | ———— <i>solida</i> . |
| 20 | 751 | ———— <i>Ferrariola</i> , W.
<i>est</i> <i>antherosa</i> . | 30 | 1200 | <i>Gagea fascicularis</i> , Sal. <i>est</i> |
| 18 | 655 | ———— <i>parriflora</i> , P. L.
<i>est</i> <i>Marica plicata</i> . | 30 | 1200 | ———— <i>lutea</i> . |
| 15 | 532 | ———— <i>pavonia</i> , W.
<i>est</i> <i>Tigridia pavonia</i> . | 39 | 1602 | <i>Galardia bicolor</i> . |
| 15 | 532 | ———— <i>Tigridia</i> ,
<i>est</i> <i>Tigridia pavonia</i> . | 39 | 1602 | ———— <i>lanceolata</i> , Mich.
<i>est</i> <i>bicolor</i> . |
| 20 | 751 | ———— <i>viridis</i> , B. R.
<i>est</i> <i>antherosa</i> . | 20 | 754 | <i>Galax aphylla</i> . |
| 4 | 144 | ———— <i>undulata</i> . | 32 | 1292 | <i>Galaxia graminea</i> . |
| 27 | 1063 | <i>Fluggea japonica</i> , Rich.
<i>est</i> <i>Ophiopogon japonicus</i> | 30 | 1208 | ———— <i>grandiflora</i> , B. R.
<i>est</i> <i>ovata</i> . |
| 33 | 1342 | <i>Fothergilla alnifolia</i> , γ. <i>major</i> | 17 | 607 | ———— <i>iciæflora</i> , Red. |
| 33 | 1341 | ———— <i>alnifolia</i> , α. <i>obtusa</i> . | 34 | 1378 | } <i>est</i> <i>Ixia monadelphæ</i> . |
| 33 | 1341 | ———— <i>Gardeni</i> , Mich.
<i>est</i> <i>alnifolia</i> , α. | 30 | 1208 | ———— <i>ovata</i> . |
| 2 | 63 | <i>Fragaria monophylla</i> . | 37 | 1516 | ———— <i>ovata</i> , γ. <i>purpurea</i> . |
| 24 | 952 | <i>Fritillaria atropurpurea</i> ,
<i>est</i> <i>racemosa</i> . | 20 | 783 | <i>Garciana cochinchin</i> , Lour.
<i>est</i> <i>Philydrum lanuginos</i> . |
| | | | 25 | 1004 | <i>Gardenia crassicaulis</i> , P. L.
<i>est</i> <i>Thunbergia</i> . |
| | | | 18 | 690 | ———— <i>inermis</i> , Thunb. <i>est</i> |
| | | | 18 | 690 | ———— <i>Rothmannia</i> . |
| | | | 25 | 1004 | ———— <i>Thunbergia</i> . |
| | | | 25 | 1004 | ———— <i>verticillata</i> , Lam.
<i>est</i> <i>G. Thunbergia</i> . |
| | | | 31 | 1266 | <i>Garidella Nigellastrum</i> . |

- | Vol. | No. | | Vol. | No. | |
|------|------|------------------------------------------------------------------------|------|------|-------------------------------------------------------------------|
| 11 | 389 | <i>Gaura biennis.</i> | 9 | 309 | <i>Geranium echinatum,</i>
<i>est Pelargonium echinat.</i> |
| 11 | 388 | —— <i>mutabilis</i> , H.K.
[<i>Cenothera anomala.</i>] | 29 | 1174 | —— <i>geifolium</i> , Desf.
<i>est Erodium hymenodes.</i> |
| 16 | 584 | <i>Geissorhiza excisa.</i> | 4 | 143 | —— <i>glutinosum</i> , Jacq.
<i>est Pelargonium glutinos.</i> |
| 18 | 672 | —— <i>obtusata.</i>
<i>est setacea</i> , <i>γ.</i> v. 1255. | 29 | 1174 | —— <i>hymenodes</i> , B.R.
<i>est Erodium hymenodes.</i> |
| 17 | 597 | —— <i>secunda</i> , <i>α.</i> | 34 | 1386 | —— <i>ibericum.</i> |
| 28 | 1105 | —— <i>secunda</i> , <i>β.</i> | 8 | 261 | —— <i>incarnatum</i> , Cav.
<i>est Erodium incarnatum.</i> |
| 17 | 598 | —— <i>setacea</i> , <i>α.</i>
[<i>Ixia rochensis.</i>] | 20 | 761 | —— <i>incrassatum</i> , B.R.
<i>est Pelargonium incrassat.</i> |
| 31 | 1255 | —— <i>setacea</i> , <i>β.</i> | 2 | 56 | —— <i>lanceolatum</i> , Cav.
<i>est Pelargonium glaucum.</i> |
| 26 | 1021 | <i>Genisiphylla asplenif.</i> L'H.
<i>est Xylophylla latifolia.</i> | 6 | 206 | —— <i>palmatum</i> , Cav.
<i>est anemonefolium.</i> |
| 13 | 442 | <i>Genista linifolia.</i> | 1 | 20 | —— <i>peltatum</i> , L.
<i>est Pelargonium peltatum</i> |
| 9 | 314 | —— <i>triquetra.</i> | 16 | 579 | —— <i>pinnatum</i> , L.
<i>est Pelargonium pinnat.</i> |
| 2 | 52 | <i>Gentiana acaulis.</i> | 15 | 547 | —— <i>præmorsum</i> , B.R.
<i>est Pelargonium quinat.</i> |
| 19 | 705 | —— <i>adscendens</i> , <i>α.</i> | 15 | 524 | —— <i>pulchellum,</i>
<i>est Pelargonium pulchel.</i> |
| 19 | 723 | —— <i>adscendens</i> , <i>β.</i> | 15 | 547 | —— <i>quinatum,</i>
<i>est Pelargonium quinat.</i> |
| 27 | 1078 | —— <i>asclepiadea.</i> | 3 | 95 | —— <i>Radula</i> , Cavan.
<i>est Pelargonium Radula.</i> |
| 26 | 1038 | —— <i>caucasea.</i> | 1 | 18 | —— <i>Reichardi</i> , L.
<i>est Erodium chamædrioid</i> |
| 17 | 639 | —— <i>ciliata.</i> | 14 | 493 | —— <i>reniforme,</i>
<i>est Pelargonium renif.</i> |
| 19 | 705 | —— <i>decumbens</i> , L. Sup.
<i>est adscendens</i> , <i>α.</i> | 3 | 95 | —— <i>revolutum</i> , Jacq.
<i>est Pelargonium Radula.</i> |
| 26 | 1039 | —— <i>fimbriata</i> , Vahl.
<i>est Saponaria.</i> | 11 | 377 | —— <i>romanum</i> , L.
<i>est Erodium romanum.</i> |
| 34 | 1414 | —— <i>macrophylla.</i> | 2 | 55 | —— <i>striatum.</i> |
| 38 | 1551 | —— <i>ochroleuca.</i> | 12 | 413 | —— <i>ternatum</i> , L.
<i>est Pelargonium ternatum</i> |
| 27 | 1101 | —— <i>Pneumonanthe</i> , v.
<i>guttata.</i> | 4 | 136 | —— <i>tetragonum</i> , L.
<i>est Pelargonium tetrag.</i> |
| 26 | 1039 | —— <i>Saponaria.</i> | 15 | 518 | —— <i>tomentosum</i> , B.R.
<i>est Pelargonium toment.</i> |
| 38 | 1551 | —— <i>Saponaria</i> , Walt.
<i>est ochroleuca.</i> | 7 | 240 | —— <i>tricolor,</i>
<i>est Pelargonium tricolor.</i> |
| 30 | 1229 | —— <i>septemfida</i> , <i>α.</i> | 29 | 1174 | —— <i>trifolium</i> , Cav.
<i>est Erodium hymenodes.</i> |
| 34 | 1410 | —— <i>septemfida</i> , <i>β.</i> | 40 | 1641 | —— <i>triste</i> , L.
<i>est Pelargonium triste.</i> |
| 14 | 491 | —— <i>verna.</i> | 4 | 143 | —— <i>viscosum</i> , Cav.
<i>est Pelargon. glutinosum.</i> |
| 3 | 103 | <i>Geranium acetosum,</i>
<i>est Pelargonium acetosum</i> | 14 | 479 | <i>Geropogon glabrum.</i> |
| 6 | 206 | —— <i>anemonefolium.</i> | 26 | 1023 | <i>Gesneria tomentosa.</i> |
| 6 | 203 | —— <i>angulatum.</i> | 27 | 1088 | <i>Gethyllis spiralis.</i> |
| 14 | 504 | —— <i>argenteum.</i> | | | |
| 16 | 579 | —— <i>astragalifolium</i> , C.
<i>est Pelargonium pinnatum</i> | | | |
| 5 | 148 | —— <i>betulinum</i> , L.
<i>est Pelargonium betulin.</i> | | | |
| 6 | 201 | —— <i>bicolor</i> , Jacq.
<i>est Pelargonium bicolor.</i> | | | |
| 9 | 315 | —— <i>ceratophyllum,</i>
<i>est Pelargonium cerat.</i> | | | |
| 41 | 1718 | —— <i>ciliatum</i> , B.R.
<i>est Pelargonium radiatum</i> | | | |
| 5 | 165 | —— <i>cordifolium</i> , Cav.
<i>est Pelargonium cordifol.</i> | | | |
| 14 | 477 | —— <i>crassicaule,</i>
<i>est Pelargonium crassic.</i> | | | |

Vol.	No.		Vol.	No.	
16	567	<i>Gladiolus abbreviatus</i> , B.R. <i>est</i> quadrangularis.	16	592	<i>Gladiolus galeatus</i> , B.R. <i>est</i> namaquensis.
16	578	———— <i>alatus</i> , Schneev. <i>est</i> recurvus.	27	1072	———— <i>glumaceus</i> , Vahl. <i>est</i> <i>Watsonia rosea</i> .
16	586	———— <i>alatus</i> .	16	562	———— <i>gracilis</i> .
18	688	———— <i>alatus</i> , Thunb. <i>est</i> <i>viperatus</i> .	17	615	———— <i>gramineus</i> , Thunb. <i>est</i> <i>Melaspærula gramin.</i>
17	625	———— <i>albidus</i> , Jacq. <i>est</i> <i>blandus</i> , α .	17	610	———— <i>grandiflor.</i> B.R. <i>est</i> <i>floribundus</i> .
40	1665	———— <i>albidus</i> , Vahl. <i>est</i> <i>blandus</i> , δ .	38	1564	———— <i>hastatus</i>
16	553	———— <i>alopecuroides</i> , Th. <i>est</i> <i>Watsonia plantaginea</i> .	25	992	———— <i>hirsut.</i> α . <i>aphyllus</i> .
17	606	———— <i>amabilis</i> , Salisb. <i>est</i> <i>Anomatheca juncea</i> .	19	727	———— <i>hirs.</i> β . <i>brevifolius</i> .
15	538	———— <i>angustus</i> , Thunb. <i>est</i> <i>undulatus</i> .	16	574	———— <i>hirsutus</i> , δ . <i>roseus</i> .
17	602	———— <i>angustus</i> .	21	823	———— <i>hirsut.</i> γ . <i>villosus</i> .
15	548	———— <i>bicolor</i> , Thunb. <i>est</i> <i>Sparaxis bicolor</i> .	40	1665	———— <i>inflatus</i> , Vahl. <i>est</i> <i>blandus</i> , δ .
17	625	———— <i>blandus</i> , α .	17	600	———— <i>iridifolius</i> , Jacq. <i>est</i> <i>Watsonia iridifolia</i> .
18	648	———— <i>blandus</i> , β .	17	606	———— <i>junceus</i> , Thunb. <i>est</i> <i>Anomatheca juncea</i> .
18	645	———— <i>blandus</i> , γ .	17	631	———— <i>laccatus</i> , Jacq. <i>est</i> <i>Watsonia humilis</i> .
40	1665	———— <i>blandus</i> , δ .	14	487	———— <i>lineatus</i> , Salisb. <i>est</i> <i>Tritonia lineata</i> .
19	727	} ——— <i>brevifolius</i> , H.K. [<i>Glad. hirsutus</i> , α . et β .]	8	256	———— <i>longiflorus</i> , L. Sup. <i>est</i> <i>Tritonia longiflora</i> .
25	992		18	680	———— <i>longiflorus</i> , B.R. <i>est</i> <i>Babiana tubiflora</i> .
22	874	———— <i>byzantinus</i> .	37	1502	———— <i>longiflorus</i> , Jacq. <i>est</i> <i>Tritonia longiflora</i> , β .
4	135	———— <i>cardinalis</i> .	37	1503	———— <i>longiflorus</i> , Thunb. <i>est</i> <i>Tritonia rochensis</i> , α .
16	591	———— <i>carneus</i> .	17	600	———— <i>marginatus</i> , γ . Th. <i>est</i> <i>Watsonia iridifolia</i> .
19	727	———— <i>carneus</i> , B.R. <i>est</i> <i>hirsutus</i> , β .	17	601	———— <i>marginatus</i> , δ . Th. <i>est</i> <i>Watsonia brevifolia</i> .
40	1665	———— <i>carneus</i> , Red. <i>est</i> <i>blandus</i> , δ .	17	608	———— <i>marginatus</i> , α . Th. <i>est</i> <i>Watsonia marginata</i> .
3	86	———— <i>communis</i> .	27	1072	———— <i>marginatus</i> , δ . Th. <i>est</i> <i>Watsonia rosea</i> .
38	1575	———— <i>commun.</i> β . <i>carneus</i>	16	574	———— <i>merianellus</i> , Th. <i>est</i> <i>hirsutus</i> .
22	874	———— <i>communis</i> , Mill. <i>est</i> <i>byzantinus</i> .	30	1194	———— <i>merianus</i> , Thunb. <i>est</i> <i>Watsonia meriana</i> .
27	1098	———— <i>concolor</i> , P.L. <i>set</i> <i>tristis</i> .	17	632	———— <i>Milleri</i> .
18	678	———— <i>crispus</i> , L. <i>est</i> <i>Tritonia crispa</i> .	16	592	———— <i>namaquensis</i> .
10	313	———— <i>Cunonia</i> .	16	578	———— <i>odorus</i> , Salisb. <i>est</i> <i>recurvus</i> .
16	582	———— <i>cuspidatus</i> .	18	688	———— <i>orchidiflorus</i> , B.R. <i>est</i> <i>viperatus</i> .
16	591	———— <i>cuspidatus</i> , B.R. <i>est</i> <i>carneus</i> .	16	576	———— <i>plicatus</i> , Th. <i>est</i> <i>Babiana plicata</i> .
31	1246	———— <i>fissifolius</i> , Jacq. <i>est</i> <i>Lapeyrousia fissifolia</i> .	16	583	———— <i>plicatus</i> , ν . <i>purp.</i> Th. <i>est</i> <i>Babiana villosa</i> .
15	523	———— <i>fistulosus</i> , Jacq. <i>est</i> <i>Watsonia spicata</i> .			
17	610	———— <i>floribundus</i> .			
16	576	———— <i>fragrans</i> , Jacq. <i>est</i> <i>Babiana plicata</i> .			
16	586	———— <i>galeatus</i> , Burm. <i>est</i> <i>alatus</i> .			

Vol.	No.		Vol.	No.	
17	621	<i>Gladiolus plicatus</i> , Sp. Pl. <i>est</i> <i>Babiana stricta</i> .	15	533	<i>Gladiolus tubulosus</i> , Jacq. <i>est</i> <i>Watsonia aletroides</i> .
17	626	———— <i>plicatus</i> , Jacq. <i>est</i> <i>Babiana disticha</i> .	26	1042	———— <i>versicolor</i> , α . <i>et</i> ϵ .
26	1053	———— <i>plicatus</i> , B. R. <i>est</i> <i>Babiana sulphurea</i> .	16	556	———— <i>versicol.</i> γ . <i>tenuior</i>
17	606	———— <i>polystachius</i> , B. R. <i>est</i> <i>Anomatheca juncea</i> .	18	688	———— <i>viperatus</i> .
16	569	———— <i>præcox</i> , B. R. <i>est</i> <i>Watsonius</i> , β .	31	1275	———— <i>viridis</i> , H. K. I. <i>est</i> <i>Tritonia viridis</i> .
16	578	———— <i>punctatus</i> , Jacq. <i>est</i> <i>recurvus</i> .	18	647	———— <i>undulatus</i> , α .
26	1052	———— <i>purpureus</i> , Vahl. <i>est</i> <i>Babiana stricta</i> .	15	538	———— <i>undulatus</i> , β .
27	1072	———— <i>pyramidatus</i> , B. R. <i>est</i> <i>Watsonia rosea</i> .	16	582	———— <i>undulatus</i> , L. <i>est</i> <i>cuspidatus</i> .
16	567	———— <i>quadrangularis</i> .	13	450	———— <i>Watsonius</i> , α .
16	573	———— <i>recurvus</i> , Thunb. <i>est</i> <i>Hesperantha radiata</i> .	16	569	———— <i>Watsonius</i> , β .
16	578	———— <i>recurvus</i> .	35	1428	<i>Globba bulbifera</i> , Roxb. <i>est</i> <i>sessiliflora</i> .
16	578	———— <i>ringens</i> , B. R. <i>est</i> <i>recurvus</i> .	32	1320	———— <i>radicalis</i> , Roxb. <i>et</i> H. K. <i>est</i> <i>Mantisia saltat</i> .
15	537	———— <i>roseo-albus</i> , Jacq.	35	1428	———— <i>sessiliflora</i> .
30	1193	<i>est</i> <i>Watsonia roseo-alba</i> .	29	1191	<i>Gloxinia maculata</i> .
16	574	———— <i>roseus</i> , B. R. <i>est</i> <i>hirsutus</i> , β .	30	1198	<i>Glycine Apios</i> .
17	618	———— <i>roseus</i> , Jacq.	8	263	———— <i>bimaculata</i> . [<i>Kennedia monophylla</i> , H. K.]
37	1531	<i>est</i> <i>Tritonia capensis</i> .	8	270	———— <i>coccinea</i> . [<i>Kennedia prostrata</i> , H. K.]
26	1019	———— <i>sambucinus</i> , Jacq. <i>est</i> <i>Babiana sambucina</i> .	8	268	———— <i>rubicunda</i> . [<i>Kennedia rubicunda</i> , H. K.]
11	383	———— <i>securiger</i> , H. K. I. <i>est</i> <i>Tritonia securigera</i> .	13	435	<i>Guaphalium ericoides</i> .
19	719	———— <i>segetum</i> .	9	300	———— <i>eximium</i> .
17	638	———— <i>spathaceus</i> , Th. <i>est</i> <i>Babiana spathacea</i> .	21	812	<i>Guidia aurea</i> , Hort. <i>est</i> <i>simplex</i> .
19	719	———— <i>spicatus</i> , L. <i>est</i> <i>segetum</i> .	40	1657	———— <i>filamentosa</i> , L. <i>est</i> <i>Lachnea buxifolia</i> , α .
15	538	———— <i>striatus</i> , B. R. <i>est</i> <i>undulatus</i> .	40	1658	———— <i>grandis</i> , Hort. <i>est</i> <i>Lachnea buxifolia</i> , β .
17	621	———— <i>strictus</i> , H. K. I. <i>est</i> <i>Babiana stricta</i> .	36	1463	———— <i>imberbis</i> .
26	1052	———— <i>strictus</i> , Vahl. <i>est</i> <i>Babiana stricta</i> .	36	1463	———— <i>pinifolia</i> , Wendl. <i>est</i> <i>imberbis</i> .
26	1053	———— <i>sulphureus</i> , Jacq. <i>est</i> <i>Babiana sulphurea</i> .	21	812	———— <i>simplex</i> .
36	1483	———— <i>trichonemifolius</i> .	36	1463	———— <i>simplex</i> , B. R. <i>est</i> <i>imberbis</i> .
40	1665	———— <i>trimaculatus</i> , Vahl <i>est</i> <i>blandus</i> , δ .	21	812	———— <i>viridis</i> , Berg. <i>est</i> <i>simplex</i> .
8	272	———— <i>tristis</i> .	42	1748	<i>Gomesa recurva</i> .
27	1098	———— <i>tristis</i> , β . <i>concolor</i> .	39	1628	<i>Gomphocarpus fruticosus</i> .
18	680	———— <i>tubatus</i> , Jac. <i>est</i> <i>Babiana tubiflora</i> .	37	1533	<i>Gompholobium grandifl.</i> B. R. <i>est</i> <i>polymorphum</i> .
18	680	———— <i>tubiflorus</i> , L. <i>est</i> <i>Babiana tubiflora</i> .	31	1259	———— <i>maculatum</i> , B. R. <i>est</i> <i>Ibbetsonia genistoides</i>
15	523	———— <i>tubulosus</i> , Burm. <i>est</i> <i>Watsonia spicata</i> .	37	1533	———— <i>polymorphum</i> .
			23	890	<i>Goodenia grandiflora</i> .
			8	287	———— <i>lævigata</i> . [<i>Scaevola macrocarpa</i> , H. K.]
			28	1137	———— <i>tenella</i> . [<i>Euthales tenella</i> , H. K.]
			24	958	<i>Goodia lotifolia</i> .

Vol.	No.		Vol.	No.	
21	3310	<i>Goodia pubescens.</i>	20	747	<i>Helonias bullata.</i>
18	668	<i>Gordonia Lasianthus.</i>	40	1680	———— <i>glaberrima.</i>
3	90	<i>Gorteria rigens.</i>	39	1599	———— <i>graminea.</i>
31	1272	<i>Grevillea silaifolia</i> , Donn. <i>est Lomatia silaifolia.</i>	21	803	———— <i>læta, α.</i>
12	422	<i>Grewia occidentalis.</i>	37	1540	———— <i>læta, β.</i>
31	1281	<i>Gypsophila prostrata.</i>	20	747	———— <i>lanceolata</i> , Mich. <i>est bullata.</i>
35	1448	———— <i>repens.</i>	27	1062	———— <i>lutea.</i>
40	1668	<i>Habenaria ciliaris.</i>	25	985	———— <i>virginica.</i>
31	1239	<i>Hæmanthus albiflos</i> , Jacq. <i>est pubescens, β. v. 1523.</i>	27	1096	———— <i>viridis.</i>
27	1075	———— <i>coccineus.</i>	35	1433	<i>Hemerocallis alba</i> , B.R. <i>est japonica.</i>
35	1443	———— <i>falcatus</i> , Th. <i>est Brunsvigia falcata.</i>	23	894	———— <i>cærulea.</i>
24	961	———— <i>multiflorus.</i>	1	19	———— <i>flava.</i>
39	1618	———— <i>orbicularis</i> , Donn. <i>est rotundifolius.</i>	22	873	———— <i>flava</i> , W. <i>est graminea.</i>
39	1619	———— <i>orientalis</i> , Th. <i>est Brunsvigia multiflora.</i>	2	64	———— <i>fulva.</i>
31	1239	———— <i>pubescens, β.</i>	22	873	———— <i>graminea.</i>
32	1315	———— <i>puniceus.</i>	35	1433	———— <i>japonica.</i>
37	1523	———— <i>quadrivalvis.</i>	22	873	———— <i>minor</i> , Mill. <i>est graminea.</i>
39	1618	———— <i>rotundifolius.</i>	6	210	<i>Hemimeris coccinea</i> , W. <i>est linearis.</i>
34	1383	———— <i>spiralis</i> , H.K.I. <i>est Strumaria spiralis.</i>	6	210	———— <i>linearis.</i> [<i>Celsia linearis.</i>]
41	1705	———— <i>tigrinus.</i>	12	417	———— <i>urticæfolia.</i> [<i>Celsia urticæfolia.</i>]
30	1217	———— <i>toxicarius</i> , <i>est Brunsvigia</i> , B.Reg.	21	824	<i>Hepetis angustifolia</i> , Sw. <i>est Pitcairnia bromeliæf.</i>
39	1610	<i>Hæmodorum planifolium.</i>	9	299	<i>Hermannia alnifolia.</i>
23	910	<i>Halesia tetraptera.</i>	9	307	———— <i>althæifolia.</i>
42	1744	<i>Halleria lucida.</i>	33	1349	———— <i>flammea.</i>
33	1357	<i>Hartogia pulchella</i> , Berg. <i>est Diosma pulchella.</i>	9	304	———— <i>lavendulifolia.</i>
14	483	<i>Hebenstretia dentata.</i>	33	1348	<i>tenuifolia.</i>
19	708	<i>Hedychium coronarium.</i>	26	1054	<i>Hesperantha cinnamomea.</i>
41	1722	<i>Hedysarum bupleurifol.</i>	16	566	———— <i>falcata.</i>
31	1251	———— <i>capitatum.</i>	36	1475	———— <i>pilosa, α.</i>
8	282	———— <i>obscurum.</i>	31	1254	———— <i>pilosa, β.</i>
25	996	———— <i>roseum.</i>	16	573	———— <i>radiata.</i>
7	227	<i>Helianthus multiflorus.</i>	21	790	———— <i>radiata, γ. caricina.</i>
4	119	<i>Heliconia Bihai</i> , J.Mill. <i>est Strelitzia reginæ.</i>	19	730	<i>Hesperis tristis.</i>
14	502	———— <i>Psittacorum.</i>	42	1738	<i>Heynea trijuga.</i>
14	496	<i>Heliophila arabioides.</i>	37	1502	<i>Hexaglottis</i> , Vent. <i>est Tritonia longiflora.</i>
39	1609	<i>Heliotropium corymbosum</i>	30	1218	<i>Hibbertia crenata</i> , B.R. <i>est</i>
39	1609	———— <i>grandiflor.</i> Donn. <i>est corymbosum.</i>	30	1218	———— <i>grossulariæfolia.</i>
4	141	———— <i>peruvianum.</i>	13	449	———— <i>volubilis.</i> [<i>Dillenia speciosa.</i>]
1	3	<i>Helleborus hyemalis.</i>	41	1702	<i>Hibiscus Manihot.</i>
2	72	———— <i>lividus.</i>	23	882	———— <i>palustris.</i>
1	8	———— <i>niger.</i>	20	769	———— <i>Patersonii</i> , H.K. <i>est Lagunæa Patersonia.</i>
37	1540	<i>Helonias angustifol.</i> Mic. <i>est læta, β.</i>	13	436	———— <i>præmorsus.</i>
20	748	———— <i>asphodeloides.</i>	5	158	———— <i>Rosa sinensis.</i>
41	1703	———— <i>bracteata.</i>	10	360	———— <i>speciosus.</i>

- | Vol. | No. | | Vol. | No. | |
|------|------|------------------------------------------------------------------------------------|------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 33 | 1356 | <i>Hibiscus surattensis.</i> | 25 | 1010 | <i>Hypoxis ovata.</i> |
| 3 | 83 | ——— <i>syriacus.</i> | 19 | 709 | ——— <i>serrata.</i> |
| 6 | 209 | ——— <i>Trionum.</i> | 23 | 917 | ——— <i>serrata, β.</i> |
| 19 | 721 | <i>Hillia longiflora.</i> | 19 | 711 | ——— <i>sobolifera.</i> |
| 19 | 721 | ——— <i>parasitica, L.</i>
<i>est longiflora.</i> | 18 | 662 | ——— <i>stellata, α. lutea.</i> |
| 12 | 427 | <i>Hippocrepis balearica.</i> | 30 | 1223 | ——— <i>stellata, β.</i> |
| 39 | 624 | <i>Hovea lanceolata.</i> | 19 | 711 | ——— <i>villosa, H.K. I.</i>
<i>est sobolifera.</i> |
| 11 | 370 | <i>Houstonia cærulea.</i> | 40 | 1639 | <i>Jacquinia aurantiaca.</i> |
| 5 | 157 | <i>Hyacinthus botryoides.</i>
<i>est Muscari botryoides.</i> | 13 | 461 | <i>Jasminum fruticans.</i> |
| 36 | 1468 | ——— <i>brevifolius, Th.</i>
<i>est Scilla brevifolia.</i> | 8 | 285 | ——— <i>odoratissimum.</i> |
| 28 | 1102 | ——— <i>cernuus, H.K. I.</i>
<i>est Scilla campanulata, v.</i>
<i>carnea.</i> | 1 | 31 | ——— <i>officinale.</i> |
| 36 | 1461 | ——— <i>cernuus, L.</i>
<i>est Scilla non-scripta, β.</i> | 42 | 1731 | ——— <i>revolutum.</i> |
| 4 | 133 | ——— <i>comosus, L.</i>
<i>est Muscari comosum.</i> | 25 | 980 | ——— <i>simplicifolium.</i> |
| 25 | 991 | ——— <i>corymbosus, L.</i>
<i>est Scilla corymbosa.</i> | 36 | 1464 | <i>Jatropha integerrima.</i> |
| 19 | 734 | ——— <i>Muscari, Sp. Pl.</i>
<i>est Muscari moschatum.</i> | 17 | 604 | ——— <i>panduræfolia.</i> |
| 22 | 854 | ——— <i>orchioides, Sp. Pl.</i>
<i>est Lachenalia orchioides</i> | 31 | 1259 | <i>Ibbetsonia genistoides.</i>
[<i>Cyclopia genistoid. H.K.</i>] |
| 24 | 937 | ——— <i>orientalis.</i> | 26 | 1030 | <i>Iberis ciliata.</i> |
| 36 | 1461 | ——— <i>pratensis, Lam.</i>
<i>est Scilla non-scripta, β.</i> | 4 | 124 | ——— <i>gibraltarica.</i> |
| 4 | 122 | ——— <i>racemosus, L.</i>
<i>est Muscari racemosum.</i> | 40 | 1642 | ——— <i>saxatilis, β. corifolia.</i> |
| 34 | 1380 | ——— <i>revolutus, H.K.</i>
<i>est Drimia lanceæfolia.</i> | 3 | 106 | ——— <i>umbellata.</i> |
| 24 | 939 | ——— <i>romanus, L.</i>
<i>est Scilla romana.</i> | 40 | 1678 | <i>Icacoria guianensis,</i>
<i>est Ardisia acuminata.</i>
{ <i>Jeffersonia Bartoni, Mic.</i>
——— <i>binata, Barton. est</i>
——— <i>diphylla.</i> |
| 22 | 859 | ——— <i>serotinus, L.</i>
<i>est Scilla serotina.</i> | 37 | 1513 | |
| 13 | 437 | <i>Hydrangea arborescens.</i> | 13 | 439 | <i>Illicium floridanum.</i> |
| 13 | 438 | ——— <i>hortensis.</i> | 31 | 1256 | <i>Impatiens coccinea.</i> |
| 25 | 975 | ——— <i>quercifolia.</i> | 13 | 465 | <i>Indigofera angustifolia.</i> |
| 25 | 975 | ——— <i>radiata, Smith.</i>
<i>est quercifolia.</i> | 6 | 198 | ——— <i>candicans.</i> |
| 28 | 1147 | <i>Hydropeltis purpurea.</i> | 20 | 742 | ——— <i>cytisoides.</i> |
| 3 | 87 | <i>Hyoscyamus aureus.</i> | 14 | 476 | ——— <i>psoraloides.</i> |
| 22 | 852 | ——— <i>physaloides.</i> | 38 | 1581 | <i>Josephia sessilis, Salisb.</i>
<i>est Dryandra floribunda.</i> |
| 28 | 1126 | ——— <i>Scopolia.</i> | 20 | 752 | <i>Ipomæa Bona Nox.</i> |
| 4 | 137 | <i>Hypericum balearicum.</i> | 7 | 221 | ——— <i>coccinea.</i> |
| 5 | 146 | ——— <i>calycinum.</i> | 38 | 1572 | ——— <i>Jalapa, Pursh.</i>
<i>est Convolvulus Jalapa.</i> |
| 5 | 178 | ——— <i>Coris.</i> | 38 | 1572 | ——— <i>macrorrhiza, Mich.</i>
<i>est Convolvulus Jalapa.</i> |
| 10 | 334 | ——— <i>monogynum.</i> | 7 | 244 | ——— <i>Quamoclit.</i> |
| 19 | 710 | <i>Hypoxis carolinien. Mic. est</i> | 42 | 1769 | ——— <i>sanguinea.</i> |
| 19 | 710 | ——— <i>erecta.</i> | 31 | 1276 | <i>Iris angusta, Th.</i>
<i>est Moræa angusta.</i> |
| 19 | 711 | ——— <i>Fabricia, Gærtm.</i>
<i>est sobolifera.</i> | 22 | 870 | ——— <i>aphylla, γ. plicata.</i> |
| 23 | 917 | ——— <i>linearis, B.R.</i>
<i>est serrata, β.</i> | 2 | 50 | ——— <i>bicolor, Mill.</i>
<i>est sibirica.</i> |
| | | | 26 | 1045 | ——— <i>bituminosa, Th.</i>
<i>est Moræa bituminosa.</i> |
| | | | 11 | 373 | ——— <i>chinensis.</i> |
| | | | 25 | 1012 | ——— <i>ciliata, L. Sup.</i>
<i>est Moræa ciliata.</i> |
| | | | 19 | 693 | ——— <i>compressa, Th.</i>
<i>est moræoides.</i> |

Vol.	No.		Vol.	No.	
20	759	<i>Iris crispata</i> , L. Sup.	6	187	<i>Iris sambucina</i> .
32	1284	<i>est Moræa crispata</i> .	18	670	— <i>sambucina</i> , Th.
12	412	— <i>crispata</i> .			<i>est germanica</i> .
37	1514	— <i>desertorum</i> , Pallas.	18	685	— <i>sambucina</i> , L.
		<i>est spuria</i> , ϵ . <i>Desertorum</i> .			<i>est pallida</i> .
17	613	— <i>edulis</i> , Linn.	21	787	— <i>sambucina</i> , v. <i>squalens</i>
31	1238	<i>est Moræa edulis</i> .	2	50	— <i>sibirica</i> .
11	373	— <i>fimbriata</i> , Vent.	29	1163	— <i>sibirica</i> , β .
		<i>est chinensis</i> .	39	1604	— <i>sibirica</i> , γ . <i>sanguinea</i> .
29	1163	— <i>flexuosa</i> , Murr.	34	1407	— <i>Sisyrinchium</i> , L.
		<i>est sibirica</i> .			<i>est Moræa Sisyrinchium</i> .
18	671	— <i>florentina</i> .	2	58	— <i>spuria</i> , β . <i>minor</i> , v. 1514
36	1496	— <i>fulva</i> .	37	1514	— <i>spuria</i> , ϵ . <i>desertorum</i> .
18	670	— <i>germanica</i> .	28	1131	— <i>spuria</i> , δ . <i>halophila</i> .
22	875	— <i>halophila</i> , Pall.	22	875	— <i>spuria</i> , α . <i>major</i> .
		<i>est spuria</i> , α . <i>major</i> .	2	61	— <i>spuria</i> , γ . <i>ochroleuca</i> .
28	1131	— <i>halophila</i> , H. K. I.	37	1515	— <i>spuria</i> , ζ . <i>stenogyna</i> .
		<i>est spuria</i> , δ . <i>halophila</i> .	18	670	— <i>squalens</i> , Mill.
34	1393	— <i>humilis</i> , Bieb.			<i>est germanica</i> .
		<i>est ruthenica</i> .	21	787	— <i>squalens</i> , W.
17	613	— <i>longifolia</i> , B. R.			<i>est sambucina</i> v. <i>squalens</i> .
		<i>est Moræa edulis</i> .	37	1515	— <i>stenogyna</i> , Red.
18	669	— <i>lurida</i> .			<i>est spuria</i> , ζ . <i>stenogyna</i> .
25	986	— <i>lurida</i> .	28	1130	— <i>subbiflora</i> .
18	679	— <i>lusitanica</i> .	3	91	— <i>susiana</i> .
12	416	— <i>martinicensis</i> , Th.	19	696	— <i>tricuspidata</i> , L.
		<i>est Marica martinicensis</i> .			<i>est Moræa tricuspis</i> .
22	870	— <i>nudicaulis</i> , Lam.	16	571	— <i>tricuspis</i> , α . Th.
		<i>est aphylla</i> , γ . <i>plicata</i> .			<i>est Moræa villosa</i> .
2	61	— <i>ochroleuca</i> , L.	19	696	— <i>tricuspis</i> , Th.
		<i>est spuria</i> , γ . <i>ochroleuca</i> .			<i>est Moræa tricuspis</i> .
39	1604	— <i>orientalis</i> , Th.	26	1047	— <i>tricuspis</i> , Jacq.
		<i>est sibirica</i> , v. <i>sanguinea</i> .			<i>est Moræa tenuis</i> .
18	685	— <i>pallida</i> .	19	702	— <i>tripetala</i> , Th.
20	750	— <i>papilionacea</i> , L.			<i>est Moræa tripetala</i> .
		<i>est Moræa papilionacea</i> .	16	577	— <i>tristis</i> , Th.
5	168	— <i>Pavonia</i> , Curt.			<i>est Moræa tristis</i> .
		<i>est Moræa tricuspis</i> .	15	531	— <i>tuberosa</i> .
31	1247	— <i>Pavonia</i> , L.	18	686	— <i>variabilis</i> , Jacq.
		<i>est Moræa Pavonia</i> .			<i>est I. Xiphium</i> .
1	1	— <i>persica</i> .	1	16	— <i>variegata</i> .
22	870	— <i>plicata</i> ,	1	21	— <i>versicolor</i> .
		<i>est aphylla</i> , γ . <i>plicata</i> .	16	571	— <i>villosa</i> , B. M.
29	1163	— <i>pratensis</i> , Lam.			<i>est Moræa villosa</i> .
		<i>est sibirica</i> .	19	703	— <i>virginica</i> .
37	1504	— <i>prismatica</i> .	16	587	— <i>viscaria</i> , Th.
1	9	— <i>pumila</i> .			<i>est Moræa viscaria</i> .
30	1209	— <i>pumila</i> , var. <i>lutea</i> .	18	687	— <i>Xiphioides</i> .
31	1261	— <i>pumila</i> , var. <i>violacea</i> .	18	686	— <i>Xiphium</i> .
20	771	— <i>ramosa</i> , Th.	18	687	— <i>Xiphium</i> , Jacq.
		<i>est Moræa ramosa</i> .			<i>est xiphioides</i> .
20	771	— <i>ramosissima</i> , L.	22	861	<i>Justicia Adhatoda</i> .
		<i>est Moræa ramosa</i> .	35	1423	— <i>bicolor</i> .
28	1123	— <i>ruthenica</i> .	12	432	— <i>coccinea</i> .
34	1393	— <i>ruthenica</i> , β .			

- | Vol. | No. | | Vol. | No. | |
|------|------|-----------------------------------------------------------------------------------------------|------|------|----------------------------------------------------------------------------|
| 38 | 1578 | <i>Justicia cristata</i> , Jacq.
<i>est</i> <i>Aphelandra cristata</i> . | 26 | 1054 | <i>Ixia cinnamomea</i> , Th.
<i>est</i> <i>Hesperantha cinnam.</i> |
| 12 | 430 | — <i>furcata</i> , H.K.
[<i>Just. peruviana</i> .] | 17 | 630 | — <i>columellaris</i> . |
| 26 | 1014 | — <i>lucida</i> . | 15 | 522 | — <i>conica</i> , Salisb.
<i>est</i> <i>patens</i> . |
| 10 | 325 | — <i>nasuta</i> . | 15 | 539 | — <i>conica</i> . |
| 33 | 1358 | — <i>nervosa</i> . | 16 | 595 | — <i>corymbosa</i> , L.
<i>est</i> <i>Lapeyrousia corymb.</i> |
| 12 | 430 | — <i>peruviana</i> .
[<i>Justicia furcata</i> , H.K.] | 16 | 594 | — <i>crateroides</i> . |
| 33 | 1358 | — <i>pulchella</i> , Roxb.
<i>est</i> <i>nervosa</i> . | 17 | 599 | — <i>crispa</i> . |
| 38 | 1578 | — <i>pulcherrima</i> , Jacq.
<i>est</i> <i>Aphelandra cristata</i> . | 32 | 1284 | — <i>crispa</i> , L.
<i>est</i> <i>Moræa crispa</i> . |
| 38 | 1578 | — <i>tetragona</i> , Vahl.
<i>est</i> <i>Aphelandra cristata</i> . | 16 | 595 | — <i>crispifolia</i> , B.R.
<i>est</i> <i>Lapeyrousia corymb.</i> |
| 13 | 458 | <i>Ixia africana</i> , L.
<i>est</i> <i>Aristea cyanea</i> . | 6 | 184 | — <i>crocata</i> , B.M.
<i>est</i> <i>Tritonia crocata</i> . |
| 15 | 523 | — <i>alopeuroidea</i> , L.
<i>est</i> <i>Watsonia spicata</i> . | 16 | 575 | — <i>cruciata</i> , Jacq.
<i>est</i> <i>Trichonema cruciat.</i> |
| 16 | 549 | — <i>amæna</i> , B.R.
<i>est</i> <i>maculata</i> . | 34 | 1378 | — <i>curta</i> , B.R.
<i>est</i> <i>monadelphæ</i> . |
| 16 | 573 | — <i>angusta</i> , W.
<i>est</i> <i>Hesperantha radiata</i> . | 17 | 622 | — <i>deusta</i> , H.K. f.
<i>est</i> <i>Tritonia deusta</i> . |
| 16 | 589 | — <i>aristata</i> . | 17 | 623 | — <i>erecta</i> . |
| 25 | 1013 | — <i>aulica</i> , H.K.
<i>est</i> <i>capillaris</i> , v. <i>aulica</i> . | 22 | 846 | — <i>erecta</i> , var. <i>lutea</i> . |
| 17 | 598 | — <i>azurea</i> , H.B.
<i>est</i> <i>Geissorhiza rochensis</i> . | 29 | 1173 | — <i>erecta</i> , var. <i>odorata</i> . |
| 15 | 548 | — <i>bicolor</i> , B.M.
<i>est</i> <i>Sparaxis bicolor</i> . | 17 | 624 | — <i>erecta</i> , v. <i>violacea</i> , Th.
<i>est</i> <i>flexuosa</i> . |
| 15 | 541 | — <i>bulbifera</i> , Th.
<i>est</i> <i>Sparaxis grandiflora</i> . | 16 | 584 | — <i>excisa</i> , B.M.
<i>est</i> <i>Geissorhiza excisa</i> . |
| 15 | 545 | — <i>bulbifera</i> , L.
<i>est</i> <i>Sparaxis bulbifera</i> . | 17 | 606 | — <i>excisa</i> , L.
<i>est</i> <i>Anomatheca juncea</i> . |
| 8 | 265 | — <i>Bulbocodium</i> , L.
<i>est</i> <i>Trichonema roseum</i> . | 16 | 566 | — <i>falcata</i> , L.
<i>est</i> <i>Hesperantha falcata</i> . |
| 30 | 1225 | — <i>Bulbocodium</i> , Th.
<i>est</i> <i>Trichonema roseum</i> . | 19 | 704 | — <i>fenestrata</i> , Jacq.
<i>est</i> <i>Tritonia fenestrata</i> . |
| 36 | 1476 | — <i>Bulbocod. v. specios.</i>
B.R. <i>est</i> <i>Trichon. speciosum</i> . | 15 | 522 | — <i>filiformis</i> , Vent.
<i>est</i> <i>patens</i> . |
| 16 | 594 | — <i>campanulata</i> , H.B.
<i>est</i> <i>crateroides</i> . | 16 | 573 | — <i>fistulosa</i> , B.R.
<i>est</i> <i>Hesperantha radiata</i> . |
| 30 | 1225 | — <i>campanulata</i> , Lam.
<i>est</i> <i>Trichonema roseum</i> . | 16 | 583 | — <i>flabelliformis</i> , Salisb.
<i>est</i> <i>Babiana villosa</i> . |
| 25 | 1013 | — <i>capillaris</i> , var. <i>aulica</i> .
[<i>Ixia aulica</i> , H.K.] | 15 | 522 | — <i>flaccida</i> , Salisb.
<i>est</i> <i>patens</i> . |
| 16 | 570 | — <i>capillaris</i> , v. <i>gracillima</i> | 17 | 624 | — <i>flexuosa</i> . |
| 17 | 617 | — <i>capillaris</i> , v. <i>incarnata</i> . | 4 | 127 | — <i>flexuosa</i> , L.
<i>est</i> <i>hybrida</i> . |
| 17 | 617 | — <i>capillaris</i> , v. <i>stricta</i> . | 34 | 1379 | — <i>fucata</i> . |
| 37 | 1530 | — <i>cartilaginea</i> , Lam.
<i>est</i> <i>Watsonia marginata</i> ,
var. <i>minor</i> . | 32 | 1292 | — <i>fugacissima</i> , L.
<i>est</i> <i>Galaxia graminea</i> . |
| 5 | 171 | — <i>chinensis</i> , L.
<i>est</i> <i>Pardanthus chinensis</i> . | 30 | 1208 | <i>Ixia Galaxia</i> , L.
<i>est</i> <i>Galaxia ovata</i> . |
| 16 | 566 | — <i>cinnamomea</i> , B.R.
<i>est</i> <i>Hesperantha falcata</i> . | 17 | 622 | — <i>gibba</i> , Salisb.
<i>est</i> <i>Tritonia deusta</i> . |
| | | | 31 | 1255 | — <i>geminata</i> , Vahl.
<i>est</i> <i>Geissorhiza setacea</i> . |

- | Vol. | No. | | Vol. | No. | |
|------|------|-----------------------------------------------------------------------------------------------|------|------|--------------------------------------------------------------------------------------------------------------------------------|
| 16 | 570 | <i>Ixia gracilis</i> , Salisb.
<i>est capillaris, v. gracillima.</i> | 30 | 1225 | <i>Ixia recurva</i> , Red.
<i>est Trichonema roseum.</i> |
| 15 | 541 | — <i>grandiflora</i> , α . B.M.
<i>est Sparaxis grandifl., α.</i> | 15 | 542 | — <i>reflexa</i> , B.R.
<i>est scillaris.</i> |
| 20 | 779 | — <i>grandiflora</i> , β .
<i>est Sparaxis grandifl. β.</i> | 17 | 629 | — <i>retusa</i> , H.K.
[<i>Ixia polystachia.</i>] |
| 15 | 541 | — <i>holosericea</i> , Jacq.
<i>est Sparaxis grandifl. α.</i> | 17 | 598 | — <i>rochensis</i> , B.M.
<i>est Geissorhiza rochensis</i> |
| 4 | 128 | — <i>hybrida</i> . | 16 | 575 | — <i>rosea</i> , H.B.
<i>est Trichonema cruciatum</i> |
| 16 | 570 | — <i>incarnata</i> , Jacq.
<i>est capillaris, v. gracillima</i> | 30 | 1225 | — <i>rosea</i> , L.
<i>est Trichonema roseum.</i> |
| 16 | 581 | — <i>lancea</i> , Th.
<i>est Tritonia squalida.</i> | 12 | 410 | — <i>rubro-cyanea</i> , Jacq.
<i>est Babiana rubro-cyanea</i> |
| 8 | 256 | — <i>longiflora</i> , H.K. 1.
<i>est Tritonia longiflora.</i> | 15 | 542 | — <i>scillaris, α. latifolia.</i> |
| 19 | 695 | — <i>longifolia</i> , Jacq.
<i>est Moræa flexuosa.</i> | 17 | 629 | — <i>scillaris, β. angustifol.</i>
<i>est polystachia.</i> |
| 21 | 789 | — <i>maculata, v. amethyst.</i> | 17 | 621 | — <i>scillaris</i> , Mill. ic.
<i>est Babiana stricta.</i> |
| 32 | 1285 | — <i>maculata, v. ochroleuc.</i> | 17 | 597 | — <i>secunda</i> , Th.
<i>est Geissorhiza secunda, α.</i> |
| 16 | 549 | — <i>maculata, v. viridis.</i> | 28 | 1105 | — <i>secunda</i> , Vahl.
<i>est Geissorhiza secunda, β.</i> |
| 15 | 539 | — <i>maculata</i> , Th.
<i>est conica.</i> | 17 | 623 | — <i>serotina</i> , Salisb.
<i>est erecta.</i> |
| 17 | 608 | — <i>marginata</i> , H.K. <i>est</i> | 31 | 1255 | — <i>setacea</i> , Th.
<i>est Geissorhiza setacea.</i> |
| 37 | 1530 | Watsonia marginata, α . | 16 | 581 | — <i>similis</i> , Salisb.
<i>est Tritonia squalida.</i> |
| 17 | 609 | — <i>miniata</i> , Jacq.
<i>est Tritonia miniata.</i> | 16 | 594 | — <i>speciosa</i> , B.R.
<i>est crateroides.</i> |
| 17 | 607 | — <i>monadelpha, α.</i> | 16 | 549 | — <i>spectabilis</i> , Salisb.
<i>est maculata, var. viridis.</i> |
| 34 | 1378 | — <i>monadelpha, β.</i> | 16 | 581 | — <i>squalida, α. H.K. 1.</i>
<i>est Tritonia squalida.</i> |
| 18 | 672 | — <i>obtusata</i> , Synops. 549.
<i>est Geissorhiza obtusata.</i> | 14 | 487 | — <i>squalida, β. H.K. 1.</i>
<i>est Tritonia lineata.</i> |
| 16 | 584 | — <i>ovata</i> , Burm.
<i>est Geissorhiza excisa.</i> | 37 | 1502 | — <i>tenuiflora</i> , Vahl.
<i>est Tritonia longiflora.</i> |
| 15 | 522 | — <i>patens.</i> | 17 | 605 | — <i>thyrsiflora</i> , Roche.
<i>est Aristeia capitata.</i> |
| 15 | 542 | — <i>pentandra</i> , L.
<i>est scillaris.</i> | 11 | 381 | — <i>tricolor</i> , B.M.
<i>est Sparaxis tricolor.</i> |
| 31 | 1254 | — <i>pilosa</i> , L. <i>est</i> | 36 | 1482 | — <i>tricolor, β, γ, δ. W.</i>
<i>est Sparaxis tricolor, β, γ, δ.</i> |
| 36 | 1475 | Hesperantha pilosa, α et β . | 16 | 553 | — <i>triticea</i> , Burm.
<i>est Watsonia plantaginea</i> |
| 16 | 553 | — <i>plantaginea</i> , H.K. 1.
<i>est Watsonia plantaginea.</i> | 16 | 583 | — <i>villosa</i> , H.K. 1.
<i>est Babiana villosa.</i> |
| 17 | 623 | — <i>polystachia</i> , L.
<i>est erecta.</i> | 17 | 637 | — <i>villosa, α. Jacq.</i>
<i>est Babiana stricta, α.</i> |
| 17 | 629 | — <i>polystachia.</i>
[<i>Ixia retusa</i> , H.K.] | 17 | 621 | — <i>villosa, β. Jacq.</i>
<i>est Babiana stricta, β.</i> |
| 31 | 1244 | — <i>pudica</i> , H.B.
<i>est Trichonema pudicum.</i> | 17 | 599 | — <i>undulata</i> , Burm.
<i>est crispa.</i> |
| 16 | 583 | — <i>punicea</i> , Jacq.
<i>est Babiana villosa.</i> | | | |
| 26 | 1052 | — <i>purpurea</i> , Jacq.
<i>est Babiana stricta.</i> | | | |
| 17 | 597 | — <i>pusilla</i> , B.R.
<i>est Geissorhiza secunda.</i> | | | |
| 31 | 1255 | — <i>radians</i> , Vahl.
<i>est Geissorhiza setacea.</i> | | | |
| 16 | 573 | — <i>radiata</i> , Jacq.
<i>est Hesperantha radiata.</i> | | | |

- | Vol. | No. | | Vol. | No. | |
|------|------|----------------------------------------------------------------------------------------|------|------|---------------------------------------------------------------------------|
| 15 | 541 | <i>Ixia uniflora</i> , L. Mant.
<i>est</i> <i>Sparaxis grandiflora</i> . | 22 | 859 | <i>Lachenalia serotina</i> , W.
<i>est</i> <i>Scilla serotina</i> . |
| 37 | 1534 | <i>Ixodia achilleoides</i> . | 25 | 993 | ———— <i>tigrina</i> , Jacq.
<i>est</i> <i>rubida</i> . |
| 28 | 1147 | ———— <i>natanus</i> , Soland.
<i>est</i> <i>Hydropeltis purpurea</i> . | 3 | 89 | ———— <i>tricolor</i> . |
| 5 | 169 | <i>Ixora coccinea</i> . | 26 | 1020 | ———— <i>tricolor</i> , β . <i>luteola</i> . |
| 22 | 850 | <i>Kæmpferia Galanga</i> . | 27 | 1097 | ———— <i>tricolor</i> , Jacq.
<i>est</i> <i>quadricolor</i> . |
| 23 | 920 | ———— <i>longa</i> , Jacq. <i>est</i> | 33 | 1373 | ———— <i>unicolor</i> , β . |
| 23 | 920 | ———— <i>rotunda</i> . | 20 | 766 | ———— <i>unifolia</i> . |
| 10 | 331 | <i>Kalmia angustifolia</i> . | 40 | 1657 | <i>Lachnea buxifolia</i> , α . <i>virens</i> . |
| 5 | 177 | ———— <i>glauca</i> . | 40 | 1658 | ———— <i>buxifolia</i> , β . <i>glauca</i> . |
| 4 | 138 | ———— <i>hirsuta</i> . | 32 | 1295 | ———— <i>eriocephala</i> . |
| 5 | 175 | ———— <i>latifolia</i> . | 40 | 1658 | ———— <i>glauca</i> , Salisb.
<i>est</i> <i>buxifolia</i> , β . |
| 8 | 263 | <i>Kennedia monophyl.</i> H.K.
[<i>Glycine bimaculata</i> .] | 39 | 1594 | ———— <i>purpurea</i> . |
| 8 | 270 | ———— <i>prostrata</i> , H.K.
[<i>Glycine coccinea</i> .] | 12 | 405 | <i>Lagerstrœmia indica</i> . |
| 8 | 268 | ———— <i>rubicunda</i> , H.K.
[<i>Glycine rubicunda</i> .] | 20 | 769 | <i>Lagunœa Patersonia</i> .
[<i>Hibiscus Patersonii</i> , H.K.] |
| 21 | 821 | <i>Kitaibelia vitifolia</i> . | 20 | 769 | ———— <i>squamœa</i> , Vent.
<i>est</i> <i>Patersonia</i> . |
| 20 | 775 | <i>Knowltonia vesicatoria</i> . | 5 | 172 | <i>Lamium Orvala</i> . |
| 19 | 735 | <i>Lachenalia angustifolia</i> . | 3 | 96 | <i>Lantana aculeata</i> . |
| 39 | 1611 | ———— <i>bifolia</i> . | 26 | 1022 | ———— <i>annua</i> . |
| 34 | 1401 | ———— <i>contaminata</i> . | 35 | 1449 | ———— <i>trifolia</i> . |
| 26 | 1020 | ———— <i>flava</i> , B.R.
<i>est</i> <i>tricolor</i> , <i>v.</i> <i>luteola</i> . | 16 | 595 | <i>Lapeyrousia corymbosa</i> . |
| 33 | 1372 | ———— <i>fragrans</i> , B.R.
<i>est</i> <i>lucida</i> . | 31 | 1246 | ———— <i>fissifolia</i> . |
| 33 | 1373 | ———— <i>fragrans</i> , Jacq.
<i>est</i> <i>unicolor</i> . | 17 | 606 | ———— <i>juncea</i> , B.M.
<i>est</i> <i>Anomatheca juncea</i> . |
| 34 | 1401 | ———— <i>hyacinthoides</i> , Ja.
<i>est</i> <i>contaminata</i> . | 42 | 1766 | <i>Lasiopetalum ferrugineum</i> |
| 17 | 643 | ———— <i>lanceæfolia</i> . | 42 | 1755 | ———— <i>purpureum</i> . |
| 34 | 1380 | ———— <i>lanceæfolia</i> , Jacq.
<i>est</i> <i>Drimia lanceæfolia</i> . | 36 | 1485 | ———— <i>quercifolium</i> . |
| 33 | 1372 | ———— <i>lucida</i> . | 36 | 1486 | ———— <i>solanaceum</i> . |
| 26 | 1020 | ———— <i>luteola</i> , Jacq.
<i>est</i> <i>tricolor</i> , <i>v.</i> <i>luteola</i> . | 36 | 1486 | ———— <i>triphyllum</i> , Smith.
<i>est</i> <i>solanaceum</i> . |
| 36 | 1497 | ———— <i>nervosa</i> . | 8 | 253 | <i>Lathyrus articulatus</i> . |
| 31 | 1269 | ———— <i>orchioides</i> , α . | 2 | 60 | ———— <i>odoratus</i> . |
| 22 | 854 | ———— <i>orchioides</i> , γ . | 4 | 115 | ———— <i>sativus</i> . |
| 34 | 1401 | ———— <i>orchioides</i> , Jacq.
<i>est</i> <i>contaminata</i> . | 37 | 1542 | ———— <i>spectabilis</i> , Forsk.
<i>est</i> <i>Clitoria Ternatea</i> . |
| 16 | 590 | ———— <i>pendula</i> . | 3 | 100 | ———— <i>tingitanus</i> . |
| 27 | 1097 | ———— <i>pendula</i> , β . W.
<i>est</i> <i>quadricolor</i> . | 4 | 111 | ———— <i>tuberosus</i> . |
| 20 | 745 | ———— <i>purpuro-cærulea</i> . | 12 | 400 | <i>Lavandula dentata</i> . |
| 21 | 817 | ———— <i>pustulata</i> . | 12 | 401 | ———— <i>pinnata</i> . |
| 16 | 588 | ———— <i>quadricolor</i> . | 4 | 109 | <i>Lavatera althææfolia</i> , M.
<i>est</i> <i>trimestris</i> . |
| 27 | 1097 | ———— <i>quadricolor</i> , β . | 15 | 517 | ———— <i>thuringiaca</i> . |
| 41 | 1704 | ———— <i>quadricolor</i> , γ . <i>lutea</i> . | 4 | 109 | ———— <i>trimestris</i> . |
| 37 | 1517 | ———— <i>racemosa</i> . | 40 | 1636 | <i>Laurus Canella</i> , Mill. <i>est</i> |
| 34 | 1380 | ———— <i>reflexa</i> , B.R.
<i>est</i> <i>Drimia lanceæfolia</i> . | 40 | 1636 | ———— <i>Cassia</i> . |
| 25 | 993 | ———— <i>rubida</i> . | 36 | 1470 | ———— <i>diospyroides</i> , Mic. <i>est</i> |
| | | | 36 | 1470 | ———— <i>Diospyrus</i> . |
| | | | 36 | 1471 | ———— <i>geniculata</i> . |
| | | | 36 | 1470 | ———— <i>melissæfolia</i> , Walt.
<i>est</i> <i>Diospyrus</i> . |

Vol.	No.		Vol.	No.	
14	478	<i>Leonurus africana</i> , Mill. <i>est</i> <i>Phlomis Leonurus</i> .	36	1492	<i>Limodorum hyacinth.</i> Don. <i>est</i> <i>Cymbidium hyacinthinum</i> , B.M.
20	770	<i>Leucadendr. cynaroides</i> , L. <i>est</i> <i>Protea cynaroides</i> .	4	116	———— <i>tuberosum</i> . [<i>Calopogon pulchellus</i> .]
40	1650	———— <i>grandiflorum</i> .	12	403	<i>Linum africanum</i> .
18	674	———— <i>Lepidocarpodendr.</i> Sp. Pl. <i>est</i> <i>Protea Lepidocarp.</i>	7	234	———— <i>arboreum</i> .
10	346	———— <i>repens</i> , L. <i>est</i> <i>Protea mellifera</i> .	27	1087	———— <i>ascyrifolium</i> .
19	698	———— <i>Scolymocephalum</i> , Sp. Pl. <i>est</i> <i>Protea Scolymus</i> .	27	1086	———— <i>austriacum</i> .
30	1210	<i>Leucojum aestivum</i> .	9	312	———— <i>flavum</i> .
24	960	———— <i>autumnale</i> .	26	1018	———— <i>hypericifolium</i> .
30	1210	———— <i>pulchellum</i> , P.L. <i>est</i> <i>aestivum</i> .	12	431	———— <i>quadrifolium</i> .
2	46	———— <i>vernum</i> .	27	1100	———— <i>trigynum</i> .
34	1411	<i>Liatris macrostachya</i> , Mic. <i>est</i> <i>spicata</i> .	26	1048	———— <i>venustum</i> , B.R. <i>est</i> <i>hypericifolium</i> .
41	1709	———— <i>scariosa</i> .	31	1241	<i>Liparia sphaerica</i> .
34	1411	———— <i>spicata</i> .	8	275	<i>Liriodendron tulipifera</i> .
41	1709	———— <i>squarrulosa</i> , Mich. <i>est</i> <i>scariosa</i> .	15	515	<i>Lithospermum orientale</i> .
1	36	<i>Lilium bulbiferum</i> .	15	514	<i>Lobelia bicolor</i> .
26	1018	———— <i>bulbiferum</i> , β. um- bellatum.	9	320	———— <i>cardinalis</i> .
29	1165	———— <i>bulbiferum</i> , Th. <i>est</i> <i>concolor</i> .	17	644	———— <i>coronopifolia</i> .
21	800	———— <i>canadense</i> , α.	23	901	———— <i>Erinus</i> .
22	858	———— <i>canadense</i> , β.	32	1325	———— <i>gigantea</i> .
8	278	———— <i>candidum</i> .	20	741	———— <i>gracilis</i> .
24	936	———— <i>carolinian</i> , Mich. <i>est</i> <i>superbum</i> .	7	225	———— <i>laevigata</i> , L. <i>est</i> <i>surinamensis</i> .
8	259	———— <i>Catesbæi</i> .	32	1319	———— <i>lutea</i> .
1	30	———— <i>chalcedonicum</i> .	36	1499	———— <i>Speculum</i> .
29	1165	———— <i>concolor</i> .	7	225	———— <i>surinamensis</i> .
38	1591	———— <i>japonicum</i> .	41	1692	———— <i>variifolia</i> .
39	1634	———— <i>Martagon</i> , α.	36	1484	———— <i>unidentata</i> .
23	893	———— <i>Martagon</i> , β.	24	965	<i>Loddigesia oxalidifolia</i> .
34	1405	———— <i>monadelphum</i> .	31	1272	<i>Lomatia silaifolia</i> .
22	872	———— <i>pensylvanicum</i> , <i>est</i> <i>bulbiferum</i> , β. H.K.	32	1318	<i>Lonicera flava</i> .
15	519	———— <i>philadelphicum</i> .	17	640	———— <i>implexa</i> .
25	971	———— <i>pompon</i> , α. <i>rubra</i> .	20	781	———— <i>sempervirens</i> , α. major.
21	798	———— <i>pompon</i> , β. <i>lutea</i> .	42	1753	———— <i>sempervirens</i> , β. minor.
21	798	———— <i>pyrenaicum</i> , Red. <i>est</i> <i>pomponium</i> , β.	8	254	<i>Lopezia mexicana</i> .
9	294	———— <i>sarniense</i> , Dougl. <i>est</i> <i>Amaryllis sarniensis</i> .	8	254	———— <i>racemosa</i> , Cav. <i>est</i> <i>mexicana</i> .
31	1237	———— <i>speciosum</i> , B.R. <i>est</i> <i>tigrinum</i> .	39	1596	<i>Lophiola aurea</i> .
8	259	———— <i>spectabile</i> , Salish. <i>est</i> <i>Catesbæi</i> .	33	1365	<i>Lotus australis</i> .
24	936	———— <i>superbum</i> .	10	336	———— <i>hirsutus</i> .
31	1237	———— <i>tigrinum</i> .	3	79	———— <i>jacobæus</i> .
24	930	<i>Limodorum altum</i> . [<i>Bletia verecunda</i> , H.K.]	30	1233	———— <i>odoratus</i> .
			5	151	———— <i>tetragonolobus</i> .
			40	1638	<i>Luffa fœtida</i> .
			18	682	<i>Lupinus arboreus</i> .
			4	140	———— <i>luteus</i> .
			32	1311	———— <i>nootkatensis</i> .
			6	202	———— <i>perennis</i> .
			33	1344	<i>Lychnidea caroliniana</i> , Mart. Dec. <i>est</i> <i>Phlox ca-</i> <i>rolina</i> .

- | Vol. | No. | | Vol. | No. | |
|------|------|----------------------------------------------------------------------|------|------|---------------------------------------------------------------------------|
| 11 | 394 | <i>Lychnis alpina</i> . | 19 | 736 | <i>Massonia angustifolia</i> . |
| 8 | 257 | ———— <i>chalcedonica</i> . | 25 | 991 | ———— <i>corymbosa</i> , vide
1468, Scilla. |
| 7 | 223 | ———— <i>coronata</i> . | | | [<i>Hyacinthus corymbos.</i> H.K.] |
| 7 | 223 | ———— <i>grandiflora</i> , Jacq.
<i>est</i> <i>coronata</i> . | 16 | 554 | ———— <i>ensifolia</i> . |
| 11 | 361 | <i>Lycium fœtidum</i> , L. Sup. <i>est</i> | 19 | 736 | ———— <i>lanccolata</i> , Th.
<i>est</i> <i>angustifolia</i> . |
| 11 | 361 | ———— <i>japonicum</i> .
[<i>Serissa fœtida</i> , H.K.] | 22 | 848 | ———— <i>latifolia</i> . |
| 11 | 361 | ———— <i>indicum</i> , Retz.
<i>est</i> <i>japonicum</i> . | 16 | 559 | ———— <i>muricata</i> . |
| 18 | 660 | <i>Lysimachia quadriflora</i> . | 17 | 642 | ———— <i>pustulata</i> . |
| 3 | 104 | ———— <i>stricta</i> . | 16 | 554 | ———— <i>violacea</i> , B.R.
<i>est</i> <i>ensifolia</i> . |
| 25 | 1003 | <i>Lythrum austriacum</i> , Ja. <i>est</i> | 41 | 1711 | <i>Mathiola odoratissima</i> . |
| 25 | 1003 | ———— <i>virgatum</i> . | 19 | 1729 | ———— <i>tristis</i> , H.K.
[<i>Cheiranthus tristis</i> .] |
| 25 | 1008 | <i>Magnolia annonæfol.</i> P.L.
<i>est</i> <i>fuscata</i> . | 14 | 500 | <i>Mauhlia africana</i> , Vahl.
<i>est</i> <i>Agapanthus umbellat.</i> |
| 30 | 1206 | ———— <i>auricularis</i> , P.L. <i>est</i> | 16 | 554 | ———— <i>ensifolia</i> , Th.
<i>est</i> <i>Massonia ensifolia</i> . |
| 30 | 1206 | ———— <i>auriculata</i> . | 40 | 1643 | <i>Maurandia antirrhiniflora</i> . |
| 39 | 1621 | ———— <i>conspicua</i> . | 13 | 460 | ———— <i>semperflorens</i> . |
| 11 | 390 | ———— <i>discolor</i> , Vent.
<i>est</i> <i>purpurea</i> . | 32 | 1316 | <i>Medeola virginiana</i> . |
| 30 | 1206 | ———— <i>Fraseri</i> , Walt.
<i>est</i> <i>auriculata</i> . | 23 | 909 | <i>Medicago carstiensis</i> . |
| 25 | 1008 | ———— <i>fuscata</i> . | 26 | 1058 | <i>Melaleuca neriifolia</i> .
[<i>Tristania neriifolia</i> , H.K.] |
| 25 | 977 | ———— <i>pumila</i> . | 20 | 767 | <i>Melanthium ciliatum</i> , Ja.
<i>est</i> <i>uniflorum</i> . |
| 11 | 390 | ———— <i>purpurea</i> . | 17 | 641 | ———— <i>eucomoides</i> . |
| 25 | 1008 | ———— <i>versicolor</i> , P.L.
<i>est</i> <i>fuscata</i> . | 16 | 558 | ———— <i>junceum</i> . |
| 10 | 353 | <i>Mahernia incisa</i> . | 21 | 803 | ———— <i>lætum</i> , H.K. I.
<i>est</i> <i>Helonias læta</i> . |
| 8 | 277 | ———— <i>pinnata</i> . | 22 | 840 | ———— <i>massoniæfol.</i> B.R.
<i>est</i> <i>Eucomis bifolia</i> . |
| 5 | 166 | <i>Malcomia maritima</i> , H.K.
[<i>Cheiranthus marit.</i>] | 32 | 1291 | ———— <i>monopetalum</i> . |
| 21 | 813 | <i>Malpighia glabra</i> . | 19 | 694 | ———— <i>spicatum</i> . |
| 21 | 809 | ———— <i>volubilis</i> . | 16 | 558 | ———— <i>triquetrum</i> , L. Sup.
<i>est</i> <i>junceum</i> . |
| 32 | 1320 | <i>Mantisia saltatoria</i> .
[<i>Globba radicans</i> , H.K.] | 20 | 767 | ———— <i>uniflorum</i> . |
| 9 | 322 | <i>Manulea tomentosa</i> . | 25 | 985 | ———— <i>virginicum</i> , L.
<i>est</i> <i>Helonias virginica</i> . |
| 25 | 983 | <i>Marica californica</i> .
[<i>Sisyrinchium californ.</i> H.K.] | 25 | 994 | ———— <i>viride</i> . |
| 12 | 416 | ———— <i>martinicensis</i> . | 17 | 615 | <i>Melasphærulea graminea</i> . |
| 18 | 654 | ———— <i>northiana</i> . | 23 | 904 | <i>Melastoma corymbosa</i> . |
| 18 | 646 | ———— <i>palludosa</i> . | 15 | 529 | ———— <i>malabathrica</i> . |
| 18 | 655 | ———— <i>plicata</i> .
[<i>Sisyrinchium latifol.</i> H.K.] | 27 | 1066 | <i>Melia Azedarach</i> . |
| 19 | 701 | ———— <i>striata</i> .
[<i>Sisyrinchium striatum</i> , H.K.] | 9 | 301 | <i>Melianthus minor</i> . |
| 26 | 1056 | <i>Martynia alternifol.</i> Lam.
<i>est</i> <i>proboscidea</i> . | 6 | 208 | <i>Melissa grandiflora</i> . |
| 26 | 1056 | ———— <i>annua</i> , L.
<i>est</i> <i>proboscidea</i> . | 26 | 1029 | <i>Menyanthes exaltata</i> . |
| 26 | 1056 | ———— <i>louisiana</i> , Mill.
<i>est</i> <i>proboscidea</i> . | 18 | 658 | ———— <i>indica</i> . |
| 29 | 1191 | ———— <i>perennis</i> , L.
<i>est</i> <i>Gloxinia maculata</i> . | 32 | 1328 | ———— <i>sarmentosa</i> . |
| 26 | 1056 | ———— <i>proboscidea</i> . | 42 | 1760 | <i>Mentzelia oligosperma</i> . |
| | | | 38 | 1571 | <i>Menziesia ferruginea</i> , β. |
| | | | 38 | 1571 | ———— <i>globularis</i> , Salisb.
<i>est</i> <i>ferruginea</i> , β. |
| | | | 8 | 262 | <i>Mesembryanthem. aureum</i> |

Vol.	No.		Vol.	No.	
2	70	Mesembryanth. barbatum.	20	759	Moræa crispa.
30	1220	———— barbatum, γ. Sp. Pl.	32	1284	———— crispa, γ.
		est densum.	17	613	———— edulis.
2	59	———— bicolorum.	31	1238	———— edulis, γ.
30	1220	———— densum.	19	695	———— flexuosa.
1	32	———— dolabriforme.	17	613	———— fugax, Jacq.
15	540	———— glabrum, B.R.			est edulis.
		est pomeridianum.	31	1238	———— fugax, Jacq.
40	1663	———— inclaudens.			est edulis, γ.
13	448	———— micans.	19	693	———— iridioides, Mant.
34	1376	———— minutum.			est Iris moræoides.
40	1647	———— obcordellum.	39	1612	———— iriopetala, W.
2	67	———— pinnatifidum.			est collina, v. miniata
15	540	———— pomeridianum.			minor.
11	396	———— spectabile.	39	1612	———— juncea, L.
38	1573	———— testiculare.			est collina, v. miniata
10	326	———— viridiflorum.			minor.
8	260	Metrosideros citrina, est	19	712	———— longiflora.
8	260	———— lanceolata, H.K.	31	1277	———— lugens, L.
42	1761	———— speciosa.			est Aristeia melaleuca.
7	219	Michauxia campanuloides.	31	1277	———— melaleuca, Th.
9	302	Mimosa myrtifolia,			est Aristeia melaleuca.
		est Acacia myrtifolia.	18	654	———— northiana, B.R.
31	1263	———— pubescens.			est Marica northiana.
		est Acacia pubescens.	31	1238	———— odora, P.L.
28	1121	———— stricta,			est edulis.
		est Acacia stricta.	18	655	———— palmifolia, Jacq.
4	110	———— verticillata,			est Marica plicata.
		est Acacia verticillata.	20	750	———— papilionacea.
10	354	Mimulus aurantiacus.	15	532	———— Pavonia, Th.
		[Mimulus glutinosus, H.K.]			est Tigridia Pavonia.
36	1501	———— luteus.	31	1247	———— Pavonia.
8	283	———— ringens.	18	655	———— plicata, Sw.
11	371	Mirabilis Jalapa.			est Marica plicata.
13	434	———— viscosa, Cav.	30	1231	———— pusilla, Th.
		est Oxybaphus viscosus.			est Aristeia pusilla.
30	1211	Mirbelia reticulata.	20	771	———— ramosa.
15	546	Monarda didyma.	19	701	———— serlata, Jacq.
5	145	———— fistulosa.			est Marica striata.
3	73	Monsonia grandifl. Burm.	34	1407	———— Sisyrinchium.
		est speciosa.	16	577	———— sordescens, Jacq.
11	385	———— lobata.			est tristis.
3	73	———— speciosa.	32	1283	———— spicata.
31	1276	Moræa angusta.	15	520	———— spiralis, L.
26	1045	———— bituminosa.			est Aristeia spiralis.
17	605	———— cærulea, Th.	26	1047	———— tenuis.
		est Aristeia capitata.	16	577	———— tricolor, B.R.
5	171	———— chinensis,			est tristis.
		est Pardonanthus chinensis.	19	696	———— tricuspis, α.
25	1012	———— ciliata, α.	5	168	———— tricuspis, β.
27	1061	———— ciliata, β.	20	772	———— tricuspis, γ. lutea.
26	1033	———— collina, α.	19	702	———— tripetala.
39	1612	———— collina, β. miniata	16	577	———— tristis.
		minor.	16	571	———— villosa.
28	1103	———— collina, γ.	16	587	———— viscaria.

Vol.	No.		Vol.	No.	
16	593	<i>Moræa unguiculata</i> .	1	6	<i>Narcissus minor</i> .
38	1559	<i>Musa coccinea</i> .	24	924	———— <i>moschatus</i> , α .
38	1565	<i>Muscari ambrosiacum</i> , Re. <i>est moschat. v. flavum</i> .	32	1300	———— <i>moschatus</i> , β .
5	157	———— <i>botryoides</i> .	24	945	———— <i>nutans</i> , Haw. <i>est trilobus</i> .
4	133	———— <i>comosum</i> .	32	1298	———— <i>orientalis</i> , α .
19	734	———— <i>moschatum</i> .	25	1011	———— <i>orientalis</i> , β . <i>v. flore pleno</i> .
38	1565	———— <i>moschat. β. flavum</i> .	24	946	———— <i>orientalis</i> , γ .
22	854	———— <i>orchioides</i> , Mill. <i>est Lachenalia orchioides</i> .	26	1026	———— <i>orientalis</i> , δ .
4	122	———— <i>racemosum</i> .	24	947	———— <i>papyraceus</i> . [<i>N. Tazetta</i> , β . H.K.]
19	734	———— <i>racemosus</i> , Mill. <i>est moschatum</i> .	29	1188	———— <i>papyraceus</i> , β . <i>est italicus</i> .
39	1625	<i>Mylocaryum ligustrinum</i> .	6	193	———— <i>poeticus</i> , β . <i>angustifolius</i> . [<i>N. angustifolius</i> .]
41	1693	<i>Myoporum parvifolium</i> .	32	1301	———— <i>Sibthorpii</i> , Haw. <i>est major</i> , γ .
14	473	<i>Myrtus brasiliانا</i> , L. <i>est Plinia pedunculata</i> .	24	946	———— <i>Tazeta</i> , Red. <i>est orientalis</i> , γ .
22	867	———— <i>disticha</i> .	24	947	———— <i>Tazeta</i> , Red. <i>est papyraceus</i> , α .
30	1236	———— <i>Pimenta</i> , α . <i>longifolia</i> .	24	925	———— <i>Tazetta</i> .
7	250	———— <i>tomentosa</i> .	11	379	———— <i>tenuior</i> .
28	1109	<i>Nandina domestica</i> .	24	940	———— <i>trewianus</i> , v. 1298, b. [<i>Narc. orientalis</i> , α .]
30	1224	<i>Narcissus Amancaes</i> , Fl. P. <i>est Pancratium Amancaes</i>	2	48	———— <i>triandrus</i> .
6	193	———— <i>angustifolius</i> . [<i>Narcissus poeticus</i> , β . G.]	31	1262	———— <i>triandrus</i> , v. <i>luteus</i> .
2	51	———— <i>bicolor</i> , β . H.K. <i>est major</i> , α .	24	945	———— <i>trilobus</i> . [<i>Narciss. nutans</i> , H.K.]
29	1187	———— <i>bicolor</i> , α .	41	1687	———— <i>viridiflorus</i> .
6	197	———— <i>biflorus</i> .	37	1505	<i>Narthecium americanum</i> .
29	1186	———— <i>bifrons</i> , α .	23	903	<i>Nelumbium speciosum</i> .
32	1299	———— <i>bifrons</i> , β .	38	1562	<i>Neottia acaulis</i> , Ex. Bot. <i>est picta</i> .
3	88	———— <i>Bulbocodium</i> .	38	1568	———— <i>cernua</i> .
3	78	———— <i>calathinus</i> , β . <i>est lætus</i> , H.K. [<i>N. odorus</i> .]	22	842	———— <i>glandulosa</i> .
24	934	———— <i>calathinus</i> , α . <i>est odorus</i> , H.K.	26	1036	———— <i>orchioides</i> .
31	1262	———— <i>calathinus</i> , Red. <i>est triandrus</i> , v. <i>luteus</i> .	38	1562	———— <i>picta</i> .
32	1300	———— <i>candidissimus</i> , Re. <i>est moschatus</i> .	34	1374	———— <i>speciosa</i> .
24	924	———— <i>cernuus</i> , Roth. <i>est moschatus</i> .	23	923	<i>Nepeta longiflora</i> . [<i>Nepeta Musseni</i> , H.K.]
32	1299	———— <i>compressus</i> , Haw. <i>est bifrons</i> .	23	923	———— <i>Willdenowiana</i> , A.
4	121	———— <i>Gouani</i> , Roth. <i>est</i>	19	731	<i>Newdorffia peruviana</i> , Ad. <i>est Nolana prostrata</i> .
4	121	———— <i>incomparabilis</i> , α .	18	673	<i>Nicotiana undulata</i> .
1	15	———— <i>Jonquilla</i> .	1	22	<i>Nigella damascena</i> .
29	1188	———— <i>italicus</i> . [<i>N. Tazetta</i> , γ . H.K.]	31	1265	———— <i>hispanica</i> .
3	78	———— <i>lætus</i> , H.K. <i>est calathinus</i> , β .	31	1265	———— <i>latifolia</i> , Mill. <i>est hispanica</i> .
2	51	———— <i>major</i> , α .	31	1264	———— <i>orientalis</i> .
32	1301	———— <i>major</i> , β . γ .	19	731	<i>Nolana prostrata</i> .
			18	684	<i>Nymphæa advena</i> .
			16	552	———— <i>cærulea</i> .

- | Vol. | No. | | Vol. | No. | |
|------|------|-------------------------------------------------------------------------------|------|------|------------------------------------------------------------------------------|
| 31 | 1243 | <i>Nymphæa kalmiana.</i> | 73 | 1524 | <i>Ornithogalum bivalve</i> , L.
<i>est Allium striatum.</i> |
| 21 | 797 | ———— <i>Lotus.</i> | 21 | 804 | ———— <i>canadense</i> , L.
<i>est Albuca major.</i> |
| 31 | 1243 | ———— <i>lutea</i> , Mich.
<i>est kalmiana.</i> | 34 | 1382 | ———— <i>capense</i> , L.
<i>est Eriospermum latifol.</i> |
| 23 | 903 | ———— <i>Nelumbo</i> , L.
<i>est Nelumbium speciosum</i> | 21 | 805 | ———— <i>caudatum.</i> |
| 33 | 1359 | ———— <i>nitida.</i> | 24 | 953 | ———— <i>concinnum</i> , Salisb.
<i>est unifolium.</i> |
| 21 | 819 | ———— <i>odorata.</i> | 27 | 1074 | ———— <i>giganteum</i> , Jacq.
<i>est Drimia altissima.</i> |
| 40 | 1652 | ———— <i>odorata</i> , β . <i>minor.</i> | 25 | 972 | ———— <i>juncifolium.</i> |
| 37 | 1525 | ———— <i>pygmæa.</i> | 28 | 1134 | ———— <i>lacteum.</i> |
| 31 | 1280 | ———— <i>rubra.</i> | 22 | 876 | ———— <i>latifolium.</i> |
| 33 | 1364 | ———— <i>rubra</i> , β . <i>rosea.</i> | 30 | 1200 | ———— <i>luteum</i> , L.
<i>est Gagea lutea.</i> |
| 37 | 1525 | ———— <i>tetragona</i> , Georgi.
<i>est pygmæa.</i> | 24 | 935 | ———— <i>nanum</i> , Brot.
<i>est unifolium.</i> |
| 29 | 1189 | ———— <i>versicolor.</i> | 8 | 269 | ———— <i>nutans.</i> |
| 35 | 1446 | <i>Ocimum scutellarioides.</i> | 23 | 913 | ———— <i>punctatum</i> , Th.
<i>est Eucomis punctata.</i> |
| 40 | 1637 | <i>Oedera prolifera.</i> | 18 | 653 | ———— <i>revolutum.</i> |
| 11 | 388 | <i>Oenothera anomala</i> , H.K.
[<i>Gaura mutabilis.</i>] | 23 | 918 | ———— <i>Squilla.</i>
[<i>Scilla maritima</i> , H.K.] |
| 39 | 1593 | ———— <i>cæspitosa.</i> | 29 | 1164 | ———— <i>thyrsoides.</i> |
| 40 | 1674 | ———— <i>Fraseri.</i> | 24 | 935 | ———— <i>unifolium.</i> |
| 10 | 332 | ———— <i>fruticosa.</i> | 24 | 953 | ———— <i>unifolium</i> , β . |
| 39 | 1606 | ———— <i>glauca.</i> | 25 | 994 | <i>Ornithoglossum glaucum</i> ,
P.L. <i>est Melanthium viride.</i> |
| 11 | 365 | ———— <i>longiflora.</i> | 18 | 675 | <i>Orobus varius.</i> |
| 39 | 1592 | ———— <i>missourensis</i> ,
<i>est macrocarpa</i> , Pursh | 15 | 521 | ———— <i>vernus.</i> |
| 10 | 355 | ———— <i>pumila.</i> | 23 | 898 | <i>Orontium japonicum.</i> |
| 10 | 352 | ———— <i>purpurea.</i> | 38 | 1552 | <i>Osmanthus fragrans</i> , Lour.
<i>est Olea fragrans.</i> |
| 10 | 347 | ———— <i>rosea.</i> | 32 | 1312 | <i>Othonna amplexicaulis.</i> |
| 13 | 468 | ———— <i>tetraptera.</i> | 9 | 306 | ———— <i>pectinata.</i> |
| 38 | 1552 | <i>Olea fragrans.</i> | 20 | 768 | ———— <i>pinnata.</i> |
| 36 | 1491 | <i>Oncidium bifolium.</i> | 7 | 237 | <i>Oxalis caprina.</i>
[<i>Oxalis cernua</i> , H.K.] |
| 20 | 777 | ———— <i>carthagenense</i> , H.K.
[<i>Epidendrum undulatum.</i>] | 41 | 1683 | ———— <i>grandiflora</i> , Jacq.
<i>est variabilis</i> , v. <i>albifl.</i> |
| 9 | 317 | <i>Ononis fruticosa.</i> | 26 | 1031 | ———— <i>hirta</i> , Jacq.
<i>est rubella.</i> |
| 10 | 329 | ———— <i>Natrix.</i> | 38 | 1549 | ———— <i>pentaphylla.</i> |
| 10 | 335 | ———— <i>rotundifolia.</i> | 41 | 1698 | ———— <i>rosacea.</i> |
| 23 | 889 | <i>Onosma taurica.</i> | 26 | 1031 | ———— <i>rubella.</i> |
| 27 | 1063 | <i>Ophiopogon japonicus.</i> | 41 | 1683 | ———— <i>variabilis</i> , v. <i>albifl.</i> |
| 20 | 784 | <i>Ophioxylum serpentinum.</i> | 41 | 1712 | ———— <i>variabilis</i> , v. <i>rubra.</i> |
| 38 | 1568 | <i>Ophrys cernua</i> , Mich.
<i>est Neottia cernua.</i> | 5 | 155 | ———— <i>versicolor.</i> |
| 38 | 1557 | <i>Opuntia nigricans</i> , Haw.
<i>est Cactus Tuna</i> , v. <i>nigric.</i> | 13 | 434 | <i>Oxybaphus viscosus.</i> |
| 40 | 1676 | <i>Orbea Bufonia</i> , Haw.
<i>est Stapelia Bufonis.</i> | 37 | 1544 | <i>Oxylobium cordifolium.</i> |
| 37 | 1512 | <i>Orchis carnea</i> , H.K. I.
<i>est Satyrium carneum.</i> | 42 | 1756 | <i>Pæonia albiflora.</i> |
| 40 | 1668 | ———— <i>ciliaris</i> , W.
<i>est Habenaria ciliaris.</i> | 42 | 1754 | ———— <i>anomala.</i> |
| 10 | 338 | <i>Orelia grandiflora</i> , Aubl.
<i>est Allamanda cathartica.</i> | 35 | 1441 | ———— <i>daurica.</i> |
| 9 | 298 | <i>Origanum dictamnus.</i> | 42 | 1768 | ———— <i>edulis</i> , v. <i>sinensis.</i> |
| 19 | 728 | <i>Ornithogalum arabicum.</i> | | | |
| 6 | 190 | ———— <i>aureum.</i> | | | |

- | Vol. | No. | | Vol. | No. | |
|------|------|--------------------------------------|------|------|---------------------------------------|
| 35 | 1422 | <i>Pæonia humilis.</i> | 9 | 315 | <i>Pelargon. ceratophyllum.</i> |
| 29 | 1154 | ———— <i>Moutan.</i> | 5 | 165 | ———— <i>cordatum, H.K.</i> |
| 26 | 1050 | ———— <i>peregrina.</i> | | | [<i>Pelargon. cordifolium.</i>] |
| 24 | 926 | ———— <i>tenuifolia.</i> | 14 | 477 | ———— <i>crassicaule.</i> |
| 33 | 1334 | <i>Panax pusilla.</i> | 9 | 309 | ———— <i>echinatum.</i> |
| | | [<i>P. trifolia, H.K.</i>] | 2 | 56 | ———— <i>glaucum, H.K.</i> |
| 33 | 1333 | ———— <i>quinquefolia.</i> | | | [<i>Pelarg. lanceolatum.</i>] |
| 30 | 1224 | <i>Pancreatium Amancaes.</i> | 4 | 143 | ———— <i>glutinosum.</i> |
| 35 | 1419 | ———— <i>amboinense.</i> | 20 | 761 | ———— <i>incrassatum.</i> |
| 36 | 1467 | ———— <i>amcenum.</i> | 2 | 56 | ———— <i>lanceolatum, B.M.</i> |
| 38 | 1561 | ———— <i>calathiforme, R. est</i> | | | <i>est glaucum, H.K.</i> |
| 38 | 1561 | ———— <i>calathinum.</i> | 1 | 20 | ———— <i>peltatum.</i> |
| 21 | 826 | ———— <i>caribæum, vide</i> | 15 | 524 | ———— <i>pictum, B.R.</i> |
| | | 1467, b. | | | <i>est pulchellum.</i> |
| | | [<i>Pancreat. speciosum, H.K.</i>] | 16 | 579 | ———— <i>pinnatum.</i> |
| 21 | 826 | ———— <i>declinatum, Jacq.</i> | 15 | 524 | ———— <i>pulchellum.</i> |
| | | <i>est caribæum.</i> | 15 | 547 | ———— <i>quinatum.</i> |
| 27 | 1082 | ———— <i>disciforme, Red.</i> | 41 | 1718 | ———— <i>radicatum.</i> |
| | | <i>est rotatum.</i> | 3 | 95 | ———— <i>Radula.</i> |
| 21 | 826 | ———— <i>fragrans, Salisb.</i> | 14 | 493 | ———— <i>reniforme.</i> |
| | | <i>est caribæum.</i> | 12 | 413 | ———— <i>ternatum.</i> |
| 19 | 718 | ———— <i>illyricum.</i> | 4 | 136 | ———— <i>tetragonum.</i> |
| 21 | 825 | ———— <i>littorale, B.</i> | 15 | 518 | ———— <i>tomentosum.</i> |
| 21 | 827 | ———— <i>mexicanum, Mich.</i> | 7 | 240 | ———— <i>tricolor.</i> |
| | | <i>est rotatum.</i> | 40 | 1641 | ———— <i>triste, B. filipendu-</i> |
| 35 | 1419 | ———— <i>nervifolium, P.L.</i> | | | <i>lifolium.</i> |
| | | <i>est amboinense.</i> | 37 | 1532 | <i>Peliosanthes humilis.</i> |
| 27 | 1082 | ———— <i>rotatum, a.</i> | 32 | 1302 | ———— <i>Teta.</i> |
| 21 | 827 | ———— <i>rotatum, B.</i> | 17 | 620 | <i>Pentapetes acerifolia, L.</i> |
| 35 | 1453 | ———— <i>speciosum.</i> | | | <i>est Pterosperm. acerifol.</i> |
| 21 | 826 | ———— <i>speciosum, Red.</i> | 25 | 1000 | ———— <i>Erythroxylon.</i> |
| | | <i>est caribæum.</i> | 37 | 1526 | ———— <i>suberifolia, L.</i> |
| 19 | 718 | ———— <i>stellare, Salisb.</i> | | | <i>est Pterosp. suberifolium.</i> |
| | | <i>est illyricum.</i> | 40 | 1672 | <i>Penstemon glabra.</i> |
| 40 | 1675 | <i>Papaver caucasicum.</i> | 35 | 1425 | ———— <i>laevigata.</i> |
| 29 | 1693 | ———— <i>nudicaule, B. flavis.</i> | 35 | 1424 | ———— <i>pubescens, a. latif.</i> |
| 2 | 57 | ———— <i>orientale.</i> | 20 | 755 | <i>Pergularia minor.</i> |
| 27 | 1088 | <i>Papiria spiralis, Th.</i> | 20 | 760 | <i>Persoonia linearis.</i> |
| | | <i>est Cethyllis spiralis.</i> | 41 | 1707 | <i>Petalostemum violaceum.</i> |
| 5 | 171 | <i>Pardanthus chinensis.</i> | 17 | 628 | <i>Petrea volubilis.</i> |
| | | [<i>Ixia chinensis.</i>] | 21 | 796 | <i>Petrophila pulchella, H.K.</i> |
| 35 | 1459 | <i>Parnassia caroliniana.</i> | | | [<i>Protœa pulchella.</i>] |
| 7 | 222 | <i>Passerina dodecandra, L.</i> | 39 | 1635 | <i>Phalangium Liliago, a. maj.</i> |
| | | <i>est Struthiola erecta.</i> | | | [<i>Anthericum Liliago, H.K.</i>] |
| 32 | 1295 | ———— <i>eriocephala, Th.</i> | 23 | 914 | ———— <i>Liliago, B. minor.</i> |
| | | <i>est Lachnea eriocephala.</i> | | | [<i>Anthericum Liliago, H.K.</i>] |
| 9 | 292 | ———— <i>grandiflora.</i> | 9 | 318 | ———— <i>Liliastrum.</i> |
| 2 | 66 | <i>Passiflora alata.</i> | | | [<i>Antheric. Liliastrum, H.K.</i>] |
| 1 | 28 | ———— <i>cœrulea.</i> | 38 | 1574 | ———— <i>Quamash, Pursh.</i> |
| 8 | 288 | ———— <i>ciliata.</i> | | | <i>est Scilla esculenta.</i> |
| 18 | 651 | ———— <i>serratifolia.</i> | 26 | 1055 | ———— <i>ramosum.</i> |
| 26 | 1041 | <i>Paterstonia sericea.</i> | 16 | 553 | ———— <i>spicatum, L.</i> |
| 3 | 103 | <i>Pelargonium atetosum.</i> | | | <i>est Watsonia plantaginea.</i> |
| 5 | 148 | ———— <i>betulinum.</i> | 11 | 391 | <i>Philadelphus coronarius.</i> |
| 6 | 201 | ———— <i>bicolor.</i> | 36 | 1478 | ———— <i>inodorus.</i> |

Vol.	No.		Vol.	No.	
20	783	<i>Philydrum lanuginosum</i> .	15	509	<i>Podalyria australis</i> .
14	478	<i>Phlomis Leonurus</i> .			[<i>Baptisia australis</i> , H.K.]
25	999	———— <i>Lychnitis</i> .	20	753	———— <i>biflora</i> .
38	1555	———— <i>tuberosa</i> .	38	1580	———— <i>calyptrata</i> , W. <i>est styriacifolia</i> .
32	1308	<i>Phlox amœna</i> .	38	1590	<i>Podalyria capensis</i> , W. <i>est Virgilia capensis</i> .
32	1307	———— <i>aristata</i> , Mich. <i>est pilosa</i> .	31	1259	———— <i>genistoides</i> , W. <i>est Ibbetsonia genistoid</i> .
33	1344	———— <i>carolina</i> .	34	1389	———— <i>lupinoides</i> . [<i>Thermopsis lupinoides</i> , H.K.]
5	163	———— <i>divaricata</i> .	38	1580	———— <i>styriacifolia</i> .
15	528	———— <i>ovata</i> .	27	1099	———— <i>tinctoria</i> . [<i>Baptisia tinctoria</i> , H.K.]
32	1307	———— <i>pilosa</i> .	24	956	<i>Podalepis acuminata</i> , H.K. <i>est Scalia jaceoides</i> .
32	1308	———— <i>pilosa</i> , Mich. <i>est amœna</i> .	36	1477	<i>Podolobium trilobum</i> .
16	563	———— <i>reptans</i> , B.R. <i>est stolonifera</i> .	37	1513	<i>Podophyllum diphyllum</i> , H.K. <i>est Jeffersonia diphylla</i> .
12	415	———— <i>setacea</i> .	41	1693	<i>Pogonia tuberculata</i> , Hort. <i>est Myoporum parvisol</i> .
16	563	———— <i>stolonifera</i> .	25	995	<i>Poinciana pulcherrima</i> .
12	411	———— <i>subulata</i> .	25	1006	<i>Polygala alopecuroides</i> .
3	82	<i>Phormium aloides</i> , L. <i>est Lachenalia tricolor</i> .	10	345	———— <i>bracteolata</i> .
7	224	<i>Phytica ericoides</i> .	9	316	———— <i>Chamæbuxus</i> .
38	1585	<i>Phylloma aloiflorum</i> . [<i>Dracæna marginata</i> , H.K.]	10	340	———— <i>Heisteria</i> .
27	1068	<i>Physalis edulis</i> .	41	1714	———— <i>mixta</i> .
26	1015	<i>Phyteuma campanuloides</i> .	14	492	———— <i>oppositifolia</i> .
36	1466	———— <i>cordata</i> .	26	1051	———— <i>Senega</i> .
24	931	<i>Phytolacca decandra</i> .	41	1715	———— <i>stipulacea</i> .
23	891	<i>Pimelia linifolia</i> .	27	1065	<i>Polygonum crispulum</i> , α.
35	1458	———— <i>rosea</i> .	6	213	———— <i>orientale</i> .
37	1547	<i>Pitcairnia angustifolia</i> .	37	1510	<i>Pomaderris elliptica</i> .
34	1416	———— <i>bracteata</i> , β.	29	1156	<i>Pontederia cordata</i> .
21	824	———— <i>bromeliæfolia</i> .	8	286	<i>Portlandia grandiflora</i> .
36	1462	———— <i>integrifolia</i> .	33	1368	<i>Portulaca arachnoides</i> , W. <i>est Anacampseros arachu</i> .
22	856	———— <i>latifolia</i> .	33	1367	———— <i>filamentosa</i> , Haw. <i>est Anacampseros filam</i> .
34	1416	———— <i>sulphurea</i> , B.R. <i>est bracteata</i> .	32	1527	<i>Potentilla clusiana</i> .
34	1396	<i>Pittosporum Tobira</i> .	3	75	———— <i>grandiflora</i> .
41	1684	———— <i>viridiflorum</i> .	17	603	<i>Pothos cannaefolia</i> .
14	469	<i>Platylobium formosum</i> .	22	836	———— <i>fœtida</i> .
22	863	———— <i>microphyllum</i> . [<i>Bossiaea microphylla</i> , H.K.]	17	603	———— <i>odorata</i> , Anderson. <i>est Pothos cannaefolia</i> .
37	1520	———— <i>parviflorum</i> .	34	1375	———— <i>pentaphylla</i> .
30	1235	———— <i>scolopendrum</i> , BR. <i>est Bossiaea Scolopendria</i> .	38	1584	———— <i>sagittata</i> .
37	1508	———— <i>triangulare</i> .	27	1079	<i>Prenanthes alba</i> .
35	1446	<i>Plectranthus scutellarioides</i> Br.Pr. <i>est Ocimum scut</i> .	7	229	<i>Primula acaulis</i> , var. flore pleno carneo.
14	473	<i>Plinia pedunculata</i> .	12	399	———— <i>cortusoides</i> .
7	230	<i>Plumbago rosea</i> .	24	942	———— <i>integrifolia</i> .
7	230	———— <i>zeylanica</i> , Burm. <i>est rosea</i> .	30	1219	———— <i>intermedia</i> .
8	279	<i>Plumeria rubra</i> .	11	392	———— <i>longifolia</i> .
29	1177	<i>Podalyria alba</i> . [<i>Baptisia alba</i> , H.K.]	6	191	———— <i>marginata</i> .

- | Vol. | No. | | Vol. | No. | |
|------|------|---------------------------------------------------------------------------------------|------|------|----------------------------------------------------------------------------------|
| 13 | 438 | <i>Primula mutabilis</i> , Lour.
<i>est</i> <i>Hydrangea hortensis</i> . | 25 | 967 | <i>Pultenæa villosa</i> . |
| 29 | 1161 | ———— <i>nivalis</i> , Donn.
<i>est</i> <i>Primula villosa</i> , β . nivea. | 17 | 634 | <i>Punica nana</i> . |
| 29 | 1161 | ———— <i>pubescens</i> , Jacq.
<i>est</i> <i>Primula villosa</i> , β . nivea. | 37 | 1521 | <i>Pyrethrum indicum</i> . |
| 1 | 14 | ———— <i>villosa</i> , α . | 23 | 897 | <i>Pyrola maculata</i> . |
| 29 | 1161 | ———— <i>villosa</i> , β . nivea. | 20 | 778 | ———— <i>umbellata</i> . |
| 41 | 1694 | <i>Protea acuminata</i> . | 18 | 692 | <i>Pyrus japonica</i> . |
| 19 | 697 | ———— <i>anemonifolia</i> .
[<i>Isopogon anemonifol.</i> H.K.] | 8 | 267 | ———— <i>spectabilis</i> . |
| 18 | 649 | ———— <i>cordata</i> . | 14 | 497 | <i>Quassia amara</i> . |
| 41 | 1713 | ———— <i>coronata</i> , B.R.
<i>est</i> <i>formosa</i> . | 14 | 482 | <i>Rafnia triflora</i> , Vent.
<i>est</i> <i>Crotalaria triflora</i> . |
| 20 | 770 | ———— <i>cynaroides</i> . | 6 | 204 | <i>Ranunculus aconitifolius</i> ,
<i>var. flore pleno</i> . |
| 41 | 1713 | ———— <i>formosa</i> . | 6 | 215 | ———— <i>acris</i> , <i>v. fl. pleno</i> . |
| 22 | 878 | ———— <i>globosa</i> . | 8 | 266 | ———— <i>amplexicaulis</i> . |
| 41 | 1717 | ———— <i>latifolia</i> . | 5 | 164 | ———— <i>gramineus</i> . |
| 18 | 674 | ———— <i>Lepidocarpon</i> .
[<i>Protea melaleuca</i> , H.K.] | 11 | 386 | ———— <i>parnassifolius</i> . |
| 10 | 346 | ———— <i>mellifera</i> . | 1 | 29 | <i>Reseda odorata</i> . |
| 24 | 933 | ———— <i>mucronifolia</i> . | 35 | 1434 | <i>Raphis acaulis</i> , W.
<i>est</i> <i>Sabal adansonii</i> . |
| 21 | 796 | ———— <i>pulchella</i> .
[<i>Petrophila pulchella</i> , H.K.] | 83 | 1371 | ———— <i>flabelliformis</i> . |
| 19 | 698 | ———— <i>Scolymus</i> . | 25 | 968 | <i>Rhexia virginica</i> . |
| 29 | 1183 | ———— <i>speciosa</i> . | 40 | 1671 | <i>Rhododendr. catawbiense</i> . |
| 23 | 881 | ———— <i>stellaris</i> . | 28 | 1145 | ———— <i>caucaseum</i> . |
| 10 | 337 | <i>Prunella grandiflora</i> . | 14 | 488 | ———— <i>Chamæcistus</i> . |
| 28 | 1117 | <i>Prunus nigra</i> . | 17 | 636 | ———— <i>dauricum</i> . |
| 42 | 1727 | <i>Psoralea aphylla</i> . | 24 | 951 | ———— <i>maximum</i> . |
| 13 | 446 | ———— <i>bracteata</i> . | 18 | 650 | ———— <i>ponticum</i> . |
| 18 | 665 | ———— <i>corylifolia</i> . | 14 | 474 | ———— <i>Rhodora</i> , L. <i>est</i> |
| 25 | 990 | ———— <i>glandulosa</i> . | 14 | 474 | <i>Rhodora canadensis</i> . |
| 41 | 1697 | <i>Pteronia pauciflora</i> . | 38 | 1583 | <i>Ribes resinatum</i> . |
| 17 | 620 | <i>Pterospermum acerifolium</i> . | 26 | 1016 | <i>Robinia Halodendron</i> . |
| 37 | 1526 | ———— <i>suberifolium</i> . | 9 | 311 | ———— <i>hispida</i> . |
| 42 | 1743 | <i>Pulmonaria davorica</i> . | 16 | 560 | ———— <i>glutinosa</i> .
[<i>Robinia viscosa</i> , H.K.] |
| 5 | 160 | ———— <i>virginica</i> . | 11 | 378 | <i>Roella ciliata</i> . |
| 34 | 1394 | <i>Pultenæa daphnoides</i> . | 20 | 782 | ———— <i>decurrens</i> , B.R.
<i>est</i> <i>Campanula capensis</i> . |
| 24 | 949 | ———— <i>ericoides</i> , Vent.
<i>est</i> <i>Aotus villosa</i> . | 27 | 1077 | <i>Rosa bicolor</i> , Hortul.
<i>est</i> <i>lutea</i> , <i>var. bicolor</i> . |
| 36 | 1477 | ———— <i>ilicifolia</i> , B.R.
<i>est</i> <i>Podolobium trilobum</i> . | 34 | 1377 | ———— <i>bracteata</i> . |
| 29 | 1190 | ———— <i>juncea</i> , W.
<i>est</i> <i>Viminaria denudata</i> . | 27 | 1077 | ———— <i>Eglantheria</i> , Sp.Pl.
<i>est</i> <i>lutea</i> . |
| 26 | 1032 | ———— <i>nana</i> , B.R.
<i>est</i> <i>Chorozema nanum</i> . | 38 | 1570 | ———— <i>hispida</i> . |
| 37 | 1545 | ———— <i>retorta</i> , Wend.
<i>est</i> <i>Dillwynia ericifolia</i> . | 11 | 363 | ———— <i>lutea</i> . |
| 30 | 1211 | ———— <i>rubiaefolia</i> , B.R.
<i>est</i> <i>Mirbelia reticulata</i> . | 27 | 1077 | ———— <i>lutea</i> , β . <i>bicolor</i> . |
| 14 | 475 | ———— <i>stipularis</i> . | 26 | 1059 | ———— <i>multiflora</i> . |
| 38 | 1588 | ———— <i>stricta</i> . | 2 | 69 | ———— <i>muscosa</i> . |
| 24 | 949 | ———— <i>villosa</i> , B.R.
<i>est</i> <i>Aotus villosa</i> . | 38 | 1570 | ———— <i>pimpinellifolia</i> , Pallas
<i>est</i> <i>hispida</i> . |
| | | | 12 | 407 | ———— <i>provincialis</i> , ζ . |
| | | | 8 | 284 | ———— <i>semperflorens</i> . |
| | | | 42 | 1762 | ———— <i>semperfl. y. minima</i> . |
| | | | 18 | 690 | <i>Rothmannia capensis</i> , Th.
<i>est</i> <i>Gardenia Rothmann</i> . |

Vol.	No.		Vol.	No.	
36	1500	Roxbūrghia Gloriosa. [Roxb. gloriosoides, H.K.]	19	739	Sansevieria sessiliflora.
36	1500	——— <i>viridiflora</i> , Ex Bot. <i>est</i> Gloriosa.	5	154	Saponaria ocymoides.
4	132	Rubus arcticus.	41	1710	Sarracenia adunca, Sm. <i>est</i> variolaris.
9	323	——— odoratus.	20	780	——— flava.
39	1601	Rudbeckia columnaris.	22	849	——— purpurea.
1	2	——— purpurea.	41	1710	——— variolaris.
38	1578	Ruellia cristata, B.R. <i>est</i> Aphelandra cristata.	37	1512	Satyrium carneum.
34	1400	——— formosa.	26	1036	——— <i>orchioides</i> , Sw. <i>est</i> Neottia orchioides.
33	1358	——— <i>varians</i> , Vent. <i>est</i> Justicia nervosa.	40	1651	Saxifraga ceratophylla.
37	1528	Russelia multiflora.	6	196	——— crassifolia.
27	1084	Ruyschiana verticillata, Mill. <i>est</i> Dracoc. peregrin.	10	351	——— mutata.
35	1434	Sabal Adansoni.	12	424	——— rotundifolia.
35	1434	——— <i>minor</i> , Pers. <i>est</i> Adansoni.	3	92	——— sarmentosa.
39	1600	Sabbatia calycosa.	40	1664	——— virginensis.
39	1632	Sagittaria bulbosa, Donn. <i>est</i>	8	287	Scaevola macrocarpa, H.K. [Goodenia lævigata.]
39	1632	——— rigida.	7	247	Scabiosa atropurpurea.
39	1631	——— <i>sagittifol.</i> Lour. <i>est</i>	23	886	——— caucasea.
39	1631	——— sinensis.	24	956	Scalia jaceoides. [Podolepis acuminata, H.K.]
29	1179†	<i>Salmia spicata</i> , Cav. <i>est</i> Sansevieria guineensis.	34	1413	Schisandra coccinea.
42	1728	Salvia acuminatissima, Ven <i>est</i> azurea.	29	1153	Schotia tamarindifolia.
32	1294	——— <i>amœna</i> .	10	341	Scilla amœna.
6	182	——— aurea.	26	1025	——— <i>amœna</i> , β. <i>sibirica</i> . [Scilla sibirica, H.K.]
42	1728	——— azurea.	23	919	——— autumnalis.
25	988	——— <i>bifida</i> , Forsk. <i>est</i> Forskohlei.	20	746	——— bifolia.
21	808	——— chamædrioides.	36	1468	——— brevifolia.
21	808	——— <i>Chamædrys</i> , W. hort. <i>est</i> chamædrioides.	4	127†	} — <i>campanulata</i> , α. β.
11	376	——— formosa.	28	1102	
25	988	——— Forskohlei.	36	1461	——— <i>cernua</i> , Link. <i>est</i> non-scripta, β.
35	1429	——— hablitziana.	25	991	——— corymbosa, v. 1468, b.
11	395	——— indica.	38	1574	——— esculenta.
11	376	——— <i>leonuroides</i> , Gloxin. <i>est</i> formosa.	28	1102	——— <i>hyacinthoides</i> , Jacq. <i>est</i> campanulata.
35	1429	——— <i>taurica</i> , Habl. <i>est</i> hablitziana.	28	1140	——— <i>hyacinthoides</i> .
32	1294	——— <i>violacea</i> , Donn. <i>est</i> amœna.	28	1102	——— <i>Jacquini</i> , Gmel. <i>est</i> campanulata.
16	550	Samyda rosea.	18	663	——— italica.
16	550	——— <i>serrulata</i> , B.R. <i>est</i> rosea.	36	1461	——— non-scripta, β. <i>carnea</i>
5	162	Sanguinaria canadensis.	20	749	——— peruviana.
19	739	Sansevieria carnea, H.K. [Sansevieria sessiliflora.]	26	1025	——— <i>præcox</i> , Donn. <i>est</i> sibirica.
29	1179	——— guineensis.	24	939	——— romana.
			22	859	} — <i>serotina</i> , v. 1185.
			29	1185	
			26	1025	——— <i>sibirica</i> , H.K. [<i>amœna</i> , β. <i>sibirica</i> .]

† In some copies, by mistake, 1180.

† In some copies, by mistake, 128.

- | Vol. | No. | | Vol. | No. | |
|------|------|---------------------------------------------------------------------------------|------|------|------------------------------------------------------------------------|
| 24 | 935 | <i>Scilla unifolia</i> , H.K.
[<i>Ornithogalum unifolium</i> .] | 28 | 1103 | <i>Sisyrinchium elegans</i> , Red.
est <i>Moræa collina</i> . |
| 28 | 1126 | <i>Scopola carniolica</i> , Jacq.
set <i>Hyoscyamus Scopolia</i> . | 13 | 464 | ——— <i>gramineum</i> .
[<i>Sisyrinch. anceps</i> , H.K.] |
| 4 | 142 | <i>Scorzonera tingitana</i> . | 3 | 94 | ——— <i>Iridioides</i> ,
est <i>Sisyr. Bermudiana</i> , H.K. |
| 17 | 635 | <i>Scutellaria grandiflora</i> . | 18 | 655 | <i>Sisyrinch. latifolium</i> , H.K.
[<i>Marica plicata</i> .] |
| 4 | 118 | <i>Sedum Anacampseros</i> . | 18 | 655 | ——— <i>palmifolium</i> , Cav.
est <i>Marica plicata</i> . |
| 6 | 211 | ——— <i>populifolium</i> . | 19 | 701 | ——— <i>spicatum</i> , Cav.
est <i>Marica striata</i> . |
| 6 | 186 | <i>Selago ovata</i> . | 19 | 701 | ——— <i>striatum</i> , H.K.
[<i>Marica striata</i> .] |
| 2 | 322 | ——— <i>tomentosa</i> , L.
est <i>Manulea tomentosa</i> . | 27 | 1063 | <i>Slateria japonica</i> , Desvauz.
est <i>Ophiopogon japonicus</i> |
| 2 | 68 | <i>Sempervivum arachnoid</i> . | 34 | 1403 | <i>Smilacina borealis</i> .
[<i>Dracæna borealis</i> , H.K.] |
| 15 | 507 | ——— <i>globiferum</i> . | 29 | 1155 | ——— <i>umbellata</i> . |
| 3 | 93 | ——— <i>Monanthes</i> . | 10 | 349 | <i>Solanum laciniatum</i> . |
| 35 | 1457 | ——— <i>soboliferum</i> . | 2 | 49 | <i>Soldanella alpina</i> . |
| 9 | 296 | ——— <i>tortuosum</i> . | 29 | 1177 | <i>Sophora alba</i> , L.
est <i>Podalyria alba</i> . |
| 7 | 238 | <i>Senecio elegans</i> . | 15 | 509 | ——— <i>australis</i> , L.
est <i>Podalyria australis</i> . |
| 36 | 1472 | <i>Septas globifera</i> . | 20 | 753 | ——— <i>biflora</i> , Retz.
est <i>Podalyria biflora</i> . |
| 11 | 361 | <i>Serissa foetida</i> , H.K.
[<i>Lycium japonicum</i> .] | 38 | 1590 | ——— <i>capensis</i> , L.
est <i>Virgilia capensis</i> . |
| 34 | 1411 | <i>Serratula spicata</i> , Sp.Pl.
est <i>Liatris spicata</i> . | 31 | 1259 | ——— <i>genistoides</i> , L.
est <i>Ibbetsonia genistoides</i> |
| 41 | 1688 | <i>Sesamum indicum</i> . | 29 | 1190 | ——— <i>juncea</i> , Schrad.
est <i>Viminaria denudata</i> . |
| 42 | 1742 | <i>Seseli divaricatum</i> . | 34 | 1389 | ——— <i>lupinoides</i> , L.
est <i>Podalyria lupinoides</i> . |
| 41 | 1701 | <i>Sesuvium Portulacastr.</i> β .
<i>revolutum</i> . | 35 | 1442 | ——— <i>microphylla</i> , W.
est <i>Edwardsia microph.</i> |
| 7 | 218 | <i>Sibthorpia peregrina</i> , Sp.Pl.
est <i>Disandra prostrata</i> . | 38 | 1590 | ——— <i>oroboides</i> , Berg.
est <i>Virgilia capensis</i> . |
| 10 | 330 | <i>Sida cristata</i> . | 5 | 167 | ——— <i>tetraptera</i> ,
est <i>Edwardsia tetraptera</i> . |
| 37 | 1541 | ——— <i>cristata</i> , Sp.Pl. est | 27 | 1099 | ——— <i>tinctoria</i> , L.
est <i>Podalyria tinctoria</i> . |
| 37 | 1541 | ——— <i>hastata</i> . | 28 | 1104 | <i>Sowerbæa juncea</i> . |
| 40 | 1644 | ——— <i>periptera</i> . | 15 | 548 | <i>Sparaxis bicolor</i> . |
| 18 | 677 | <i>Silene bipartita</i> , Desf.
est <i>vespertina</i> . | 15 | 545 | ——— <i>bulbifera</i> . |
| 21 | 807 | ——— <i>chloræfolia</i> . | 15 | 541 | ——— <i>grandiflora</i> , α . |
| 23 | 908 | ——— <i>fimbriata</i> . | 20 | 779 | ——— <i>grandiflora</i> , β . |
| 11 | 382 | ——— <i>ornata</i> . | 11 | 381 | ——— <i>tricolor</i> , α . |
| 4 | 114 | ——— <i>pendula</i> . | 36 | 1482 | ——— <i>tricolor</i> , β, γ, δ |
| 41 | 1724 | ——— <i>regia</i> . | 15 | 516 | <i>Sparmannia africana</i> . |
| 18 | 689 | ——— <i>saxatilis</i> . | 3 | 85 | <i>Spartium junceum</i> . |
| 18 | 677 | ——— <i>vespertina</i> . | 18 | 683 | ——— <i>monospermum</i> . |
| 41 | 1724 | ——— <i>virginica</i> , v. Mich?
est <i>regia</i> . | 38 | 1558 | <i>Spermacoe strigosa</i> . |
| 13 | 464 | <i>Sisyrinchium anceps</i> , H.K.
[<i>Sisyrinch. gramineum</i> .] | 25 | 969 | <i>Sphærolobium vimineum</i> . |
| 13 | 464 | ——— <i>angustifol.</i> Mill.
est <i>gramineum</i> . | | | |
| 3 | 94 | ——— <i>Bermudiana</i> , H.K.
[<i>Sisyrinch. iridioides</i> .] | | | |
| 25 | 983 | ——— <i>californicum</i> , H.K.
[<i>Marica californica</i> .] | | | |
| 26 | 1033 | ——— <i>collinum</i> , Cav.
est <i>Moræa collina</i> , β . | | | |
| 39 | 1612 | ——— <i>collinum</i> , Cav.
est <i>Moræa collina</i> , v. mi-
niata minor, | | | |

- | Vol. | No. | | Vol. | No. | |
|------|------|----------------------------------------------------------------------|------|------|----------------------------------------------------------------------|
| 3 | 80 | <i>Spigelia marilandica.</i> | 23 | 921 | <i>Styrax glabrum, Cav.</i>
<i>est lævigatum.</i> |
| 39 | 1627 | <i>Spilanthus crocata.</i> | 23 | 921 | ———— <i>læve, Walt. est</i> |
| 14 | 489 | <i>Spiræa trifoliata.</i> | 23 | 921 | ———— <i>lævigatum.</i> |
| 41 | 1719 | <i>Sprengelia incarnata.</i> | 23 | 921 | ———— <i>octandrum, L'Her.</i>
<i>est lævigatum.</i> |
| 18 | 666 | <i>Stachys coccinea.</i> | 41 | 1725 | <i>Swainsona coronillifolia.</i> |
| 25 | 976 | <i>Stachytarpheta mutabilis.</i> | 21 | 792 | ———— <i>galegifolia, H.K.</i>
[<i>Colutea galegifolia.</i>] |
| 15 | 536 | <i>Stapelia Asterias.</i> | 24 | 929 | <i>Symphytum asperrimum.</i> |
| 40 | 1676 | ———— <i>Bufonis.</i> | 14 | 486 | <i>Syringa persica.</i> |
| 30 | 1227 | } ——— <i>campanulata.</i> | 6 | 183 | ———— <i>vulgaris.</i> |
| 40 | 1661 | | 24 | 929 | <i>Syringium integrifolia.</i> |
| 25 | 1007 | ———— <i>divaricata.</i> | 20 | 740 | <i>Tagetes lucida.</i> |
| 29 | 1184 | ———— <i>elegans.</i> | 5 | 150 | ———— <i>patula.</i> |
| 32 | 1326 | ———— <i>geminata.</i> | 37 | 1543 | <i>Talinum patens, W. est</i> |
| 16 | 585 | ———— <i>grandiflora.</i> | 37 | 1543 | ———— <i>reflexum.</i> |
| 15 | 506 | ———— <i>lentiginosa.</i> | 33 | 1347 | <i>Tamus Elephantipes.</i> |
| 21 | 793 | ———— <i>pedunculata.</i> | 6 | 212 | <i>Tanacetum flabelliforme.</i> |
| 29 | 1169 | ———— <i>picta.</i> | 19 | 731 | <i>Teganium procumb. Schm.</i>
<i>est Nolana prostrata.</i> |
| 40 | 1648 | ———— <i>pulla.</i> | 32 | 1302 | <i>Teta viridiflora, Roxb.</i>
<i>est Peliosanthes Teta.</i> |
| 31 | 1240 | ———— <i>pulvinata.</i> | 28 | 1114 | <i>Teucrium betonica fol. J. est</i> |
| 17 | 619 | ———— <i>radiata.</i> | 28 | 1114 | ———— <i>Betonicum.</i> |
| 34 | 1397 | ———— <i>reclinata.</i> | 7 | 245 | ———— <i>latifolium.</i> |
| 40 | 1662 | ———— <i>reticulata.</i> | 31 | 1279 | ———— <i>orientale.</i> |
| 19 | 724 | ———— <i>revoluta.</i> | 41 | 1690 | <i>Thalia dealbata.</i> |
| 1 | 26 | ———— <i>variegata.</i> | 22 | 866 | <i>Thalictrum anemon. Mich.</i>
<i>est Anemone thalictroides</i> |
| 29 | 1169 | ———— <i>variegata, Jacq.</i>
<i>est picta.</i> | 25 | 998 | <i>Thea cantoniens. Lour. est</i> |
| 20 | 786 | ———— <i>verrucosa.</i> | 25 | 998 | ———— <i>chinensis, ß.</i>
[<i>Thea Bohea, α. H.K.</i>] |
| 30 | 1234 | ———— <i>Vetula.</i> | 25 | 1004 | <i>Thunbergia capens. Montin.</i>
<i>est Gardenia Thunbergia.</i> |
| 39 | 1629 | <i>Statice conspicua.</i> | 25 | 997 | <i>Thymbra caroliniana, Wal.</i>
<i>est Thymus grandiflorus.</i> |
| 2 | 71 | ———— <i>sinuata.</i> | 25 | 997 | <i>Thymus carolin. Mich. est</i> |
| 39 | 1617 | ———— <i>spathulata.</i> | 25 | 997 | ———— <i>grandiflorus.</i> |
| 18 | 656 | ———— <i>speciosa.</i> | 38 | 1589 | <i>Tiarella cordifolia.</i> |
| 12 | 400 | <i>Stæchas dentata, Mill.</i>
<i>est Lavendula dentata.</i> | 15 | 532 | <i>Tigridia Pavonia.</i> |
| 30 | 1201 | <i>Stratiotes alismoides, L.</i>
<i>est Damasonium indicum.</i> | 37 | 1529 | <i>Tillandsia stricta.</i> |
| 4 | 119 | <i>Strelitzia Reginae.</i>
[<i>Strelitzia ovata, H.K.</i>] | 39 | 1598 | <i>Tradescantia crassifolia.</i> |
| 36 | 1490 | <i>Streptopus lanuginos. Mic.</i>
<i>est Uvularia lanuginosa.</i> | 35 | 1435 | ———— <i>cristata.</i> |
| 36 | 1489 | ———— <i>roseus, Mich.</i>
<i>est Uvularia rosea.</i> | 39 | 1597 | ———— <i>cristata, Walt.</i>
<i>est subaspera.</i> |
| 33 | 1363 | <i>Strumaria crispa.</i>
[<i>Amaryllis crispa, H.K.</i>] | 30 | 1192 | ———— <i>discolor.</i> |
| 39 | 1620 | ———— <i>gemmata.</i> | 33 | 1340 | ———— <i>erecta.</i> |
| 34 | 1383 | ———— <i>spiralis.</i> | 30 | 1192 | ———— <i>spathacea, Sw.</i>
<i>est discolor.</i> |
| 7 | 222 | <i>Struthiola erecta.</i> | 39 | 1597 | ———— <i>subaspera.</i> |
| 30 | 1212 | ———— <i>longiflora, Lam. est</i> | 3 | 105 | ———— <i>virginica.</i> |
| 30 | 1212 | ———— <i>pubescens.</i> | 33 | 1340 | ———— <i>undulata, Vahl.</i>
<i>est erecta.</i> |
| 30 | 1212 | ———— <i>rubra, Donn.</i>
<i>est pubescens.</i> | | | |
| 30 | 1212 | ———— <i>virgata, Ex. Bot.</i>
<i>est pubescens.</i> | | | |
| 32 | 1297 | <i>Styphelia triflora.</i> | | | |
| 23 | 921 | <i>Styrax americana, Lam.</i>
<i>est lævigatum.</i> | | | |

- | Vol. | No. | | Vol. | No. | |
|------|------|--------------------------------------------------------------------------|------|------|-------------------------------------------------------------------------|
| 39 | 1623 | <i>Tragopogon Dalech.</i> L. <i>est</i>
<i>Arnopogon Dalechampii.</i> | 21 | 806 | <i>Tulbagia alliacea.</i> |
| 39 | 1623 | ———— <i>verticillatum</i> , Lam.
<i>est Arnopog. Dalechampii.</i> | 21 | 806 | ———— <i>capensis</i> , Mant.
<i>est alliacea.</i> |
| 34 | 1392 | <i>Trichonema caulescens.</i> | 19 | 717 | <i>Tulipa breyniana</i> , errore
<i>pro celsiana.</i> |
| 16 | 575 | ———— <i>cruciatum.</i> | 20 | 767 | ———— <i>breyniana</i> , v. 1135, c.
<i>est Melanthium uniflorum.</i> |
| 31 | 1244 | ———— <i>pubicum.</i> | 19 | 717 | ———— <i>celsiana</i> , vid. 1390, b. |
| 8 | 265 | ———— <i>roseum.</i> | 34 | 1390 | ———— <i>clusiana.</i> |
| 30 | 1225 | ———— <i>roseum</i> , β. | 28 | 1135 | ———— <i>gesneriana.</i> |
| 36 | 1476 | ———— <i>speciosum.</i> | 22 | 839 | ———— <i>suaveolens.</i> |
| 19 | 722 | <i>Trichosanthes anguina.</i> | 30 | 1202 | ———— <i>sylvestris.</i> |
| 29 | 1168 | <i>Trifolium canescens.</i> | 30 | 1202 | ———— <i>translagana</i> , Brot.
<i>est sylvestris.</i> |
| 13 | 446 | ———— <i>fruticans</i> , L.
<i>est Psoralea bracteata.</i> | 40 | 1655 | <i>Tupistra squalida.</i> |
| 10 | 328 | ———— <i>incarnatum.</i> | 8 | 281 | <i>Turnera angustifolia.</i> |
| 22 | 879 | ———— <i>Lupinaster.</i> | 3 | 84 | <i>Tussilago alpina.</i> |
| 16 | 557 | ———— <i>spadiceum.</i> | 34 | 1388 | ———— <i>fragrans.</i> |
| 35 | 1445 | <i>Triglochin bulbosum.</i> | 39 | 1607 | <i>Vaccinium arboreum</i> , Mic.
<i>est diffusum.</i> |
| 24 | 954 | <i>Trillium cernuum.</i> | 25 | 974 | ———— <i>Arctostaphylos.</i> |
| 14 | 470 | ———— <i>erectum</i> , α. | 24 | 928 | ———— <i>brachycerum</i> , Mic. <i>est</i> |
| 26 | 1027 | ———— <i>erectum</i> , β. | 24 | 928 | ———— <i>buxifolium.</i> |
| 22 | 855 | ———— <i>erythrocarpum.</i> | 29 | 1152 | ———— <i>crassifolium.</i> |
| 26 | 1027 | ———— <i>fœtidum</i> , P.L.
<i>est erectum.</i> | 39 | 1607 | ———— <i>diffusum.</i> |
| 22 | 855 | ———— <i>grandiflorum</i> , P.L.
<i>est erythrocarpum.</i> | 28 | 1106 | ———— <i>dumosum.</i> |
| 26 | 1027 | ———— <i>rhomboideum</i> , Mich.
<i>est erectum.</i> | 38 | 1550 | ———— <i>myrsinites</i> , Don. <i>est</i> |
| 2 | 40 | ———— <i>sessile.</i> | 38 | 1550 | ———— <i>nitidum</i> , v. <i>decum-</i>
<i>bens.</i> |
| 26 | 1058 | <i>Tristania neriifolia</i> , H.K.
[<i>Melaleuca neriifolia.</i>] | 32 | 1288 | ———— <i>resinosum</i> , β. |
| 20 | 744 | <i>Tritoma media.</i> | 19 | 714 | <i>Valeriana rupestris</i> , Pall. <i>est</i> |
| 20 | 764 | ———— <i>pumila.</i> | 19 | 714 | ———— <i>sibirica.</i> |
| 20 | 758 | ———— <i>Uvaria.</i> | 17 | 620 | <i>Velaga xylocarpa</i> , Adans.
<i>est Pterospermum acerifol.</i> |
| 17 | 618 | <i>Tritonia capensis.</i> | 28 | 1137 | <i>Velleja trinervis</i> , Labill.
<i>est Goodenia tenella.</i> |
| 37 | 1531 | ———— <i>capensis</i> , β. | 14 | 501 | <i>Veltheimia capensis.</i> |
| 18 | 678 | ———— <i>crispa.</i> | 27 | 1091 | ———— <i>glauca.</i> |
| 6 | 184 | ———— <i>crocata.</i> | 20 | 761 | ———— <i>pumila</i> , W.
<i>est Tritoma pumila.</i> |
| 17 | 622 | ———— <i>deusta.</i> | 20 | 744 | ———— <i>repens</i> , B.R.
<i>est Tritoma media.</i> |
| 19 | 704 | ———— <i>fenestrata.</i> | 14 | 501 | ———— <i>viridifolia</i> , L.
<i>est capensis.</i> |
| 14 | 487 | ———— <i>lineata.</i> | 20 | 758 | ———— <i>Uvaria</i> , W.
<i>est Tritoma Uvaria.</i> |
| 8 | 256 | ———— <i>longiflora</i> , α. | 27 | 1096 | <i>Veratrum album</i> , Mich.
<i>est Helonias viridis.</i> |
| 37 | 1502 | ———— <i>longiflora</i> , β, γ. | 27 | 1062 | ———— <i>luteum</i> , S.V.
<i>est Helonias lutea.</i> |
| 17 | 609 | ———— <i>miniata.</i> | 24 | 963 | ———— <i>nigrum.</i> |
| 37 | 1503 | ———— <i>rochensis.</i> | 27 | 1096 | ———— <i>viride</i> , H.K.
<i>est Helonias viridis.</i> |
| 37 | 1531 | ———— <i>rosea</i> , H.K.
<i>est capensis.</i> | 24 | 985 | ———— <i>virginicum</i> , H.K.
<i>est Helonias virginica.</i> |
| 11 | 383 | ———— <i>securigera.</i> | | | |
| 16 | 581 | ———— <i>squalida.</i> | | | |
| 31 | 1275 | ———— <i>viridis.</i> | | | |
| 7 | 235 | <i>Trollius asiaticus.</i> | | | |
| 1 | 23 | <i>Tropæolum majus.</i> | | | |
| 3 | 98 | ———— <i>minus.</i> | | | |
| 33 | 1351 | ———— <i>peregrinum.</i> | | | |
| 40 | 1667 | <i>Troximon glaucum.</i> | | | |

- | Vol. | No. | | Vol. | No. | |
|------|------|-------------------------------------------|------|------|--------------------------------------------|
| 30 | 1226 | <i>Verbascum cupreum</i> . | 17 | 614 | <i>Wachendorfia paniculata</i> , |
| 7 | 236 | ——— <i>Myconi</i> . | | | Burm. <i>est</i> <i>hirsuta</i> . |
| 26 | 1037 | ——— <i>ovalifolium</i> . | 17 | 616 | ——— <i>paniculata</i> . |
| 23 | 885 | ——— <i>phceniceum</i> . | 27 | 1060 | ——— <i>thyrsiflora</i> . |
| 9 | 308 | <i>Verbena Aubletia</i> . | 39 | 1625 | <i>Walteriana carolin</i> . Fras. |
| 25 | 976 | ——— <i>mutabilis</i> , W. | | | <i>est</i> <i>Mylocaryum ligustrinum</i> |
| | | <i>est</i> <i>Stachytarpheta mutab.</i> | 13 | 441 | <i>Watsonia aletroides</i> , α . |
| 11 | 367 | ——— <i>triphylla</i> . | 15 | 533 | ——— <i>aletroides</i> , β . |
| 41 | 1716 | <i>Verbesina alata</i> . | 17 | 601 | ——— <i>brevifolia</i> . |
| 26 | 1017 | ——— <i>sativa</i> . | 13 | 441 | ——— <i>humilis</i> , Mill. |
| 7 | 242 | <i>Veronica decussata</i> . | | | <i>est</i> <i>aletroides</i> . |
| 40 | 1660 | ——— <i>Derwentia</i> , B.R. | 17 | 631 | ——— <i>humilis</i> , α . |
| | | <i>est</i> <i>labiata</i> . | 30 | 1195 | ——— <i>humilis</i> , β . |
| 25 | 1002 | ——— <i>gentianoides</i> . | 17 | 600 | ——— <i>iridifolia</i> . |
| 40 | 1660 | ——— <i>labiata</i> . | 17 | 608 | ——— <i>marginata</i> . |
| 40 | 1679 | ——— <i>multifida</i> . | 37 | 1530 | ——— <i>marginata</i> , β . minor |
| 2 | 38 | <i>Viburnum Tinus</i> . | 12 | 418 | ——— <i>Meriana</i> , α . |
| 21 | 792 | <i>Vicia galegifolia</i> , B.R. | | | [<i>Antholiza meriana</i> .] |
| | | <i>est</i> <i>Swainsona galegifolia</i> . | 30 | 1194 | ——— <i>meriana</i> , γ . |
| 19 | 696 | <i>Vieusseuxia glaucopis</i> , Dec. | 16 | 553 | ——— <i>plantaginea</i> . |
| | | <i>est</i> <i>Moræa tricuspis</i> . | 27 | 1072 | ——— <i>rosea</i> . |
| 31 | 1247 | ——— <i>Pavonia</i> , Decand. | 15 | 537 | ——— <i>roseo-alba</i> , α . |
| | | <i>est</i> <i>Moræa Pavonia</i> . | 30 | 1193 | ——— <i>roseo-alba</i> , β . |
| 19 | 696 | ——— <i>spiralis</i> , Decand. | 15 | 523 | ——— <i>spicata</i> . |
| | | <i>est</i> <i>Moræa tricuspis</i> . | 34 | 1406 | ——— <i>strictiflora</i> . |
| 19 | 702 | ——— <i>tripetaloides</i> , Dec. | 23 | 895 | <i>Witsenia corymbosa</i> . |
| | | <i>est</i> <i>Moræa tripetala</i> . | 34 | 1418 | <i>Wurmbea bullata</i> , W. |
| 29 | 1190 | <i>Viminaria denudata</i> . | | | <i>est</i> <i>Aletris farinosa</i> . |
| 7 | 248 | <i>Vinca rosea</i> . | 32 | 1291 | ——— <i>campanulata</i> , W. |
| 35 | 1439 | <i>Ventenatia humifusa</i> , Cav. | | | <i>est</i> <i>Melanthium monopet.</i> |
| | | <i>est</i> <i>Astroloma humifusum</i> . | 32 | 1291 | ——— <i>capensis</i> , Th. |
| 21 | 791 | <i>Viola cornuta</i> . | | | <i>est</i> <i>Melanthium monopet.</i> |
| 36 | 1498 | ——— <i>hispida</i> , Lam. | 19 | 694 | ——— <i>purpurea</i> , Herb. B. |
| | | <i>est</i> <i>rothomagensis</i> . | | | <i>est</i> <i>Melanthium spicatum</i> . |
| 39 | 1595 | ——— <i>montana</i> . | 12 | 420 | <i>Xeranthemum canescens</i> . |
| 15 | 535 | ——— <i>palmata</i> . | 20 | 763 | ——— <i>fasciculatum</i> , B.R. |
| 3 | 89 | ——— <i>pedata</i> . | | | <i>est</i> <i>sesamoides</i> . |
| 36 | 1498 | ——— <i>rothomagensis</i> . | 12 | 414 | ——— <i>fulgidum</i> . |
| 38 | 1590 | <i>Virgilia capensis</i> . | 12 | 425 | ——— <i>sesamoides</i> . |
| 39 | 1602 | ——— <i>helioides</i> , L'Her. | 20 | 763 | ——— <i>sesamoides</i> , γ . |
| | | <i>est</i> <i>Galardia bicolor</i> . | 20 | 776 | ——— <i>variegatum</i> . |
| 11 | 364 | <i>Vitex chinensis</i> , Mill. <i>est</i> | 20 | 748 | <i>Xerophyllum setifol.</i> Mich. |
| 11 | 364 | ——— <i>Negundo</i> . | | | <i>est</i> <i>Helonias asphodeloides</i> . |
| 37 | 1518 | <i>Volkameria tomentos</i> . Vent. | 18 | 687 | <i>Xiphium latifolium</i> , Mill. |
| | | <i>est</i> <i>Clerodendrum tomen-</i> | | | <i>est</i> <i>Iris xiphoides</i> . |
| | | <i>tosum</i> . | 1 | 1 | ——— <i>persicum</i> , Mill. |
| 23 | 916 | <i>Uvularia chinensis</i> . | | | <i>est</i> <i>Iris persica</i> . |
| 28 | 1112 | ——— <i>grandiflora</i> . | 18 | 686 | ——— <i>vulgare</i> , Mill. |
| 36 | 1490 | ——— <i>lanuginosa</i> . | | | <i>est</i> <i>Iris xiphium</i> . |
| 24 | 955 | ——— <i>perfoliata</i> . | 26 | 1021 | <i>Xylophylla latifolia</i> . |
| 28 | 1112 | ——— <i>perfoliata</i> , Mich. | 41 | 1700 | <i>Yucca aloifolia</i> . |
| | | <i>est</i> <i>grandiflora</i> . | 23 | 900 | ——— <i>filamentosa</i> . |
| 36 | 1489 | ——— <i>rosea</i> . | 31 | 1260 | ——— <i>gloriosa</i> . |
| 34 | 1402 | ——— <i>sessilifolia</i> . | 41 | 1700 | ——— <i>gloriosa</i> , B.R. |
| 29 | 1166 | <i>Wachendorfia brevifolia</i> . | | | <i>est</i> <i>aloifolia</i> . |
| 17 | 614 | ——— <i>hirsuta</i> . | | | |

<i>Vol.</i>	<i>No.</i>		<i>Vol.</i>	<i>No.</i>	
42	1741	<i>Zamia pygmæa.</i>	5	149	<i>Zinnia multiflora.</i>
42	1736	<i>Zanthoriza apiifolia.</i>	16	555	———— <i>tenuiflora.</i>
34	1395	<i>Zieria lanceolata, Br. est</i>	15	527	———— <i>violacea, Cav.</i>
34	1395	———— <i>Smithii.</i>			<i>est elegans.</i>
40	1680	<i>Zigadenus glaberrim. Mic.</i>	27	1093	<i>Ziziphora Pouschkini.</i>
		<i>est Helonias glaberrima.</i>	23	906	———— <i>serpyllacea.</i>
35	1426	<i>Zingiber Casumunar.</i>	11	372	<i>Zygophyllum insuave.</i>
15	527	<i>Zinnia elegans.</i>			[<i>Zygoph. foetidum, H.K.</i>]





ENGLISH INDEX*.



- A**DAM's-needle, *see* *Yucca*.
 Alkanet, *see* *Anchusa*.
 Allspice, *see* *Calycanthus*.
 Almond, *see* *Amygdalus*.
 Althæa-frutex, *see* *Hibiscus*.
 Apple-berry, *see* *Billardiera*.
 Apple-tree, *see* *Pyrus*.
 Archangel, *see* *Lamium*.
 Arrow-grass, *see* *Triglochin*.
 Arrow-head, *see* *Sagittaria*.
 Asphodel, *see* *Asphodelus*.
 Atamasco-Lily, *see* *Amaryllis*.
 Balm, *see* *Melissa*.
 Balsam, *see* *Impatiens*.
 Banana, *see* *Musa*.
 Barbadoes-Cherry, *see* *Malpighia*.
 Bastard-Fox-glove, *see* *Maurandia*.
 Bastard-Cinnamon, *see* *Laurus*.
 Bastard-Vervain, *see* *Stachytarpheta*.
 Basil, *see* *Ocimum*.
 Bay, *see* *Laurus*.
 Bead-tree, *see* *Melia*.
 Bean-caper, *see* *Zygophyllum*.
 Bear's-ear, Chinese, *see* *Saxifraga*.
 Bear's-ear, *see* *Primula*.
 Bear's-ear-sanicle, *see* *Cortusa*.
 Bell-flower, *see* *Campanula*.
 Betony, *see* *Betonica*.
 Bind-weed, *see* *Convolvulus*.
 Bird's-foot-trefoil, *see* *Lotus*.
 Birth-wort, *see* *Aristolochia*.
 Bitter-vetch, *see* *Orobus*.
 Bladder-senna, *see* *Colutea*.
 Blood-flower, *see* *Hæmanthus*.
 Blue-bottle, *see* *Centaurea*.
 Bow-string-Hemp, *see* *Sansevieria*.
 Box-thorn, *see* *Lycium*.
 Bramble, *see* *Rubus*.
 Broom, *see* *Spartium*.
 Brunswick-Lily, *see* *Brunsvigia*.
 Buck-bean, *see* *Menyanthes*.
 Buckwheat-tree, *see* *Mylocarium*.
 Bug-wort, *see* *Cimicifuga*.
 Button-weed, *see* *Spermacoce*.
 Calathian-Violet, *see* *Gentiana*.
 Champion, *see* *Cucubalus*.
 Champion, *see* *Silene*.
 Candy-tuft, *see* *Iberis*.
 Cape-Aster, *see* *Cineraria*.
 Cape-Bryony, *see* *Tamus*.
 Cape-Coast-Lily, *see* *Amaryllis*.
 Cape-Gooseberry, *see* *Physalis*.
 Caper-shrub, *see* *Capparis*.
 Carnation, *see* *Dianthus*.
 Casmunar, *see* *Zingiber*.
 Cassia, *see* *Laurus*.
 Catchfly, *see* *Silene*.
 Catmint, *see* *Nepeta*.
 Centaury, *see* *Centaurea*.
 Chandelier-flower, *see* *Brunsvigia*.
 Chaste-tree, *see* *Vitex*.
 Chinese Guelder-Rose, *see* *Hydrangea*.
 Chives, *see* *Allium*.
 Cinque-foil, *see* *Potentilla*.
 Clover, *see* *Trifolium*.
 Cockle, *see* *Agrostemma*.
 Coffee-tree, *see* *Coffea*.
 Colts-foot, *see* *Tussilago*.
 Columbine, *see* *Aquilegia*.
 Comfrey, *see* *Symphytum*.
 Coral-tree, *see* *Erythrina*.
 Cornel, *see* *Cornus*.
 Cornflag, *see* *Gladiolus*.

* The almost universal use of the Latin botanical names, renders it unnecessary to do more than to give a list of such as have English appellations different from the Latin generic names.

- Cranesbill, *see* Pelargonium.
 Crow-foot, *see* Ranunculus.
 Crown-Imperial, *see* Fritillaria.
 Cuckow-flower, *see* Cardamine.
 Cucumber Indian, *see* Medeola.
 Cudweed, *see* Gnaphalium.
 Cumberland-tree, *see* Clerodendrum.
 Currant, *see* Ribes.
 Daffodil, *see* Narcissus.
 Daisy, *see* Bellis.
 Day-lily, *see* Hemerocallis.
 Devil in a Bush, *see* Nigella.
 Dittany of Crete, *see* Origanum.
 Dogs-bane, *see* Apocynum.
 Dogs-tooth-Violet, *see* Erythrinum.
 Dragons-head, *see* Dracocephalum.
 Elephant's-foot, *see* Tamus.
 Evening flower, *see* Hesperantha.
 Evening Primrose, *see* Oenothera.
 Everlasting, *see* Gnaphalium.
 Fairmaids of France, *see* Ranunculus.
 Fennel-flower, *see* Nigella.
 Feverfew, *see* Pyrethrum.
 Fig-Marigold, *see* Mesembryanthem-
 Flag, *see* Iris. [um.
 Flat-pea, *see* Platylobium.
 Flax, *see* Linum.
 Flax-tree, *see* Linum.
 Flower-de-Luce, *see* Iris.
 Flower-fence, *see* Poinciana.
 Fly-Honeysuckle, African, *see* Halle-
 Fly-trap, *see* Dionæa. [ria.
 Fox-Glove, *see* Digitalis.
 French Marigold, *see* Tagetes.
 Fritillary, *see* Fritillaria.
 Fumitory, *see* Fumaria.
 Garland-flower, *see* Hedychium.
 Garlic, *see* Allium.
 Gentian, *see* Gentiana.
 Germander, *see* Teucrium.
 Ginger, *see* Zingiber.
 Ginseng, *see* Panax.
 Globe-flower, *see* Trollius.
 Globe-Thistle, *see* Echinops.
 Grape-Hyacinth, *see* Muscari.
 Grass of Parnassus, *see* Parnassia.
 Ground-Batan, *see* Rhaps.
 Gromwell, *see* Lithospermum.
 Guernsey-Lily, *see* Amaryllis.
 Halberd-Weed, *see* Calea.
 Harebell, *see* Scilla.
 Hawthorn, *see* Cratægus.
 Heath, *see* Erica.
 Heart's-ease, *see* Viola.
 Heart-seed, *see* Cardiospermum.
 Hellebore, *see* Helleborus.
 Henbane, *see* Hyoscyamus.
 Hepatica, *see* Anemone.
 Heron's-bill, *see* Erodium.
 Hollyhock, *see* Althæa.
 Honeysuckle, *see* Lonicera.
 Honeywort, *see* Cerinthe.
 Horseshoe-Vetch, *see* Hippocrepis.
 Houseleek, *see* Sempervivum.
 Hyacinth, *see* Hyacinthus.
 Jacobea-Lily, *see* Amaryllis.
 Jalap, *see* Convolvulus.
 Japan-Rose, *see* Camellia.
 Jasmine, *see* Jasminum.
 Indian-Cress, *see* Tropæolum.
 Indian-Fig, *see* Cactus.
 Indian-Reed, *see* Canna.
 Indian-Shot, *see* Canna.
 Indigo, *see* Indigofera.
 Jonquil, *see* Narcissus.
 Judas-tree, *see* Cercis.
 Kidney-Vetch, *see* Anthyllis.
 Kingspear, *see* Asphodelus.
 Laburnum, *see* Cytisus.
 Ladies-finger, *see* Anthyllis.
 Lady's-slipper, *see* Cypripedium.
 Ladies-smock, *see* Cardamine.
 Larkspur, *see* Delphinium.
 Laurus-tinus, *see* Viburnum.
 Lavender, *see* Lavendula.
 Leadwort, *see* Plumbago.
 Leopards-bane, *see* Arnica.
 Lilac, *see* Syringa.
 Lily, *see* Liliium.
 Lily-Pink, *see* Aphyllanthes.
 Loblolly-Bay, *see* Gordonia.
 Loosestrife, *see* Lysimachia.
 Lung-wort, *see* Pulmonaria.
 Lupin, *see* Lupinus.
 Malabar-Nut, *see* Justicia.
 Martagon, *see* Liliium.
 Marvel of Peru, *see* Mirabilis.
 Masterwort, *see* Aстранtia.
 Meadow-Saffron, *see* Colchicum.
 Mezereon, *see* Daphne.
 Mignonette, *see* Reseda.
 Milfoil, *see* Achillea.
 Milk-wort, *see* Polygala.
 Milk-Vetch, *see* Astragalus.
 Mock-Orange, *see* Philadelphus.
 Monkey-flower, *see* Mimulus.
 Mountain-Ebony, *see* Bauhinia.
 Moutan, *see* Pæonia.
 Mullein, *see* Verbascum.
 Musk-Hyacinth, *see* Muscari.
 Myrtle, *see* Myrtus.
 Navel-wort, *see* Cotyledon.

- Navel-wort, *see* *Cynoglossum*.
 Nightshade, *see* *Solanum*.
 New-Jersey Tea, *see* *Ceanothus*.
 Oily-grain, *see* *Sesamum*.
 Olive, *see* *Olea*.
 Onion, *see* *Allium*.
 Onion-tree, *see* *Allium*.
 Opera-girls, *see* *Mantisia*.
 Orpine, *see* *Sedum*.
 Palmetto, *see* *Sabal*.
 Passion-flower, *see* *Passiflora*.
 Pellitory of Spain, *see* *Anthemis*.
 Pepper-wort, *see* *Dentaria*.
 Persian-Stock, *see* *Matthiola*.
 Persicaria, *see* *Polygonum*.
 Physic-Nut, *see* *Jatropha*.
 Pimento, *see* *Myrtus*.
 Pimpernell, *see* *Anagallis*.
 Pine-Apple, *see* *Bromelia*.
 Pink, *see* *Dianthus*.
 Plum-tree, *see* *Prunus*.
 Poke, *see* *Phytolacca*.
 Poppy, *see* *Papaver*.
 Primrose, *see* *Primula*.
 Qua-Mash, *see* *Scilla*.
 Ragwort, *see* *Senecio*.
 Rampion, Horned, *see* *Phyteuma*.
 Raspberry, *see* *Rubus*.
 Rattlesnake-root, *see* *Polygala*.
 Redwood, *see* *Pentapetes*.
 Rest-Harrow, *see* *Ononis*.
 Rocket, *see* *Hesperis*.
 Rock-Rose, *see* *Cistus*.
 Rose, *see* *Rosa*.
 Rush-broom, *see* *Viminaria*.
 Sacred-Bean, *see* *Nelumbium*.
 Sage, *see* *Salvia*.
 St. Helena Red-wood, *see* *Dombeya*.
 St. John's-wort, *see* *Hypericum*.
 Salt-tree, *see* *Robinia*.
 Sand-wort, *see* *Arenaria*.
 Sanicle, *see* *Cortusa*.
 Savannah-flower, *see* *Echites*.
 Saxifrage, *see* *Saxifraga*.
 Scabious, *see* *Scabiosa*.
 Scorpion-Senna, *see* *Coronilla*.
 Scunck-weed, *see* *Pothos*.
 Sea-Daffodil, *see* *Panocratum*.
 Sea-Lavender, *see* *Statice*.
 Sea-Onion, *see* *Ornithogalum*.
 Self-heal, *see* *Prunella*.
 Sheeps-beard, *see* *Arnopogon*.
 Side-saddle-flower, *see* *Sarracenia*.
 Slipper-wort, *see* *Calceolaria*.
 Snakes-beard, *see* *Ophiopogon*.
 Snake-Gourd, *see* *Trichosanthes*.
 Snap-Dragon, *see* *Antirrhinum*.
 Snow-Drop-tree, *see* *Halesia*.
 Snow-flake, *see* *Leucojum*.
 Soap-wort, *see* *Saponaria*.
 Solomon's-seal, *see* *Convallaria*.
 Spanish-broom, *see* *Spartium*.
 Speedwell, *see* *Veronica*.
 Spider-wort, *see* *Phalangium*.
 Spider-wort, *see* *Tradescantia*.
 Spurge, *see* *Euphorbia*.
 Staff-tree, *see* *Celastrus*.
 Star of Bethlem, *see* *Ornithogalum*.
 Starpheta, *see* *Stachytarpheta*.
 Star-wort, *see* *Aster*.
 Stone-Crop, *see* *Sedum*.
 Storax, *see* *Styrax*.
 Strawberry-blite, *see* *Blitum*.
 Strawberry, *see* *Fragaria*.
 Strawberry-tree, *see* *Arbutus*.
 Stock, *see* *Cheiranthus*.
 Squill, *see* *Scilla*.
 Sun-flower, *see* *Helianthus*.
 Swallow-wort, *see* *Asclepias*.
 Swamp-Palmetto, *see* *Sabal*.
 Sweet-Pea, *see* *Lathyrus*.
 Sweet-William, *see* *Dianthus*.
 Syringa, *see* *Philadelphus*.
 Tangier-Pea, *see* *Lathyrus*.
 Tansey, *see* *Tanacetum*.
 Tea-tree, *see* *Thea*.
 Thrift, *see* *Statice*.
 Thorn-Apple, *see* *Datura*.
 Thyme, *see* *Thymus*.
 Tiger-flower, *see* *Tigridia*.
 Tile-root, *see* *Geissorhiza*.
 Toad-flax, *see* *Antirrhinum*.
 Tobacco, *see* *Nicotiana*.
 Tooth-wort, *see* *Dentaria*.
 Trefoil, *see* *Trifolium*.
 Trumpet-flower, *see* *Bignonia*.
 Trumpet-honeysuckle, *see* *Lonicera*.
 Tuberosc scarlet, *see* *Watsonia*.
 Tulip, *see* *Tulipa*.
 Tulip-tree, *see* *Liriodendrum*.
 Turmerick, *see* *Curcuma*.
 Turnsole, *see* *Heliotropium*.
 Valerian, *see* *Valeriana*.
 Venus Fly-trap, *see* *Dionæa*.
 Venus Looking-glass, *see* *Campanula*.
 Vervain, *see* *Verbena*.
 Virgin's-bower, *see* *Clematis*.
 Violet, *see* *Viola*.
 Umbrella-wort, *see* *Oxybathus*.
 Wall-Cress, *see* *Arabis*.
 Wall-flower, *see* *Cheiranthus*.
 Warratah, *see* *Embothrium*.

- Water-Lily, *see* Nymphaea.
West-coast-creeper, *see* Pergularia.
Whitlow-grass, *see* Draba.
Whortle-berry, *see* Vaccinium.
Willow-herb, *see* Epilobium.
Willow-herb, *see* Lythrum.
Wind-flower, *see* Anemone.
- Winter-green, *see* Pyrola.
Wolf's-bane, *see* Aconitum.
Woodbine, *see* Lonicera.
Wood-sorrel, *see* Oxalis.
Worm-grass, *see* Spigelia.
Yellow-Root, *see* Zanthoriza.
Youlan, *see* Magnolia.



GENERAL INDEXES

TO THE

PLANTS

CONTAINED IN

THE FIRST FORTY-TWO VOLUMES

OF THE

BOTANICAL MAGAZINE.

PART II.

CONTAINING

1. A SYSTEMATICAL INDEX.
 2. A LIST of such PLANTS as occur under different Names in the Hortus Kewensis, from those under which they were published in the BOTANICAL MAGAZINE.
 3. An ENUMERATION, in the Order and Time of Publication.
-
-


L O N D O N :

Printed by STEPHEN COUCHMAN, Throgmorton-Street.

Published by SHERWOOD, NEELY, & JONES, 20, *Paternoster-Row*;

And Sold by the principal Booksellers in Great-Britain and Ireland.

1817.





ADVERTISEMENT.



PURCHASERS of the BOTANICAL MAGAZINE who have an opportunity of choosing the mode of arranging the articles, will do well to consider, before they send them to the bookbinders, which mode will be most advantageous to them.

There are three ways of arranging the Work.


1. *In the order in which they were published*; which being the way in which the Work must necessarily be quoted, has the advantage of a ready reference to the article quoted.

2. *In the systematic order, as pointed out in the Systematical Index.* This mode will be found best suited to the scientific Botanist, or to such as wish to become so; the former will readily find what he wants without the necessity of looking into the Index, and the Student will find the greatest advantage in having all the genera disposed in their proper classes and orders, and the species of each genus brought together. In both these modes, the letter-press and plates may be bound together, or separately, as may best suit the taste of the owner.

3. *The plates may be bound according to the systematic arrangement, and the letter-press according to the order of publication.* This mode will, in some measure, combine the advantages of the other two, and will be found most convenient; provided the trouble is taken to add the name to each figure, and the number, as prefixed in the Systematical Index, both to the figure and to the letter-press belonging to it.

N. B. The letter-press, bound separately, will make seven good-sized volumes,—six volumes in each.







SYSTEMATICAL INDEX,

IN WHICH

The Plants contained in the First Forty-Two Volumes of the **BOTANICAL MAGAZINE** are arranged systematically.



N. B. In the following Index, the Plants are, in general, arranged according to the System of **LINNÆUS**, and in the order adopted in the Hortus Kewensis; but it has been thought right to make some few changes, by which the unnecessary separation of Plants of the same natural family has been sometimes prevented. Thus the genera **Patersonia**, **Sisyrinchium**, **Ferraria**, **Tigridia**, and **Galaxia**, which in the Hortus Kewensis are placed in **Monadelphia Triandria**, are in our arrangement combined with the Class **TRIANDRIA**; by which means the Plants of the natural order of **ENSATÆ**, so successfully laboured by our able coadjutor in these volumes, **JOHN BELLENDEN KER**, Esq. are kept together. Similar changes are made in some other instances, which will be found to be noticed as they occur.

As, in the progress of science, many of the names have been altered since the publication of the figures, those of the Hortus Kewensis, a work considered of the first authority, generally stand first, and the names under which the Plants were published in the Magazine are inserted below within brackets. But it may be observed, that many of these changes were first made in the Magazine, by Mr. **KER** (formerly **GAWLER**, whence the signature **G.**) and afterwards adopted in the Hortus Kewensis, as has been generally the case in the natural orders of *ensatæ* and *liliacæ*. In the few cases where the name adopted in the Hortus Kewensis is placed within the brackets and printed in italics, it is designed to mark a preference of the name above it. And where both the first name and

that within the brackets are printed in roman letters, it is meant not to determine which is to be preferred, as it may be doubted whether some of the new genera, adopted in the Hortus Kewensis, will be acknowledged by Botanists in general.

MONANDRIA MONOGYNIA.

- 1 **C**ANNA coccinea, HK. . . . 454
 [C. indica, HK.]
 2 Thalia dealbata 1690
 3 Hedychium coronarium 708
 4 Zingiber Casumunar 1426
 5 Kæmpferia rotunda 920
 6 — Galanga 850
 7 Curcuma Zedoaria 1546
 8 Globba sessiliflora 1428
 9 Mantisia saltatoria 1320
 [Globba radicalis, HK.]
 10 Philydrum lanuginosum 783
 11 Lopezia racemosa 254

MONANDRIA DIGYNIA.

- 12 Blitum Virgatum 276

DIANDRIA MONOGYNIA.

- 13 Jasminum simplicifolium 980
 14 — fruticans 461
 15 — revolutum 1731
 16 — odoratissimum 285
 17 — officinale 31
 18 Olea fragrans 1552
 19 Syringa vulgaris 183
 20 — persica 486
 21 Catalpa syringifolia 1094
 22 Pimeléea linifolia 891
 23 — rosea 1453
 24 Veronica multiſida 1679
 25 — gentianoides 1002
 26 — decussata 242
 27 — labiata 1660
 28 Justicia coccinea 432
 29 — lucida 1014
 30 — nasuta 325
 31 — fucata, HK. 430
 [— peruviana.]
 32 — Adhatoda 861
 33 — bicolor 1423
 34 — nervosa 1358
 35 Calceolaria pinnata 41
 36 — Fothergillii 348

- 37 Stachystarpheta mutabilis 976
 38 Ziziphora serpyllacea 906
 39 — Pouschkini 1092
 40 Monarda fistulosa 143
 41 — didyma 546
 42 Salvia Hablitziana 1429
 43 — indica 395
 44 — formosa 376
 45 — aurea 182
 46 — chamædrioides 808
 47 — azurea 1728
 48 — Forskohlei 988
 49 — amœna 1294
 50 Collinsonia anisata 1213

TRIANDRIA MONOGYNIA.

- 51 Valeriana Sibirica 714
 52 Oxybaphus viscosus 434
 53 Crocus vernus 860
 54 — versicolor 1110
 55 — biflorus 845
 56 — susianus 652
 57 — sulphureus, α 938
 58 — sulphureus, β 1384
 59 — mæsiacus 45
 [C. vernus.]
 60 Crocus mæsiacus, β 1111
 61 — serotinus 1267
 62 Trichonema Bulbocodium 265
 [Ixia Bulbocodium.]
 63 Trichonema cruciatum 575
 64 — caulescens 1392
 65 — pudicum 1244
 66 — speciosum 1476
 67 — roseum 1225
 68 Geissorhiza rochensis, HK. 598
 [Ixia rochensis.]
 69 Geissorhiza secunda, HK. 597
 [Ixia secunda.]
 70 Geissorhiza secunda, β 1105
 71 — obtusata 672
 72 — setacea 1255
 73 — excisa 584
 74 Hesperantha radiata, HK. 573
 [Ixia radiata.]
 75 Hesper. radiata, γ . caricina 790

- 76 *Hesperantha falcata*, нк. 566
 [*Ixia falcata*.]
- 77 *Hesperantha cinnamomea* . 1054
- 78 ——— *pilosa* 1475
- 79 ——— *pilosa*, β. 1251
- 80 *Sparaxis grandiflora*, нк. 541
 [*Ixia grandiflora*.]
- 81 *Sparaxis grandiflora*, β. 779
- 82 ——— *bulbifera*, нк. 545
 [*Ixia bulbifera*.]
- 83 *Sparaxis tricolor*, нк. 381
 [*Ixia tricolor*.]
- 84 *Sparaxis tricolor*, β. γ. δ. 1482
- 85 ——— *bicolor*, нк. 548
 [*Ixia bicolor*.]
- 86 *Ixia capillaris*, α. *gracillima* . 570
 [*Ixia linearis*, нк.]
- 87 ——— *capillaris*, β. *strict. δ. inc.* 617
- 88 ——— *aristata* 589
- 89 ——— *capillaris*, γ. *aulica* . . . 1013
 [*Ixia aulica*, нк.]
- 90 ——— *patens* 522
- 91 ——— *flexuosa* 624
- 92 ——— *hybrida*, G. 128
 [*Ixia flexuosa*.]
- 93 ——— *conica* 539
- 94 ——— *monadelph. α. viridis* . 607
- 95 ——— *monadelph. β.* 1378
- 96 ——— *columellaris* 630
- 97 ——— *maculata*, α. 549
- 98 ——— *maculata*, β. *amethystina* 789
- 99 ——— *maculata*, γ. *ochroleuca* 1285
- 100 ——— *erecta*, α. 623
- 101 ——— *erecta*, β. *aurantiaca* . . 846
- 102 ——— *erecta*, γ. *lutea, odorata* 1173
- 103 ——— *crateroides* 594
- 104 ——— *polystachia* 629
 [*Ixia retusa*, нк.]
- 105 ——— *scillaris* 542
- 106 ——— *crispa* 599
- 107 ——— *fucata* 1379
- 108 *Anomatheca juncea*, нк. 606
 [*Lapeyrousia juncea*.]
- 109 *Tritonia crispa* 678
- 110 ——— *viridis* 1275
- 111 ——— *capensis* 618
 [*Tritonia rosea*, нк.]
- 112 ——— *capensis*, β. 1531
- 113 ——— *longiflora* 256
 [*Ixia longiflora*.]
- 114 *Tritonia longiflora*, β. et γ. . 1502
- 115 ——— *rochensis* 1503
- 116 ——— *lineata*, нк. 487
 [*Gladiolus lineatus*.]
- 117 *Tritonia securiger*, нк. 383
 [*Gladiolus securiger*.]
- 118 *Tritonia squalida* 581
- 119 ——— *fenestrata* 704
- 120 ——— *crocata*, нк. 184
 [*Ixia crocata*.]
- 121 *Tritonia deusta* 622
- 122 ——— *miniata* 609
- 123 *Watsonia spicata*, нк. 523
 [*Ixia fistulosa*.]
- 124 *Watsonia plantaginea* 553
- 125 ——— *marginata*, α. 608
- 126 ——— *marginata*, β. *minor* 1530
- 127 ——— *rosea* 1072
- 128 ——— *brevifolia* 601
- 129 ——— *iridifolia* 600
- 130 ——— *roseo-alba* 537
- 131 ——— *roseo-alba*, β. 1193
- 132 ——— *strictiflora* 1406
- 133 ——— *Meriana*, нк. 418
 [*Antholyza Meriana*.]
- 134 *Watsonia Meriana*, γ. 1194
- 135 ——— *humilis*, α. 631
- 136 ——— *humilis*, β. 1195
- 137 ——— *aletroides*, нк. 441
 [*Antholyza Merianella*.]
- 138 *Watsonia aletroides*, β. 533
- 139 *Gladiolus Cunonia*, нк. 343
 [*Antholyza Cunonia*.]
- 140 *Gladiolus Watsonius*, α. 450
- 141 ——— *Watsonius*, β. 569
- 142 ——— *quadrangularis* 567
- 143 ——— *viperatus* 688
- 144 ——— *alatus* 586
- 145 ——— *namaquensis* 592
- 146 ——— *hirsutus*, α. *aphyllus* . 992
 [*Gladiolus brevifolius*, нк.]
- 147 ——— *hirsutus*, β. *brevifol.* 727
 [*Gladiolus brevifolius*, нк.]
- 148 ——— *hirsutus*, γ. *villosus* . . 823
- 149 ——— *hirsutus*, δ. *roseus* . . . 574
- 150 ——— *versicolor*, α. et ε. . . 1042
- 151 ——— *versicolor*, γ. *tenuior* 556
- 152 ——— *tristis*, α. 272
- 153 ——— *tristis*, β. *concolor* . . 1098
- 154 ——— *trichonemifolius* . . 1483
- 155 ——— *gracilis* 562
- 156 ——— *recurvus* 578
- 157 ——— *carneus* 591
- 158 ——— *cuspidatus* 582
- 159 ——— *blandus*, α. 625
- 160 ——— *blandus*, β. 648
- 161 ——— *blandus*, γ. 645
- 162 ——— *blandus*, δ. 1665
- 163 ——— *hastatus* 1564
- 164 ——— *angustus* 602
- 165 ——— *undulatus*, α. 647
- 166 ——— *undulatus*, β. 538

- 167 *Gladiolus floribundus*610
 168 ——— *Milleri*632
 169 ——— *cardinalis*135
 170 ——— *byzantinus*874
 171 ——— *communis*86
 172 ——— *commun.β. carneus* 1575
 173 ——— *segetum*719
 174 *Melasphaerula graminea*...615
 175 *Antholyza æthiopica,α.*561
 176 ——— *æthiopica,β.*1172
 177 *Babiana tubiflora,α.*847
 178 ——— *tubiflora,β.*680
 179 ——— *spathacea*638
 180 ——— *sambucina,*1019
 181 ——— *sulphurea*1053
 182 ——— *plicata*576
 183 ——— *disticha*626
 184 ——— *stricta,α.*637
 185 ——— *stricta,β.*621
 186 ——— *stricta,γ.*1052
 187 ——— *villosa*583
 188 ——— *rubro-cyanea*410
 [*Ixia rubro-cyanea.*]
 189 *Wachendorfia thyrsiflora*..1060
 190 ——— *paniculata*616
 191 ——— *hirsuta*614
 192 ——— *brevifolia*1166
 193 *Hæmodorum planifolium*..1610
 194 *Aristea cyanea*458
 195 ——— *pusilla*1231
 196 ——— *capitata*605
 197 ——— *spiralis,HK.*520
 [*Moræa spiralis.*]
 198 *Aristea melaleuca*1277
 199 *Witsenia corymbosa*895
 200 *Lapeyrousia corymbosa*...595
 201 ——— *fissifolia*1246
 202 *Moræa flexuosa*695
 203 ——— *collina,α.*1033
 204 ——— *collina,β.*1612
 205 ——— *collina,γ.*1103
 206 ——— *spicata*1283
 207 ——— *pavonia*1247
 208 ——— *villosa*571
 209 ——— *tripetala*702
 210 ——— *angusta*1276
 211 ——— *tricuspis,α.*696
 212 ——— *tricuspis,β.HK.*168
 [*Iris Pavonia.*]
 213 *Moræa tricuspis,γ. lutea* ...772
 214 ——— *tenuis*1047
 215 ——— *unguiculata*593
 216 ——— *edulis*613
 217 ——— *edulis,γ.*1238
 218 ——— *longiflora*712
 219 ——— *bituminosa*1045
 220 *Moræa viscaria*587
 221 ——— *ramosa*771
 222 ——— *tristis*577
 223 ——— *crispa*759
 224 ——— *crispa,γ.*1284
 225 ——— *Sisyrinchium*1407
 226 ——— *ciliata,β.*1061
 227 ——— *ciliata,γ.*1012
 228 ——— *papilionacea*750
 229 ——— *iridioides*693
 230 *Iris spuria,α. major*875
 231 ——— *spuria,β. minor*58
 232 ——— *spuria,γ. ochroleuca*...61
 [*Iris ochroleuca,HK.*]
 233 ——— *spuria,δ. halophila*...1131
 [*Iris halophila,HK.*]
 234 ——— *spuria,ε. desertorum* .1514
 235 ——— *spuria,ζ. stenogyna* ..1515
 236 ——— *graminea*681
 237 ——— *prismatica*1504
 238 ——— *sibirica*51
 239 ——— *sibirica,β.*1163
 240 ——— *sibirica,γ. sanguinea* .1604
 241 ——— *virginica*703
 242 ——— *versicolor*21
 243 ——— *ruthenica*1123
 244 ——— *ruthenica,β.*1393
 245 ——— *susiana*91
 246 ——— *cristata*412
 247 ——— *pumila*9
 248 ——— *pumila, var. lutea* ...1209
 249 ——— *pumila, var. violacea* .1261
 250 ——— *subbiflora*1130
 251 ——— *variegata*16
 252 ——— *lurida*669
 253 ——— *lurida*986
 254 ——— *sambucina*187
 255 ——— *sambucina,β.*787
 [*Iris squalens.*]
 256 ——— *florentina*671
 257 ——— *germanica*670
 258 ——— *pallida*685
 259 ——— *aphylla*870
 260 ——— *fulva*1496
 261 ——— *fimbriata,HK.*373
 [*Iris chinensis.*]
 262 ——— *tuberosa*531
 263 ——— *Xiphioides*687
 264 ——— *Xiphium*686
 265 ——— *lusitanica*679
 266 ——— *persica*1
 267 *Marica Northiana*654
 268 ——— *martinicensis,HK.*...416
 [*Iris martinicensis.*]
 269 *Marica paludosa*646

- 270 *Marica plicata*.....655
 [*Sisyrrinchium latifolium*,HK.]
 271 *Marica californica*983
 [*Sisyrrinch. californicum*,HK.]
 272 *Marica striata*.....701
 [*Sisyrrinchium striatum*,HK.]
 273 *Sisyrrinch. Bermudiana*,HK. .94
 [*Sisyrrinchium Iridioides*.]
 274 *Sisyrrinchium anceps*,HK. .464
 [*Sisyrrinchium gramineum*.]
 275 *Pardanthus chinensis*,HK. .171
 [*Ixia chinensis*.]
 276 *Ferraria undulata*144
 277 ——— *antherosa*.....751
 [*Fer. Ferrariola*,HK.]
 278 *Tigridia pavonia*,HK.....532
 [*Ferraria Tigridia*.]
 279 *Patersonia sericea*1041
 280 *Galaxia ovata*.....1208
 281 ——— *ovata*, γ . *purpurea*.1516
 282 ——— *graminea*1292
 283 *Commelina africana*.....1431
 284 ——— *tuberosa*.....1695

TRIANDRIA DIGYNIA.

- 285 *Xyris operculata*1158
 286 *Briza maxima*357

TETRANDRIA MONOGYNIA.

- 287 *Petrophila pulchella*,HK....796
 [*Protea pulchella*.]
 288 *Isopogon anemonifol.*HK. .697
 [*Protea anemonifolia*.]
 289 *Protea cynaroides*770
 290 ——— *speciosa*1183
 291 ——— *formosa*1713
 292 ——— *melaleuca*,HK.674
 [*Protea Lepidocarpon*.]
 293 ——— *mellifera*346
 294 ——— *acuminata*1694
 295 ——— *latifolia*1717
 296 ——— *scolymus*698
 297 ——— *mucronifolia*933
 298 ——— *cordata*649
 299 *Leucadendron** *concolor*...878
 [*Protea globosa*.]
 300 *Leucadendron grandiflor.*..1650
 301 *Leucadendron* ——— ? ...881
 [*Protea stellaris*.]
 302 *Persoonia linearis*760

* *Leucadendron* in *Hortus Kewensis* is to be found in *Diœcia tetrandria*, but we have thought it better to place it with the other *Proteaceæ*.

- 303 *Grevillea sericea*,HK.862
 [*Embothrium sericeum*.]
 304 *Telopea speciosissima*,HK. 1128
 [*Embothrium speciosiss.*.]
 305 *Lomatia silaifolia*1272
 306 *Banksia ericifolia*738
 307 *Dryandra floribunda*.....1581
 308 *Dryandra longifolia*.....1582
 309 *Scabiosa atropurpurea*247
 310 *Scabiosa caucasea*886
 311 *Spermacoce strigosa*.....1558
 312 *Houstonia cœrulea*370
 313 *Catesbæa spinosa*131
 314 *Ixora coccinea*.....169
 315 *Buddlea globosa*174
 316 *Cornus canadensis*880
 317 ——— *florida*.....526
 318 *Zieria Smithii*1395
 319 *Pothos cannæfolia*.....603
 320 ——— *foetida*.....836
 321 ——— *pentaphylla*1375
 322 ——— *sagittata*1584
 323 *Struthiola juniperina*,HK...222
 [*Struthiola erecta*.]
 324 ——— *pubescens*1212

PENTANDRIA MONOGYNIA.

- 325 *Heliotropium peruvianum*..141
 326 ——— *corymbosum*1609
 327 *Lithospermum orientale* ...515
 328 *Anchusa ochroleuca*.....1608
 329 *Cynoglossum omphalodes*7
 330 *Pulmonaria virginica*160
 331 ——— *dahurica*.....1743
 332 *Symphytum asperrimum*...929
 333 *Cerinte major*333
 334 *Onosma taurica*.....889
 335 *Nolana prostrata*731
 336 *Diapensia lapponica*.....1108
 337 *Androsace villosa*743
 338 ——— *lactea*981
 339 ——— ———868
 340 *Primula vulgaris*, β .HK.229
 [*Primula acaulis*.]
 341 ——— *cortusoides*399
 342 ——— *villosa*, α14
 343 ——— *villosa*, β . *nivea* ...1161
 344 ——— *longifolia*392
 345 ——— *marginata*.....191
 346 ——— *integrifolia*942
 347 ——— *intermedia*.....1219
 348 *Cortusa Matthioli*987
 349 *Soldanella alpina*49
 350 *Dodecatheon Meadia*12
 351 *Cyclamen Coum*4

- 352 *Cyclamen persicum* 44
 353 ——— *hederæfolium* 1001
 354 *Menyanthes indica*..... 658
 355 ——— *exaltata*..... 1029
 356 ——— *sarmentosa*..... 1328
 357 *Lysimachia stricta*, нк. 104
 [*Lysimachia bulbifera*.]
 358 ——— *quadriflora* 660
 359 *Anagallis fruticosa* 831
 360 ——— *Monelli* 319
 361 *Spigelia marilandica*..... 80
 362 *Azalea pontica* 433
 363 ——— *indica* 1480
 364 ——— *nudiflora*, α . *coccinea* 180
 365 ——— *calendulacea*, β . *croc.* 1721
 366 *Spengelia incarnata* 1719
 367 *Epacris purpurascens*, нк. . . 844
 [*Epacris pungens*.]
 368 ——— *pulchella* 1170
 369 ——— *grandiflora* 982
 370 ——— *pungens*, β . *rubra*.. 1199
 [*Lysinema pungens*, Br.]
 371 *Andersonia Sprengelioides* 1645
 372 *Astroloma humifusum* 1439
 373 *Styphelia triflora*..... 1297
 374 *Plumbago rosea*..... 230
 375 *Phlox pilosa*..... 1307
 376 ——— *amœna* 1308
 377 ——— *carolina*..... 1344
 378 ——— *divaricata* 163
 379 ——— *stolonifera* 563
 380 ——— *ovata* 528
 381 ——— *subulata* 411
 382 ——— *setacea* 415
 383 *Convolvulus sepium*, β . *amer.* 732
 384 ——— *candicans*..... 1603
 385 ——— *Nil* 188
 386 ——— *purpureus*..... 113
 387 ——— *purpureus*, γ . *elatio* 1005
 388 ——— *purpureus*, β . *varius* 1682
 389 ——— *canariensis*..... 1228
 390 ——— *Jalapa*..... 1572
 391 ——— *erubescens*..... 1067
 392 ——— *althæoides*..... 359
 393 ——— *bryoniæfolius* 943
 394 ——— *cairicus*..... 699
 395 ——— *Cneorum* 459
 396 ——— *linearis* 289
 397 ——— *tricolor* 27
 398 *Ipomœa Quamoclit* 244
 399 ——— *coccinea*..... 221
 400 ——— *sanguinea*..... 1769
 401 ——— *Bona Nox* 752
 402 *Cobœa scandens* 851
 403 *Campanula gracilis* 691
 404 ——— *grandiflora* 252
 405 *Campanula carpatica*..... 117
 406 ——— *pumila* 512
 [*Camp. rotundifolia*, β . нк.]
 407 ——— *persicifolia*, β 397
 408 ——— *peregrina* 1257
 409 ——— *punctata* 1723
 410 ——— *azurea*..... 551
 411 ——— *collina*..... 927
 412 ——— *capitata* 811
 413 ——— *thyrsoides* 1290
 414 ——— *barbata* 1258
 415 ——— *alpina* 957
 416 ——— *mollis*..... 404
 417 ——— *alliaricæfolia*, нк. . . 912
 [*Campanula macrophylla*.]
 418 ——— *sibirica*..... 659
 419 ——— *Speculum* 102
 420 ——— *capensis*..... 782
 421 *Roella ciliata* 378
 422 *Phyteuma cordata* 1466
 423 ——— *campanuloides*..... 1015
 424 *Lobelia unidentata*..... 1484
 425 ——— *Speculum*..... 1499
 426 ——— *gigantea*..... 1325
 [*Lobelia Tupa*, нк. ?]
 427 ——— *surinamensis*..... 225
 428 ——— *cardinalis* 320
 429 ——— *gracilis* 741
 430 ——— *Erinus*..... 901
 431 ——— *bicolor* 514
 432 ——— *lutea* 1319
 433 ——— *variifolia* 1692
 434 ——— *coronopifolia*..... 644
 435 *Goodenia grandiflora*..... 890
 436 *Euthales trinervis*, нк. 1137
 [*Goodenia tenella*.]
 437 *Scævola microcarpa*, нк. . . 287
 [*Goodenia lævigata*.]
 438 *Portlandia grandiflora*.... 286
 439 *Gardenia Thunbergia* 1004
 440 ——— *Rothmannia* 690
 441 *Coiffa arabica* 1303
 442 *Serissa foetida*, нк. 361
 [*Lycium japonicum*.]
 443 *Lonicera sempervir.* α . *major* 781
 444 ——— *sempervir.* β . *minor* 1753
 445 ——— *implexa* 640
 446 ——— *flava* 1318
 447 *Mirabilis Jalapa*, α 371
 448 *Verbascum ovalifolium*.... 1037
 449 ——— *phœniceum*..... 885
 450 ——— *cupreum*..... 1226
 451 ——— *Myconi*..... 236
 452 *Datura Metel*..... 1440
 453 *Hyoscyamus aureus* 87
 454 ——— *physaloides* 852

- 455 *Hyoscyamus Scopolia*1126
 456 *Nicotiana undulata*673
 457 *Physalis edulis*1068
 458 *Solanum laciniatum*349
 459 *Cestrum Parqui*1770
 460 ——— *fastigiatum*1729
 461 *Ardisia acuminata*1678
 462 ——— *solanacea*1677
 463 *Jacquinia aurantiaca*1639
 464 *Chironia linoides*511
 465 ——— *baccifera*233
 466 ——— *frutescens*37
 467 ——— *decussata*707
 468 ——— *angustifolia*818
 469 *Sabbatia calycosa*1600
 470 *Cordia Sebestena*794
 471 *Phyllia ericoides*224
 472 *Ceanothus americanus*1479
 473 *Pomaderris elliptica*1510
 474 *Celastrus Pyracanthus*1167
 475 *Pittosporum Tobira*1396
 476 ——— *viridiflorum*1684
 477 *Diosma fragrans*1519
 478 ——— *serratifolia*456
 479 ——— *uniflora*273
 480 ——— *speciosa*1271
 481 ——— *ovata*1616
 482 ——— *pulchella*1357
 483 *Lasiopetalum ferrugineum* 1766
 484 ——— *purpureum*1755
 485 ——— *quercifolium*1485
 486 ——— *solanaceum*1486
 487 *Bursaria spinosa*1767
 488 *Galax cordifolia*, НК.754
 [*Galax aphylla*.]
 489 *Billardiera scandens*801
 490 ——— *mutabilis*1313
 491 ——— *longiflora*1507
 492 *Ribes resinsum*1583
 493 *Viola palmata*535
 494 ——— *pedata*89
 495 ——— *montana*1595
 496 ——— *rothomagensis*1498
 497 ——— *cornuta*791
 498 *Impatiens coccinea*1256
 499 *Claytonia virginica*941
 500 ——— *alsinoides*1309
 501 ——— *perfoliata*1336
 502 *Heliconia Psittacorum*502
 503 *Strelitzia Reginae*119—120
 [*Strelitzia ovata*, НК.]
 504 *Achyranthes porrigens*830
 505 *Cerbera Ahovai*737
 506 *Allamanda cathartica*338
 507 *Vinca rosea*248
 508 *Echites suberecta*1064
 509 *Plumieria rubra*279
 510 *Cameraria dubia*1646
- PENTANDRIA DIGYNIA.
- 511 *Apocynum androsæmifol.*280
 512 *Cynanchum discolor*1273
 [*Dæmia* — *Br.*]
 513 *Gomphocarpus fruticosus* .1628
 514 *Asclepias variegata*1182
 515 ——— *nivea*1181
 516 *Pergularia minor*755
 517 *Hoya carnos*, НК.788
 [*Asclepias carnos*.]
 518 *Stapelia revoluta*724
 519 ——— *grandiflora*585
 520 ——— *pulvinata*1240
 521 ——— *Asterias*536
 522 ——— *divaricata*1007
 523 ——— *reclinata*1397
 524 ——— *elegans*1184
 525 ——— *radiata*619
 526 ——— *pedunculata*793
 527 ——— *pulla*1648
 528 ——— *geminata*1326
 529 ——— *Vetula*1234
 530 ——— *picta*1169
 531 ——— *verrucosa*786
 532 ——— *variegata*26
 533 ——— *Bufonis*1676
 534 ——— *campanulata* 1227—1661
 535 ——— *reticulata*1662
 536 ——— *lentiginosa*506
 537 *Gentiana septemfida*, α.1229
 538 ——— *septemfida*, β.1410
 539 ——— *asclepiadea*1078
 540 ——— *macrophylla*1414
 541 ——— *adscendens*, α.705
 542 ——— *adscendens*, β.723
 543 ——— *caucasea*1038
 544 ——— *Pneumonanth*, β. .1101
 545 ——— *Saponaria*1039
 546 ——— *ochroleuca*1551
 547 ——— *acaulis*52
 548 ——— *verna*491
 549 ——— *ciliata*639
 550 *Eryngium alpinum*922
 551 ——— *corniculatum*1427
 552 *Astrantia maxima*1553
 [*Astrantia helleborifolia*, НК.]
 553 *Seseli divaricatum*1742
 554 *Viburnum Tinus*, α.38
 555 *Turnera angustifolia*, MILL. 281
 [*Turnera ulmifolia*, β. НК.]

PENTANDRIA TETRAGYNIA.

556 *Parnassia caroliniana*1459

PENTAGYNIA.

557 *Azalia hispida*1085558 *Statice spathulata*1617559 ——— *speciosa*656560 ——— *conspicua*1629561 ——— *sinuata*71562 *Linum trigynum*1100563 ——— *hypericifolium*1048564 ——— *ascyriifolium*1087565 ——— *austriacum*1086566 ——— *flavum*312567 ——— *arborescens*234568 ——— *africanum*403569 ——— *quadrifolium*431570 *Crassula coccinea*495571 ——— *arborescens*, НК. ...384[*Crassula Cotyledon*.]572 *Crassula centauroides*1765Mahernia, vide *Monadelphia Pentandria*, No. 1448.

POLYGYNIA.

573 *Zanthoriza apiifolia*1736

HEXANDRIA MONOGYNIA.

574 *Bromelia Ananas*, β.1554575 ——— *pyramidalis*1732576 *Pitcairnia bromeliæfolia* ...824577 ——— *angustifolia*1547578 ——— *latifolia*856579 ——— *bracteata*, β.1416580 ——— *integrifolia*1462581 *Tillandsia stricta*1529582 *Tradescantia virginica*105583 ——— *crassifolia*1598584 ——— *subaspera*1597585 ——— *erecta*1340586 ——— *discolor*1192587 ——— *cristata*1435588 *Pontederia cordata*1156589 *Hæmanthus coccineus*1075590 ——— *tigrinus*1705591 ——— *quadrivalvis*1523592 ——— *rotundifolius*1618593 ——— *albiflos*1239594 ——— *toxicarius*1217595 ——— *puniceus*1315596 ——— *multiflorus*961597 *Massonia latifolia*848598 *Massonia muricata*559599 ——— *pustulata*642[*Massonia scabra*, НК.]600 ——— *angustifolia*736[*Massonia corymbosa*, vide *Scilla*.]601 ——— *ensifolia*554602 *Leucojum vernum*46603 ——— *æstivum*1210604 ——— *autumnale*960605 *Strumaria spiralis*1383606 ——— *crispa*1363[*Amaryllis crispa*, НК.]607 *Strumaria gemmata*1620608 *Tulbagia alliacea*806609 *Narcissus angustifolius*193610 ——— *biflorus*197611 ——— *tenuior*379612 ——— *incomparabilis*, α. ..121613 ——— *incomparabilis*, β. ..948614 ——— *bicolor*, α.1187615 ——— *major*51[*Narcissus bicolor*, β. НК.]616 ——— *major*, β. & γ.1301617 ——— *minor*6618 ——— *moschatus*, α.924619 ——— *moschatus*, β.1300620 ——— *triandrus*48621 ——— *triandrus*, β. *luteus*, 1262622 ——— *trewianus*940[*Narcissus orientalis*, α.]623 ——— *orientalis*, α.1298624 ——— *orientalis*, β.946625 ——— *orientalis*, γ.1026626 ——— *orient. d. flore pleno* 1011627 { ——— *lætus*, НК. } 78{ ——— *calathinus*, β. Ker. } 78{ [*Narc. odoratus*, Curt.] }628 ——— *calathinus*, α.934[*Narcissus odoratus*, НК.]629 ——— *trilobus*945[*Narcissus nutans*, НК.]630 ——— *Tazetta*925631 ——— *papyraceus*947[*Narcissus Tazetta*, β. НК.]632 *Narcissus italicus*1188[*Narcissus Tazetta*, γ. НК.]633 *Narcissus bifrons*, α.1186634 ——— *bifrons*, β.1299635 ——— *Jonquilla*15636 ——— *Bulbocodium*88637 ——— *viridiflorus*1687638 *Paneratium Amancaes*1224639 ——— *calathinum*1561640 ——— *rotatum*, α.1082641 ——— *rotatum*, β.827642 ——— *littorale*825

- 643 *Pancratium caribæum*826
 [*Pancratium fragrans*, НК.]
- 644 ——— *speciosum*1453
- 645 ——— *amœnum*1467
- 646 ——— *illyricum*718
- 647 ——— *amboinense*1419
- 648 *Crinum asiaticum*1073
- 649 ——— *americanum*1034
- 650 ——— *erubescens*1232
- 651 ——— *amabile*1605
- 652 *Agapanthus umbellatus*500
- 653 *Anigozanthos flavida*1151
- 654 *Lophiola aurea*1596
- 655 *Cyrtanthus angustifolius* ...271
- 656 ——— *obliquus*1133
- 657 *Amaryllis lutea*290
- 658 ——— *Atamasco*239
- 659 ——— *tubispatha*1586
- 660 ——— *formosissima*47
- 661 ——— *Reginæ*453
- 662 ——— *purpurea*1430
- 663 ——— *equestris*305
- 664 ——— *reticulata*657
- 665 ——— *advena*1125
- 666 ——— *Belladonna*733
- 667 ——— *blanda*1450
- 668 ——— *vittata*129
- 669 ——— *ornata*, α. НК.1253
- 670 ——— *ornata*, β. НК.1171
- 671 ——— *gigantea*, НК.923
 [*Amaryllis ornata*, β.]
- 672 ——— *longifolia*661
- 673 ——— *revoluta*915
- 674 ——— *revoluta*1178
- 675 ——— *aurea*409
- 676 ——— *sarniensis*294
- 677 ——— *venusta*1090
 [*Amaryll. sarniensis*, β. НК.]
- 678 ——— *curvifolia*725
- 679 ——— *undulata*369
- 680 ——— *humilis*, α.726
- 681 ——— *humilis*, β.1089
- 682 *Brunsvigia multiflora*1619
- 683 ——— *falcata*1443
 [*Amaryllis falcata*, НК.]
- 684 *Bulbocodium vernum*153
- 685 *Aphyllanthes monspeliens*. 1132
- 686 *Sowerbæa juncea*1104
- 687 *Allium Ampeloprasum*, α. ...1385
- 688 ——— *Ampeloprasum*, β. ...1560
- 689 ——— *Victorialis*1222
- 690 ——— *subhirsutum*, НК.774
 [*Allium ciliatum*.]
- 691 ——— *obliquum*1408
- 692 ——— *tataricum*1142
- 693 ——— *roseum*, β.978
- 694 *Allium sphærocephalon* ...1764
- 695 ——— *descendens*251
- 696 ——— *stellatum*1576
- 697 ——— *flavum*1330
- 698 ——— *cernuum*1324
- 699 ——— *pallens*1420
- 700 ——— *caucaseum* (v.1143, b.) 973
- 701 ——— *paniculatum*1432
- 702 ——— *nutans*1143
- 703 ——— *senescens*1150
- 704 ——— *bisulcum*1381
- 705 ——— *angulosum*1149
- 706 ——— *striatum* (v.1324, b.) 1035
- 707 ——— *striatum*, β.1524
- 708 ——— *magicum*1148
 [*Allium nigrum*, НК.]
- 709 ——— *triquetrum*869
- 710 ——— *Cepa*, β.1469
- 711 ——— *Moly*499
- 712 ——— *fistulosum*1230
- 713 ——— *sibiricum*, НК.1141
 [*Allium Schœnoprasum*, β.]
- 714 ——— *gracile* (v.1293, b.) 1129
 [*Allium inodorum*.]
- 715 ——— *Chamæ-Moly*1203
- 716 *Lilium candidum*, α. НК.278
- 717 ——— *japonicum*1591
- 718 ——— *bulbiferum*, α.36
- 719 ——— *bulbiferum*, β.1018
- 720 ——— *pensylvanicum*872
 [*Lilium bulbiferum*, γ. НК.]
- 721 ——— *concolor*1165
- 722 ——— *Catesbæi*259
- 723 ——— *tigrinum*1237
- 724 ——— *pomponium*, α.971
- 725 ——— *pomponium*, β.798
- 726 ——— *monadelphum*1405
- 727 ——— *chalcedonicum*30
- 728 ——— *superbum*936
- 729 ——— *Martagon*, α.1634
- 730 ——— *Martagon*, β.893
- 731 ——— *canadense*, α.800
- 732 ——— *canadense*, β.858
- 733 ——— *philadelphicum*519
- 734 *Fritillaria Imperialis*, α.194
- 735 ——— *Imperialis*, β.1215
- 736 ——— *persica*, α.1537
- 737 ——— *persica*, β.962
- 738 ——— *obliqua*857
 [*Fritillaria persica*, γ. НК.]
- 739 ——— *nigra* (v.1538, b.) ..664
 [*Fritillaria pyrenaica*.]
- 740 ——— *pyrenaica*, α. (vide
 1538, b.) ..1215
 [*Fritillaria racemosa*.]

- 741 *Fritillaria pyrenaica*, β 952
[*Fritillaria racemosa*, β .]
- 742 ——— *latifolia*, α 1207
- 743 ——— *latifolia*, β 853
- 744 ——— *latifolia*, γ 1538
- 745 *Eucomis nana* 1495
- 746 ——— *bifolia* 840
- 747 ——— *undulata* 1083
- 748 ——— *punctata*, α 913
- 749 ——— *punctata*, β . *striata*. 1539
[*Eucomis striata*, НК. add.]
- 750 *Uvularia perfoliata* 955
- 751 ——— *grandiflora*. 1112
- 752 ——— *sessilifolia*. 1402
- 753 ——— *lanuginosa* 1490
- 754 ——— *rosea* 1489
- 755 ——— *chinensis* 916
- 756 *Erythronium Dens Canis* 5
- 757 ——— *americanum* 1113
- 758 *Tulipa Celsiana* (v. 1390.) . . 717
[*Tulipa breyniana perperam*.]
- 759 ——— *sylvestris* 1202
- 760 ——— *suaveolens* 839
- 761 ——— *gesneriana* 1135
- 762 ——— *clusiana*. 1390
- 763 *Albuca major*. 804
- 764 ——— *minor* 720
- 765 ——— *viridiflora*. 1656
- 766 ——— *vittata*. 1329
- 767 ——— *setosa* 1481
- 768 ——— *exuviata* 871
[*Anthericum exuviatum*, НК.]
- 769 *Albuca physodes* 1046
[*Antheric. physodes*, НК. add.]
- 770 *Gethyllis spiralis* 1088
- 771 *Curculigo brevifolia*, НК. . . 1076
[*Curculigo orchioides*, β .]
- 772 *Hypoxis erecta* 710
- 773 ——— *sobolifera* 711
- 774 ——— *ovata* 1010
- 775 ——— *stellata*, α 662
- 776 ——— *stellata*, β 1223
- 777 ——— *serrata*, α 709
- 778 ——— *serrata*, β 917
- 779 *Peliosanthes Teta*. 1302
- 780 ——— *humilis*. 1532
- 781 *Eriospermum latifolium*. . . 1382
- 782 *Gagea lutea* 1200
[*Ornithogalum luteum*, НК.]
- 783 *Ornithogalum lacteum* . . . 1134
- 784 ——— *revolutum*. 653
- 785 ——— *latifolium* 876
- 786 ——— *juncifolium*. 972
- 787 ——— *arabicum* 728
- 788 ——— *thyrsoides* 1164
- 789 ——— *aureum* 190
- 790 ——— *caudatum* 805
- 791 *Ornithogalum nutans* 262
- 792 ——— *unifolium*, α 935
[*Scilla unifolia*, НК.]
- 793 *Ornithogalum unifolium*, β . . 953
[*Scilla unifolia*, НК.]
- 794 *Ornithogalum Squilla*. 918
[*Scilla maritima*, НК.]
- 795 *Scilla italica* 663
- 796 ——— *peruviana* 749
- 797 ——— *amoena*. 341
- 798 ——— *sibirica*, НК. 1025
[*Scilla amoena*, β .]
- 799 ——— *campanulata*, α 127
- 800 ——— *campanulata*, β 1102
- 801 ——— *non scripta*, β 1461
[*Hyacinthus non scriptus*, НК.]
- 802 *Scilla bifolia*. 746
- 803 ——— *hyacinthoides* 1140
- 804 ——— *autumnalis*, β 919
- 805 ——— *esculenta*. 1574
- 806 ——— [*Massonia*] *corymbosa*,
vide fol. 1468, b. 991
[*Hyacinthus corymbosus*, НК.]
- 807 *Scilla brevifolia* 1468
[*Hyacinthus brevifolius*, НК.]
- 808 *Cyanella capensis* 568
- 809 ——— *lutea* 1252
- 810 *Asphodelus luteus*. 773
- 811 ——— *ramosus* 799
- 812 ——— *fistulosus*. 984
- 813 *Anthericum revolutum*. . . 1044
- 814 ——— *vespertinum*. 1040
- 815 ——— *canaliculatum*. 1124
- 816 ——— *frutescens*. 816
- 817 ——— *alooides* 1317
- 818 ——— *longiscapum* 1339
- 819 ——— *pugioniforme* 1454
- 820 ——— *annuum*. 1451
- 821 *Phalangium ramosum* 1055
- 822 ——— *Liliago*, α . *major* . . 1635
- 823 ——— *Liliago*, β . *minor*. . . 914
[*Anthericum Liliago*, НК.]
- 824 *Phalangium Liliastrum*, G. . . 318
[*Anthericum Liliastrum*, НК.]
- 825 *Anthropodium paniculatum* 1421
- 826 *Diphylleia cymosa* 1666
- 827 *Eustrephus latifolius*. 1245
- 828 *Diaella ensifolia*. 1404
- 829 ——— *cærulea* 505
- 830 *Dracæna fragrans* 1081
- 831 ——— *ovata* 1180
- 832 *Smilacina borealis* 1403
[*Dracæna borealis*, НК.]
- 833 *Smilac. umbellata* (v. 1403.) 1155
- 834 *Phylloma aloiflorum* 1585
[*Dracæna marginata*, НК.]

- 835 *Sansevieria guineensis* 1179
 836 ——— *sessiliflora* 739
 [*Sansevieria carnea*, НК.]
 837 *Convallaria racemosa* 899
 838 ——— *stellata* 1043
 839 ——— *bifolia* 510
 840 *Ophiopogon japonicus* 1063
 841 *Drimia elata* 822
 842 ——— *ciliaris* 1444
 843 ——— *altissima* 1074
 [*Ornithogalum altissimum*, НК.]
 844 *Drimia lanceæfolia*, α . (vide
 1380, b.) 643
 [*Lachenalia lanceæfolia*, НК.]
 845 *Drimia lanceæfolia*, β 1380
 [*Lachenalia lanceæfolia*, НК.]
 846 *Muscari comosa* (vid. 734.) 133
 [*Hyacinthus comosus*, НК.]
 847 *Muscari racemosa* 122
 [*Hyacinthus racemosus*, НК.]
 848 *Muscari botryoides* 157
 [*Hyacinthus botryoides*, НК.]
 849 *Muscari moschatum* 734
 850 ——— *moschat.* β . *flavum* 1565
 851 *Hyacinthus romanus*, НК. 939
 [*Scilla romana*.]
 852 *Hyacinthus orientalis* 937
 853 *Lachenalia orchioides*, α 1269
 854 ——— *orchioides*, γ 854
 855 ——— *serotina*, НК. 859
 [*Scilla serotina*, G.]
 856 *Lachenalia serotina*, β . НК. 1185
 [*Scilla serotina*, β .]
 857 *Lachenalia angustifolia* 735
 858 ——— *contaminata* 1401
 859 ——— *pustulata* 817
 860 ——— *lucida* 1372
 861 ——— *unicolor* 1373
 862 ——— *nervosa* 1497
 863 ——— *racemosa* 1517
 864 ——— *unifolia* 766
 865 ——— *bifolia* 1611
 866 ——— *purpureo-cærulea* 745
 867 ——— *tricolor*, α 82
 868 ——— *tricolor*, β . *luteola*. 1020
 869 ——— *rubida* 993
 870 ——— *pendula* 590
 871 ——— *quadricolor* 588
 [*Lachenalia pendula*, β . НК.]
 872 ——— *quadricolor*, β 1097
 873 ——— *quadricolor*, γ . *lutea* 1704
 874 *Veltheimia viridifolia*, НК. 501
 [*Aletris capensis*, G.]
 875 *Veltheimia glauca* 1091
 876 *Tritoma Uvaria* 758
 877 ——— *media* 744
 878 *Tritoma pumila* 764
 879 *Aletris farinosa* 1418
 880 *Yucca gloriosa* 1260
 881 ——— *aloifolia* 1700
 882 ——— *filamentosa* 900
 883 *Aloe succotrina*, α . *minor*.
 (vide 1474.) 172
 [*Aloe perfoliata* v. *succotrina*.]
 884 ——— *succotrina*, β . *major*. 1474
 885 ——— *arborescens* 1306
 886 ——— *picata*, β 1323
 887 ——— *saponaria*, α . *minor* 1460
 888 ——— *saponaria*, β . *major* 1346
 889 ——— *mitræformis* 1270
 890 ——— *mitræf.* β . *brevifolia* 1362
 891 ——— *depressa* 1332
 892 ——— *humilis*, α 757
 893 ——— *humilis*, β 828
 894 ——— *virens* 1355
 895 ——— *serrulata* 1415
 896 ——— *rhodacantha* 1278
 [*Aloe glauca*, НК.]
 897 ——— *plicatilis* 457
 898 ——— *variegata* 513
 899 ——— *verrucosa* 837
 900 ——— *carinata* 1331
 901 ——— *maculata*, α . *pulchra* 765
 902 ——— *maculata*, β . *obliqua* 979
 [*Aloe Lingua*, α . *errore*, v. 1322. b.]
 903 ——— *Lingua*, α . *angusti-*
folia, НК. 1322
 904 ——— *Lingua*, β . *crassifolia* 838
 905 ——— *spiralis* 1455
 906 ——— *pentagona* 1338
 907 ——— *foliolosa* 1352
 908 ——— *rigida* 1337
 909 ——— *viscosa* 814
 910 ——— *albicans* 1452
 911 ——— *cymbiformis* 802
 912 ——— *reticulata*, НК. 1314
 [*Aloe arachnoides*, γ . *reticulata*.]
 913 ——— *retusa* 455
 914 ——— *mirabilis* 1354
 915 ——— *recurva* 1353
 916 ——— *translucens*, НК. 1417
 [*Aloe arachnoides*, δ . *translucens*.]
 917 ——— *arachn.* α . *communis* 756
 918 ——— *arachnoides*, β . *pumila* 1361
 919 ——— *margaratifera*, β . *minor*
 (vide 1360. b.) 815
 920 ——— *margaratif.* γ . *minima* 1360
 921 ——— *Radula* 1345
 [*Aloe attenuata*, НК. *Epit. add.*]
 922 *Agave lurida* 1522
 923 ——— *virginica* 1157
 924 *Chlorophytum inornatum* 1071

- 925 *Doryanthes excelsa*1685
 926 *Alstroemeria Pelegrina*139
 927 ——— *Ligtu*125
 928 ——— *Salsilla*1613
 929 *Hemerocallis flava*19
 930 ——— *graminea*873
 931 ——— *fulva*64
 932 ——— *japonica*1433
 933 ——— *cærulea*894
 934 *Orontium japonicum*898
 935 *Tapistra squalida*1655
 936 *Tacca integrifolia*1488
 937 *Nandina domestica*1109
 938 *Hillia longiflora*721
 939 *Canarina Campanula*444

HEXANDRIA TRIGYNIA.

- 940 *Narthecium americanum* ..1505
 941 *Triglochin bulbosum*1445
 942 *Melanthium monopetalum*.1291
 [*Wurmbea campanulata*,HK.]
 943 *Melanthium spicatum*694
 [*Wurmbea purpurea*,HK.]
 944 *Melanthium junceum*558
 945 ——— *uniflorum*767
 946 ——— *eucomoides*641
 947 ——— *viride*994
 [*Ornithoglossum viride*,HK.]
 948 *Medeola virginiana*1316
 949 *Trillium cernuum*954
 950 ——— *erectum*470
 951 ——— *pendulum*,HK.1027
 [*Trillium erectum*,β.]
 952 *Trillium grandiflorum*,HK. .855
 [*Trillium erythrocarpum*.]
 953 *Trillium sessile*40
 954 *Colchicum byzantinum* ...1122
 955 ——— *variegatum*1028
 956 *Helonias lutea*1062
 957 ——— *bullata*747
 958 ——— *læta*803
 959 ——— *læta*,β.1540
 960 ——— *asphodeloides*748
 961 ——— *graminea*1599
 962 ——— *glaberrima*1680
 [*Zigodenus glaberrimus*,HK.]
 963 *Helonias bracteata*1703
 964 *Veratrum** *virginicum*,HK..985
 [*Helonias virginica*.]
 965 *Veratrum viride*,HK.....1096
 [*Helonias viridis*.]
 966 *Veratrum nigrum*963

* *Polygamia Monœcia*,HK.

- 967 *Aponogeton distachyon* ..1293
 968 ——— *angustifolium*1268
 969 *Damasonium indicum*1201

HEPTANDRIA MONOGYNIA.

- 970 *Disandra prostrata*218
 971 *Calla æthiopica*832

HEPTANDRIA HEPTAGYNIA.

- 972 *Septas globiflora*1472

OCTANDRIA MONOGYNIA.

- 973 *Tropæolum majus*23
 974 ——— *minus*98
 975 ——— *peregrinum*1351
 976 *Rhexia virginica*968
 977 *Cenothera longiflora*365
 978 ——— *missourensis*1592
 [*Cenothera macrocarpa*,HK.]
 979 ——— *cæspitosa*1593
 980 ——— *tetraptera*468
 981 ——— *fruticosa*332
 982 ——— *Fraseri*1674
 983 ——— *glauca*1606
 984 ——— *pumila*355
 985 ——— *rosea*347
 986 ——— *purpurea*352
 987 *Gaura mutabilis*,HK.....388
 [*Cenothera anomala*.]
 988 *Gaura biennis*389
 989 *Epilobium angustissimum* ..76
 990 *Roxburghia Glorios*.HK..1500
 [—— *Gloriosa*.]
 991 *Boronia pinnata*1763
 992 *Corræa speciosa*1746
 993 *Fuchsia coccinea*97
 994 ——— *lycioides*1021
 995 *Michauxia campanuloides*.219
Vaccinium, vide *Decandria*.
 996 *Menziesia ferruginea*,β. .1571
 [—— *globularis*,HK.]
 997 *Erica monadelpha*1370
 998 ——— *carnea*,HK.11
 [—— *herbacea*.]
 999 ——— *mediterranea*471
 1000 ——— *grandiflora*189
 1001 ——— *Aitoniana*,HK.429
 [—— *Aitonia*.]
 1002 ——— *Hibbertiana*1758
 1003 ——— *Massoni*356

- 1004 *Erica vestita*, β. НК. 706
 [— *longifolia*, v. *carnea*.]
 1005 — *vestita*, ζ. *coccinea* . . . 402
 1006 — *ventricosa* 350
 1007 — *ampullacea* 303
 1008 — *retorta* 362
 1009 — *metulæflora* 612
 1010 — *cerinthoides* 220
 1011 — *aristata* 1249
 1012 — *corifolia*, НК. 422
 [— *articularis*.]
 1013 — *togata* 1626
 1014 — *glauca* 580
 1015 — *elegans* 966
 1016 — *andromedæflora* . . . 1250
 1017 — *baccans* 358
 1018 — *Thunbergii* 1214
 1019 — *Lawsoni* 1720
 1020 — *physodes* 443
 1021 — *resinosa* 1139
 1022 — *odorata* 1399
 1023 — *ciliaris* 484
 1024 — *albens* 440
 1025 — *primuloides* 1548
 [— *fastigiata*, β. НК.]
 1026 — *pyramidalis* 366
 1027 — *empetrifolia* 447
 1028 — *persoluta* 342
 1029 — *hirtiflora* 481
 1030 — *pubescens* 480
 [— *hirtiflora*, β. НК.]
 1031 *Daphne pontica* 1282
 1032 — *odora* 1587
 1033 — *Cneorum* 313
 1034 — *collina* 428
 1035 *Gnidia imberbis* 1463
 1036 — *simplex* 812
 1037 *Passerina grandiflora* 292
 1038 *Lachnæa eriocephala* 1295
 1039 — *purpurea* 1594
 1040 — *buxifol*, β. *glauca* . 1658
 [— *glauca*, НК.]
 1041 — *buxifol*. α. *virens* . 1657
 1042 *Jeffersonia diphylla* 1513
 [*Podophyllum diphyllum*, НК.]

OCTANDRIA TRIGYNIA.

- 1043 *Polygonum crispulum*, α. . 1065
 1044 — *orientale* 213
 1045 *Cardiospermum Halicacab.* 1049

OCTANDRIA TETRAGYNIA.

- 1046 *Bryophyllum calycinum* . 1409
 [*Cotyledon pinnatum*, НК.]

ENNEANDRIA MONOGYNIA.

- 1047 *Laurus Cassia* 1636
 1048 — *Diospyrus* 1470
 1049 — *geniculata* 1471

DECANDRIA MONOGYNIA.

- 1050 *Edwardsia grandiflora*, НК. 167
 [*Sophora tetraptera*.]
 1051 *Edwardsia microphylla* . . 1442
 1052 *Thermopsis lanceolata*, НК. 1389
 [*Podalyria lupinoides*.]
 1053 *Virgilia capensis* 1590
 1054 *Ibbetsonia genistoides* . . . 1259
 [*Cyclopia genistoides*, НК.]
 1055 *Baptisia australis*, НК. . . . 509
 [*Sophora australis*.]
 1056 *Baptisia tinctoria*, НК. . . . 1199
 [*Podalyria tinctoria*.]
 1057 *Baptisia alba*, НК. 1177
 [*Podalyria alba*.]
 1058 *Podalyria biflora* 753
 1059 — *styracifolia* 1580
 1060 *Chorizema nana* 1032
 1061 *Podolobium trilobatum* . . 1477
 1062 *Oxylobium cordifolium* . . 1544
 1063 *Gompholobium polymorph.* 1533
 1064 *Viminaria denudata* 1190
 1065 *Sphærolobium vimineum* . . 969
 1066 *Aotus villosa* 949
 1067 *Dillwynia floribunda*, НК. 1545
 [— *ericifolia*, *errore*.]
 1068 — *glaberrima* 944
 1069 — *parvifolia* 1527
 1070 *Eutaxia myrtifolia*, НК. . . 1274
 [*Dillwynia obovata*.]
 1071 *Pultenæa daphnoides* . . . 1394
 1072 — *stipularis* 475
 1073 — *villosa* 967
 1074 — *stricta* 1588
 1075 *Daviesia latifolia* 1757
 1076 *Mirbelia reticulata* 1211
 1077 *Cercis Siliquastrum* 1138
 1078 *Bauhinia porrecta* 1708
 1079 *Cassia corymbosa* 633
 1080 — *biflora* 810
 1081 — *Chamæcrista* 107
 1082 *Poinciana pulcherrima* . . . 995
 1083 *Schotia tamarindifolia* . . 1153
 1084 *Crowea saligna* 939
 1085 *Melia Azedarach* 1066
 1086 *Zygophyllum foetidum* . . . 372
 [— *insuave*.]
 1087 *Fagonia cretica* 241
 1088 *Quassia amara* 497

- 1089 *Dionæa Muscipula*.....785
 1090 *Dais cotinifolia*.....147
 1091 *Melastoma malabathrica*..529
 1092 ——— *corymbosa*.....904
 1093 *Kalmia latifolia*.....175
 1094 ——— *angustifolia*.....331
 1095 ——— *glauca*.....177
 1096 ——— *hirsuta*.....138
 1097 *Rhodora canadensis*.....474
 1098 *Rhododendr. dahuricum*..636
 1099 ——— *Chamæcistus*.....488
 1100 ——— *caucaseum*.....1145
 1101 ——— *ponticum*.....650
 1102 ——— *maximum*.....951
 1103 ——— *catawbiense*.....1671
 1104 *Vaccinium diffusum*.....1607
 1105 ——— *dumosum*.....1106
 1106 ——— *resinosum, β.*.....1288
 1107 ——— *Arctostaphylos*..974
 1108 ——— *buxifolium*.....928
 1109 ——— *crassifolium*.....1152
 1110 ——— *nitidum, β.*.....1550
 1111 *Andromeda mariana, α.*
 ovalis..1579
 1112 ——— *pulverulenta*.....667
 1113 ——— *cassinifolia*.....970
 1114 ——— *arborea*.....905
 1115 ——— *floribunda*.....1566
 1116 ——— *coriacea*.....1095
 1117 ——— *calyculata, α. ven-*
 triosa..1286
 1118 *Enkianthus quinqueflora*.1649
 1119 *Arbutus canariensis*.....1577
 1120 *Clethra arborea*.....1059
 1121 *Mylocarium ligustrinum*..1625
 1122 *Heynea trijuga*.....1738
 1123 *Pyrola umbellata*.....778
 1124 ——— *maculata*.....897
 1125 *Styrax lævigatum*.....921
 1126 *Samyda rosea*.....550

DECANDRIA DIGYNIA.

- 1127 *Hydrangea arborescens*...437
 1128 ——— *hortensis*.....438
 1129 ——— *quercifolia*.....975
 1130 *Saxifraga mutata*.....351
 1131 ——— *crassifolia*.....196
 1132 ——— *sarmentosa*.....92
 1133 ——— *rotundifolia*.....424
 1134 ——— *virginiensis*.....1664
 1135 ——— *ceratophylla?*...1651
 1136 *Tiarella cordifolia*.....1589
 1137 *Gypsophila repens*.....1448
 1138 ——— *prostrata*.....1281
 1139 *Saponaria ocymoides*.....154

- 1140 *Dianthus barbatus*.....205
 1141 ——— *Caryophyllus, β.*...39
 1142 ——— *Caryophyllus, γ.*
 imbricatus..1622
 1143 ——— *leptopetalus*....1739
 1144 ——— *chinensis*.....25
 1145 ——— *caucaseus*.....795
 1146 ——— *discolor*.....1162
 1147 ——— *petræus*.....1204
 1148 ——— *superbus*.....297
 1149 ——— *virgineus*.....1740
 1150 ——— *alpinus*.....1205
 1151 ——— *orientalis*.....1069

DECANDRIA TRIGYNIA.

- 1152 *Cucubalus stellatus*.....1107
 [*Silene stellata*, HK.]
 1153 ——— *saxatilis*.....689
 1154 ——— *vespertina*.....677
 1155 ——— *pendula*.....114
 1156 ——— *ornata*.....382
 1157 ——— *regia*.....1724
 1158 ——— *fimbriata*.....908
 1159 ——— *chloræflora*.....807
 1160 *Arenaria montana*.....1118
 1161 *Garidella Nigellastrum*..1266
 1162 *Malpighia glabra*.....813
 1163 ——— *volubilis*.....809

DECANDRIA PENTAGYNIA.

- 1164 *Cotyledon orbiculata*.....321
 1165 ——— *crenata*.....1436
 1166 *Sedum Anacampseros*.....118
 1167 ——— *populifolium*.....211
 1168 *Oxalis variabilis, α. albifl.* 1683
 1169 ——— ——— *β. rubra*.1712
 1170 ——— *cernua*, HK.....237
 [—— *caprina*.]
 1171 ——— *versicolor*.....155
 1172 ——— *rubella*.....1031
 1173 ——— *rosacea*.....1698
 1174 ——— *pentaphylla*.....1549
 1175 *Agrostemma coronaria, α.*..24
 1176 ——— *Flos Jovis*.....398
 1177 ——— *Cœli Rosa*.....295
 1178 *Lychnis chalconica*.....257
 1179 ——— *coronata*.....223
 1180 ——— *alpina*.....394

DECANDRIA DECAGYNIA.

- 1181 *Phytolacca decandra*.....931

DODECANDRIA MONOGYNIA.

- 1182 *Blakea trinervia*451
 1183 *Halesia tetraptera*.....910
 Crataeva, vide *Polyandria*.
 1184 *Talinum reflexum*.....1543
 1185 *Anacampseros arachn.* .1368
 [*Talinum arachnoides*,HK.]
 1186 *Anacampseros filament.* 1367
 [*Talinum filamentosum*,HK.]
 1187 *Lythrum virgatum*1003

DODECANDRIA TRIGYNIA.

- 1188 *Reseda odorata*.....29
 1189 *Euphorbia petiolaris*883
 1190 ——— *mellifera*.....1305
 1191 ——— *Ipecacuanha* ...1494
 1192 ——— *variegata*.....1747

DODECAGYNIA.

- 1193 *Sempervivum globiferum* .507
 1194 ——— *soboliferum*1457
 1195 ——— *tortuosum*296
 1196 ——— *arachnoides*68
 1197 ——— *monanthes*93

ICOSANDRIA MONOGYNIA.

- 1198 *Cactus flagelliformis*.....17
 1199 ——— *Tuna*, γ .*nigricans* 1557
 1200 *Bartonia decapetala*1487
 [——— *ornata*,Pursh.]
 1201 *Philadelphus coronarius*..391
 1202 ——— *inodorus*.....1478
 1203 *Fabricia lævigata*1304
 1204 *Metrosideros lanceol.*HK. 260
 [——— *citrina*.]
 1205 ——— *speciosa*1761
 1206 *Eugenia Jambos*1696
 1207 ——— *uniflora*,HK.....473
 [*Plinia pedunculata*.]
 1208 *Eugenia fragrans*.....1242
 1209 *Myrtus tomentosa*.....250
 1210 ——— *disticha*.....867
 1211 ——— *Pimenta*, α .*longif.* 1236
 1212 *Punica nana*634
 1213 *Amygdalus nana*.....161
 1214 *Prunus nigra*1117

ICOSANDRIA DIGYNIA.

- 1215 *Cratægus indica*1726

ICOSANDRIA TRIGYNIA.

- 1216 *Sesuvium Portulacastrum*, β .
 revolutifolium. 1701
 [——— *revolutifolium*,HK.]

ICOSANDRIA PENTAGYNIA.

- 1217 *Pyrus spectabilis*,HK....267
 1218 ——— *japonica*692
 1219 *Mesembrianth. minutum* 1376
 1220 ——— *obcordellum*....1647
 1221 ——— *testiculare*1573
 1222 ——— *dolabriforme*32
 1223 ——— *pinnatifidum*67
 1224 ——— *pomeridianum* ...540
 1225 ——— *viridiflorum*326
 1226 ——— *spectabile*.....396
 1227 ——— *inclaudens*1663
 1228 ——— *aureum*262
 1229 ——— *coccineum*,HK. ...59
 [——— *bicolorum*.]
 1230 ——— *micans*448
 1231 ——— *barbatum*70
 1232 ——— *densum*.....1220
 1233 *Spiræa trifoliata*489

ICOSANDRIA POLYGYNIA.

- 1234 *Rosa lutea*, α363
 1235 ——— *lutea*, β . *bicolor* ...1077
 1236 ——— *hispida*1570
 1237 ——— *provincialis*, ζ . Pom-
 pone Rose..407
 1238 ——— *muscosa*69
 1239 ——— *multiflora*1059
 1240 ——— *semperflorens*, β284
 1241 ——— *semperfl.* γ .*minima*. 1762
 1242 ——— *bracteata*1377
 1243 *Rubus odoratus*323
 1244 ——— *arcticus*.....132
 1245 *Dalibarda fragarioides* ..1567
 1246 *Fragaria monophylla*63
 1247 *Potentilla clusiana*1327
 1248 ——— *grandiflora*75
 1249 *Calycanthus floridus*.....503
 1250 ——— *præcox*466

POLYANDRIA MONOGYNIA.

- 1251 *Capparis spinosa*291
 1252 *Cratæva fragrans*596
 1253 *Sanguinaria canadensis* ..162
 1254 *Papaver nudicaule*, β1633
 1255 ——— *caucasicum*1675

- 1256 *Papaver orientale*57
 1257 *Argemone mexicana*243
 1258 *Sarracenia flava*.....780
 1259 ——— *variolaris*1710
 [———— *adunca*,HK.]
 1260 ——— *purpurea*849
 1261 *Nymphaea odorata*819
 1262 ——— *odorata*,β. *minor* 1652
 1263 ——— *nitida*1359
 1264 ——— *pygmæa*1525
 1265 ——— *Lotus*797
 1266 ——— *rubra*,α.1280
 1267 ——— *rubra*,β. *rosea*...1364
 1268 ——— *versicolor*1189
 1269 ——— *cærulea*552
 1270 *Nuphar kalmiana*,HK. ...1243
 [*Nymphaea Kalmiana*.]
 1271 *Nuphar advena*,HK.684
 [*Nymphaea advena*.]
 1272 *Euryale ferox*.....1447
 1273 *Bixa Orellana*1456
 1274 *Sparmannia africana*.....516
 1275 *Grewia occidentalis*422
 1276 *Elæocarpus cyaneus*....1737
 1277 *Mentzelia oligosperma*..1760
 1278 *Lagerstroemia indica*....405
Thea, vide 1513, *Monadelphia*.
 1279 *Cistus ladanif.*α. *undulatus* 112
 1280 ——— *incanus*43
 1281 ——— *formosus*.....264
 1282 ——— *algarvensis*627
 1283 *Corchorus japonicus* ...1296

POLYANDRIA DIGYNIA.

- 1284 *Pæonia Moutan*.....1154
 1285 ——— *peregrina*1050
 1286 ——— *albiflora*1756
 1287 ——— *edulis*,v. *sinensis* 1768
 1288 ——— *humilis*1422
 1289 ——— *anomala*1754
 1290 ——— *tenuifolia*926
 1291 ——— *dahurica*.....1441
 1292 *Fothergilla alnifolia*,α. *ob-*
tusa..1341
 1293 ——— *alnifolia*,γ. *major* 1342
 1294 *Bauera rubiæfolia*,HK. ...715
 [———— *rubioides*.]

POLYANDRIA TRIGYNIA.

- 1295 *Hibbertia volubilis*,HK. ...449
 [*Dillenia speciosa*.]
 1296 *Hibbertia grossulariæfol.* 1218
 1297 *Delphinium grandiflorum* 1686
 1298 *Aconitum uncinatum* ...1119

POLYANDRIA TETRAGYNIA.

- 1299 *Cimicifuga palmata*1630

POLYANDRIA PENTAGYNIA.

- 1300 *Aquilegia hybrida*.....1221
 [———— *vulgaris*,δ. *specios*.HK.]
 1301 ——— *canadensis*246
 1302 *Nigella damascena*22
 1303 ——— *hispanica*1265
 1304 ——— *orientalis*1264

POLYANDRIA POLYGYNIA.

- 1305 *Illicium floridanum*.....439
 1306 *Liriodendron Tulipifera*..275
 1307 *Magnolia conspicua*1621
 1308 ——— *purpurea*.....390
 [———— *obovata*,HK.]
 1309 ——— *pumila*977
 1310 ——— *fuscata*1008
 1311 ——— *auriculata*.....1206
 1312 *Nelumbium speciosum*...903
 1313 *Anemone Hepatica*,γ.....10
 1314 ——— *coronaria*841
 1315 ——— *hortensis*.....123
 1316 ——— *sylvestris*54
 1317 ——— *narcissiflora*1120
 1318 ——— *thalictroides*....866
 1319 *Atragene austriaca*530
 [———— *alpina*,v. *austriaca*.]
 1320 ——— *americana*887
 1321 ——— *capensis*716
 1322 *Clematis cirrhosa*1070
 1323 ——— *florida*.....834
 1324 ——— *Viticella*565
 1325 ——— *cylindrica*.....1160
 1326 ——— *calycina*959
 1327 ——— *integrifolia*65
 1328 *Adonis vernalis*134
 1329 *Knowltonia vesicatoria*...775
 1330 *Ranunculus gramineus*...164
 1331 ——— *parnassifolius*...386
 1332 ——— *amplexicaulis*...266
 1333 ——— *aconitifolius*,β....204
 1334 ——— *acris*,β.215
 1335 *Trollius asiaticus*235
 1336 *Helleborus hyemalis*.....3
 1337 ——— *niger*8
 1338 ——— *lividus*72
 1339 *Hydropeltis purpurea*...1147

DIDYNAMIA GYMNOSPERMIA.

- 1340 *Teucrium orientale*.....1279

- 1341 *Teucrium fruticans*, β . НК. 245
 [——— *latifolium*.]
 1342 ——— *betonicum*1114
 1343 *Nepeta Musseni*, НК.923
 [——— *longiflora*.]
 1344 *Lavandula dentata*401
 1345 ——— *pinnata*400
 1346 *Lamium Orvala*.....172
 1347 *Betonica grandiflora*.....700
 1348 *Stachys coccinea*.....666
 1349 *Phlomis Lychnitis*999
 1350 ——— *tuberosa*1555
 1351 ——— *Leonurus*478
 [*Leonotis Leonurus*, НК.]
 1352 *Origanum Dictamnus*....298
 1353 *Thymus grandiflorus*997
 1354 *Melissa grandiflora*.....208
 1355 *Dracocephalum virginian.* 467
 1356 ——— *denticulatum*214
 1357 ——— *peregrinum*.....1084
 1358 ——— *grandiflorum* ...1009
 1359 *Ocimum scutellarioides* .1446
 1360 *Scutellaria grandiflora* ...635
 1361 *Prunella grandiflora*337
 1362 *Selago ovata*186

DIDYNAMIA ANGIOSPERMIA.

- 1363 *Penstemon pubescens*, α .
 latifolia..1424
 1364 ——— *laevigata*1425
 1365 ——— *glabra*1672
 1366 *Cyrilla pulchella*374
 1367 *Gloxinia maculata*1191
 1368 *Gesneria tomentosa*1023
 1369 *Linaria triphylla*, НК.324
 [*Antirrhinum triphyllum*.]
 1370 *Linaria triornithophor.* НК.525
 [*Antirrhinum triornithophorum*.]
 1371 *Linaria purpurea*, НК.99
 [*Antirrhinum purpureum*.]
 1372 *Linaria spartea*, НК.200
 [*Antirrhinum sparteum*.]
 1373 *Linaria tristis*, НК.74
 [*Antirrhinum triste*.]
 1374 *Linaria viscosa*, НК.368
 [*Antirrhinum viscosum*.]
 1375 *Linaria alpina*, НК.207
 [*Antirrhinum alpinum*.]
 1376 *Antirrhinum Asarina*902
 1377 *Martynia proboscidea* ..1056
 1378 *Besleria pulchella*1146
 1379 *Brunsfelsia americana*, α . .393
 1380 *Celsia cretica*964
 1381 *Alonsoa incisifolia*, НК.417
 [*Celsia urticæfolia*.]

- 1382 *Alonsoa linearis*, НК.210
 [*Celsia linearis*.]
 1383 *Digitalis lanata*1159
 1384 *Bignonia uncata*1511
 1385 ——— *capreolata*864
 1386 ——— *radicans*, α . *major*. 485
 1387 ——— *grandiflora*1398
 1388 ——— *Pandoræ*.....865
 [——— *australis*, НК.]
 1389 *Halleria lucida*1744
 1390 *Russelia multiflora*1528
 1391 *Petrea volubilis*628
 1392 *Verbena triphylla*367
 1393 ——— *Aubletia*308
 1394 *Lantana trifolia*1449
 1395 ——— *annua*1022
 1396 ——— *aculeata*96
 1397 *Capraria undulata*.....1556
 1398 *Manulea tomentosa*322
 1399 *Hebenstretia dentata*483
 1400 *Erinus alpinus*.....310
 1401 *Buchnera viscosa*217
 1402 *Browallia demissa*.....1136
 1403 ——— *elata*34
 1404 *Sesamum indicum*1688
 1405 *Mimulus ringens*.....283
 1406 ——— *glutinosus*, НК.354
 [——— *aurantiacus*.]
 1407 ——— *luteus*1501
 1408 *Aphelandra cristata*1578
 1409 *Ruellia formosa*.....1400
 1410 *Barleria cristata*1615
 1411 *Duranta Ellisia*1759
 1412 *Myoporum parvifolium* .1693
 1413 *Clerodendrum tomentos.* 1518
 1414 *Maurandia semperflorens* .460
 1415 ——— *antirrhiniflora* ..1643
 1416 *Vitex incisa*, НК.364
 [——— *Negundo*.]
 1417 *Columnnea scandens*1614
 1418 *Melianthus minor*301

TETRADYNAMIA SILICULOSA.

- 1419 *Iberis gibraltarica*124
 1420 ——— *saxatilis*, β . *corifolia* 1042
 1421 ——— *ciliata*1030
 1422 ——— *umbellata*106
 1423 *Draba ciliaris*, НК.170
 [——— *aizoides*.]
 1424 *Petrocallis pyrenaica*713
 [*Draba pyrenaica*.]
 1425 *Alyssum montanum*419
 1426 ——— *saxatile*.....159
 1427 ——— *maritimum*, НК. ..101
 [——— *halimifolium*.]

- 1428 *Farsetia deltoidea*, НК. 126
 [*Alyssum deltoideum*.]
 1429 *Vesicaria utriculata*, НК. 130
 [*Alyssum utriculatum*.]

TETRADYNAMIA SILIQUOSA.

- 1430 *Heliophila arabioides* 496
 [———— *pilosa*, β. *incisa*, НК.]
 1431 *Dentaria diphylla* 1465
 1432 *Cardamine asarifolia* 1735
 1433 ————— *trifolia* 452
 1434 *Arabis alpina* 226
 1435 *Cheiranthus armeniacus* 835
 1436 ————— *mutabilis* 195
 1437 *Mathiola odoratissima* 1711
 1438 ————— *tristis*, НК. 729
 [*Cheiranthus tristis*.]
 1439 *Malcomia maritima*, НК. 166
 [*Cheiranthus maritimus*.]
 1440 *Hesperis tristis* 730
 1441 *Cleome pentaphylla* 1681
 1442 ————— *spinosa* 1610

MONADELPHIA TRIANDRIA.

The following genera, placed in this class and order in Hortus Kewensis, are to be found in TRIANDRIA, viz. *Patersonia*, No. 279, *Sisyrinchium*, No. 273, *Ferraria*, No. 276, *Tigridia*, No. 278, *Galaxia*, No. 280.

MONADELPHIA PENTANDRIA.

- 1443 *Hermannia althæifolia* 307
 1444 ————— *alnifolia* 299
 1445 ————— *lavendulifolia* 304
 1446 ————— *flammea* 1349
 1447 ————— *tenuifolia* 1348
 1448 *Mahernia pinnata* 277
 1449 ————— *incisa* 353
 1450 *Melhania Erythroxylo*, НК. 1000
 [*Pentapetes Erythroxylon*.]
 1451 *Passiflora serratifolia* 651
 1452 ————— *alata* 66
 1453 ————— *ciliata* 238
 1454 ————— *cærulea* 28
 1455 *Erodium romanum* 377
 1456 ————— *hymenodes* 1174
 1457 ————— *incarnatum* 261
 1458 ————— *chamædrioides*, НК. 18
 [*Geranium Reichardi*.]
 1459 *Pelargonium radicatum* 1718
 1460 ————— *pinnatum* 579
 1461 ————— *pulchellum*, 524

- 1462 *Pelargonium incrassatum* 761
 1463 ————— *triste*, β. *filipendulifolium* 1641
 1464 ————— *tricolor* 240
 1465 ————— *glaucum*, НК. 56
 [*Geranium lanceolatum*.]
 1466 *Pelargonium betulinum* 148
 1467 ————— *acetosum* 103
 1468 ————— *reniforme* 493
 1469 ————— *crassicaule* 477
 1470 ————— *peltatum*, НК. 20
 [*Geranium peltatum*.]
 1471 *Pelargonium tetragonum* 136
 1472 ————— *cordatum*, НК. 165
 [———— *cordifolium*.]
 1473 ————— *quinatum* 547
 1474 ————— *echinatum* 309
 1475 ————— *glutinosum* 143
 1476 ————— *tomentosum* 518
 1477 ————— *Radula*, НК. 95
 [*Geranium Radula*.]
 1478 *Pelargonium bicolor* 201
 1479 ————— *ternatum* 413
 1480 ————— *ceratophyllum* 315

MONADELPHIA OCTANDRIA.

- 1481 *Aitonia capensis* 173

MONADELPHIA DECANDRIA.

- 1482 *Geranium anemonifolium* 206
 1483 ————— *striatum* 55
 1484 ————— *angulatum* 203
 1485 ————— *ibericum* 1386
 1486 ————— *argenteum* 504

MONADELPHIA DODECANDRIA.

- 1487 *Monsonia speciosa* 73
 1488 ————— *lobata* 385
 1489 *Pterospermum suberifol.* 1526
 1490 ————— *acerifolium* 620

MONADELPHIA POLYANDRIA.

- 1491 *Carolinea minor* 1412
 1492 *Lagunæa Patersonia* 769
 [*Hibiscus Patersonii*, НК.]
 1493 *Sida hastata* 1541
 1494 ————— *Dilleniana*, НК. 330
 [———— *cristata*.]
 1495 ————— *periptera* 1644
 1496 *Althæa flexuosa* 892
 1497 *Cristaria coccinea* 1673
 1498 *Lavatera thuringiaca* 517

- 1499 *Lavatera trimestris*109
 1500 *Kitaibelia vitifolia*.....821
 1501 *Hibiscus palustris*.....882
 1502 ——— *Rosa sinensis*....158
 1503 ——— *syriacus*83
 1504 ——— *speciosus*360
 1505 ——— *surattensis*1356
 1506 ——— *Manihot*1702
 1507 ——— *Trionum*.....209
 1508 *Pavonia præmorsa*,HK....436
 [*Hibiscus præmorsus*.]
 1509 *Gordonia Lasianthus*668
 1510 *Camellia japonica*, α42
 1511 ——— *japon.* ϵ .*myrtifol.* 1670
 1512 ——— *jap.* ξ .*anemonifl.* 1654
 1513 *Thea** *chinensis*, β993
 [—— *Bohea*, α .*laxa*,HK.]

DIADELPHIA PENTANDRIA.

- 1514 *Petalostemon violaceum* 1707

DIADELPHIA HEXANDRIA.

- 1515 *Fumaria Cucullaria*.....1127
 1516 ——— *formosa*1335
 1517 ——— *bulbosa*,HK.....232
 [—— *cava*.]
 1518 ——— *solida*231
 1519 ——— *sempervirens*,HK. 179
 [—— *glauca*.]

DIADELPHIA OCTANDRIA.

- 1520 *Polygala bracteolata*.....345
 1521 ——— *oppositifolia*.....492
 1522 ——— *Chamæbuxus*.....316
 1523 ——— *alopecuroides* ..1006
 1524 ——— *Heisteria*.....340
 1525 ——— *mixta*1714
 1526 ——— *stipulacea*.....1715
 1527 ——— *senega*1051

DIADELPHIA DECANDRIA.

- 1528 *Erythrina herbacea*.....877
 1529 *Borbonia crenata*274
 1530 *Spartium junceum*, α85
 1531 ——— *monospermum*...683

* *Thea* and *Camellia* are so nearly allied, that they can hardly be separated into distinct genera; and as we find the filaments in *Thea* to be united at the base, and to fall with the corolla, we see the same reason for placing it in *Monadelphina* as for *Camellia* being there.

- 1532 *Spartium linifolium*,HK....442
 [*Genista linifolia*.]
 1533 *Genista triquetra*314
 1534 *Rafnia triflora*,HK.....482
 [*Crotalaria triflora*.]
 1535 *Aspalathus pedunculata* .344
 1536 ——— *carcosa*.....1289
 1537 ——— *araneosa*.....329
 1538 *Platylobium formosum*...469
 1539 ——— *parviflorum*1520
 1540 ——— *triangulare*1508
 1541 *Bossiaea Scolopendria*...1235
 [—— *Scolopendrium*,HK.]
 1542 ——— *heterophylla*,HK. 1144
 [—— *lanceolata*.]
 1543 ——— *prostrata*1493
 1544 ——— *microphylla*,HK. .863
 [*Platylobium microphyllum*.]
 1545 *Goodia lotifolia*.....958
 1546 ——— *pubescens*1310
 1547 *Loddigesia oxalidifolia*...965
 1548 *Crotalaria juncea*490
 1549 ——— *pulchella*1699
 1550 *Hovea lanceolata*1624
 1551 *Ononis Natrix*.....329
 1552 ——— *fruticosa*.....317
 1553 ——— *rotundifolia*335
 1554 *Anthyllis tetraphylla*108
 1555 ——— *cretica*1092
 1556 ——— *Erinacea*.....676
 1557 *Lupinus perennis*202
 1558 ——— *nootkatensis*...1311
 1559 ——— *luteus*140
 1560 ——— *arboreus*682
 1561 *Dolichos Lablab*.....896
 1562 ——— *lignosus*380
 1563 *Glycine Apios*.....1198
 1564 *Kennedia rubicunda*,HK..268
 [*Glycine rubicunda*.]
 1565 *Kennedia prostrata*,HK...270
 [*Glycine coccinea*.]
 1566 *Kennedia monophylla*,HK.263
 [*Glycine bimaculata*.]
 1567 *Clitoria Ternatea*1542
 1568 *Orobus vernus*.....521
 1569 ——— *varius*675
 1570 *Lathyrus sativus*.....115
 1571 ——— *articulatus*253
 1572 ——— *odoratus*, α .*siculus*.60
 1573 ——— *tingitanus*.....100
 1574 ——— *tuberosus*111
 1575 *Liparia sphaerica*.....1241
 1576 *Cytisus Laburnum*176
 1577 ——— *foliolosus*426
 1578 ——— *divaricatus*, β1387
 1579 ——— *sessilifolius*.....255

- 1580 *Cytisus purpureus*1176
 1581 ——— *leucanthus*1438
 1582 *Robinia viscosa*, НК.560
 [——— *glutinosa*.]
 1583 ——— *hispida*311
 1584 ——— *Halodendron* ...1016
 1585 *Colutea arborescens*81
 1586 *Swainsona galegifolia*, НК. 792
 [*Colutea galegifolia*.]
 1587 *Swainsona coronillifolia* .1725
 1588 *Sutherlandia frutescens*, НК.181
 [*Colutea frutescens*.]
 1589 *Coronilla Emerus*445
 1590 ——— *valentina*185
 1591 ——— *glauca*13
 1592 ——— *coronata*907
 1593 ——— *varia*258
 1594 *Hippocrepis balearica* ...427
 1595 *Hedysarum bupleurifol.* .1722
 1596 ——— *obscurum*282
 1597 ——— *roseum*996
 1598 ——— *capitatum*1251
 1599 *Indigofera psoraloides* ...476
 1600 ——— *candicans*198
 1601 ——— *cytisoides*742
 1602 ——— *angustifolia*465
 1603 *Astragalus sinicus*1350
 1604 ——— *montanus*843
 1605 ——— *monspessulanus* ..375
 1606 *Psoralea bracteata*446
 1607 ——— *aphylla*1727
 1608 ——— *glandulosa*990
 1609 ——— *corylifolia*665
 1610 *Trifolium Lupinaster* ...879
 1611 ——— *canescens*1168
 1612 ——— *incarnatum*328
 1613 ——— *spadiceum*557
 1614 *Lotus tetragonolobus* ...151
 1615 ——— *australis*1365
 1616 ——— *Jacobæus*79
 1617 ——— *hirsutus*336
 1618 ——— *odoratus*1233
 1619 *Medicago carstiensis*909

POLYADELPHIA ICOSANDRIA.

- 1620 *Tristania neriifolia*, НК. .1058
 [*Melaleuca neriifolia*.]
 1621 *Calothamnus quadrifida* .1506
 1622 *Beaufortia decussata*1733

POLYADELPHIA POLYANDRIA

- 1623 *Hypericum balearicum* ...137
 1624 ——— *monogynum*334
 1625 ——— *calycinum*146

- 1626 *Hypericum Coris*178

SYNGENESIA POLYGAMIA
ÆQUALIS.

- 1627 *Geropogon glaber*479
 1628 *Arnopogon Dalechampii* 1623
 1629 *Sonchus tingitanus*, НК. ...142
 [*Scorzonera tingitana*.]
 1630 *Prenanthes alba*1079
 1631 *Tolpis barbata*, НК.35
 [*Crepis barbata*.]
 1632 *Catananche cœrulea*293
 1633 *Troximum glaucum*1667
 1634 *Cnicus spinosissimus* ...1366
 1635 *Spilanthus crocata*1627
 1636 *Cacalia coccinea*564
 1637 *Liatris scariosa*1709
 1638 ——— *spicata*1411
 1639 *Ageratum cœlestinum* ..1730
 1640 *Pteronia pauciflora*1697
 1641 *Calea lobata*1734
 1642 *Ixodia achillæoides*1534
 1643 *Pentzia flabelliformis*, НК. 212
 [*Tanacetum flabelliforme*.]

SYNGENESIA POLYGAMIA
SUPERFLUA.

- 1644 *Gnaphalium eximium*300
 1645 ——— *ericoides*435
 1646 *Elichrysum spirale*, НК. ...776
 [*Xeranthemum variegatum*.]
 1647 *Elichrysum fulgidum*, НК. 414
 [*Xeranthemum fulgidum*.]
 1648 *Elichrysum canescens*, НК. 420
 [*Xeranthemum canescens*.]
 1649 *Elichrysum sesamoides* ..425
 [*Xeranthemum sesamoides*.]
 1650 *Elichrysum fasciculat.* НК. 763
 [*Xeranthemum sesamoides*, γ.]
 1651 *Tussilago alpina*84
 1652 ——— *fragrans*1388
 1653 *Senecio elegans*238
 1654 *Aster reflexus*884
 1655 ——— *argophyllus*1563
 1656 ——— *liratus*1509
 1657 ——— *alpinus*199
 1658 ——— *tenellus*33
 1659 *Cineraria cruenta*406
 1660 ——— *Petasitis*1536
 1661 ——— *lanata*53
 1662 ——— *amelloides*249
 1663 *Podalepis acuminata*, НК. .956
 [*Scalea jaceoides*.]
 1664 *Donia squarrosa*1706

- 1665 *Arnica montana*1749
 1666 ——— *Bellidiastrum* ...1196
 1667 *Bellis perennis*, *β. hortensis* 228
 1668 *Dahlia frustranea*, нк. ...762
 [—— *coccinea*.]
 1669 *Tagetes lucida*740
 1670 ——— *patula*150
 1671 *Zinnia multiflora*149
 1672 ——— *elegans*527
 1673 ——— *tenuiflora*555
 1674 *Chrysanth. carinatum*, нк. 503
 [—— *tricolor*.]
 1675 ——— *indicum*327
 1676 *Pyrethrum roseum*, нк. .1080
 [*Chrysanthemum coccineum*.]
 1677 *Pyrethrum indicum*1521
 1678 *Anthemis Pyrethrum*462
 1679 *Achillea Clavenæ*1287
 1680 ——— *tomentosa*498
 1681 *Verbesina alata*1716
 1682 ——— *sativa*1017

SYNGENESIA POLYGAMIA
FRUSTRANEA.

- 1683 *Helianthus multiflorus* ...227
 1684 *Galardia bicolor*1602
 1685 *Rudbeckia purpurea*2
 1686 ——— *columnaris*1601
 1687 *Cosmea bipinnata*1535
 1688 ——— *lutea*1689
 1689 *Coreopsis verticillata* ...156
 1690 *Gazania rigens*, нк.90
 [*Gorteria rigens*.]
 1691 *Sphenogyne anthem.* нк. .544
 [*Arctotis anthemoides*.]
 1692 *Centaurea ochroleuca* ..1175
 1693 ——— *montana*77
 1694 ——— *ragusina*494
 1695 ——— *macrocephala* ..1248
 1696 ——— *Rhapontica*1752
 1697 ——— *glastifolia*62
 1698 ——— *aurea*421

SYNGENESIA POLYGAMIA
NECESSARIA.

- 1699 *Calendula Tragus*408
 1700 ——— *viscosa*, нк.1343
 [*Arctotis glutinosa*.]
 1701 *Othonna pinnata*768
 1702 ——— *pectinata*306
 1703 ——— *perfoliata*, нк. ..1312
 [—— *amplexicaulis*.]
 1704 *Erioceph. frutescens*, нк. .853
 [*Eriocephalus africanus*.]

SYNGENESIA POLYGAMIA
SEGREGATA.

- 1705 *Oedera prolifera*1637
 1706 *Echinops Ritro*932

GYNANDRIA MONANDRIA.

- 1707 *Habenaria ciliaris*1668
 1708 *Satyrium carneum*1512
 1709 *Neottia speciosa*1374
 1710 ——— *orchioides*1036
 1711 ——— *picta*1562
 1712 ——— *cernua*1568
 1713 *Ponthieva glandulosa*, нк. 842
 [*Neottia glandulosa*.]
 1714 *Calopogon pulchellus*, нк. 110
 [*Limodorum tuberosum*.]
 1715 *Bletia verecunda*930
 [*Limodorum altum*.]
 1716 *Bletia hyacinthina*, нк. ...1492
 [*Cymbidium hyacinthinum*.]
 1717 *Ornithidium coccin.* нк. .1437
 [*Cymbidium coccineum*.]
 1718 *Cymbidium aloifolium*, нк. 387
 [*Epidendrum aloifolium*.]
 1719 *Cymbidium ensifolium* ..1751
 1720 ——— *sinense*, нк.888
 [*Epidendrum sinense*.]
 1721 *Brassia maculata*1691
 1722 *Oncidium carthagenense* .777
 [*Epidendrum undulatum*.]
 1723 *Oncidium bifolium*1491
 1724 *Gomesa recurva*1748
 1725 *Brassavola cucullata*, нк. .543
 [*Epidendrum cucullatum*.]
 1726 *Epidendrum cochleatum* .572
 1727 ——— *fragrans*1669
 N. B. Fig. 152 (errore *E. cochleatum*)
 delenda.
 1728 *Epidendrum elongatum* ..611
 1729 ——— *ciliare*463

GYNANDRIA DIANDRIA.

- 1730 *Cypripedium parviflorum* .911
 1731 ——— *spectabile*, нк. ...216
 [—— *album*.]
 1732 ——— *humile*, нк.192
 [—— *acaule*.]
 1733 ——— *arietinum*1569

GYNANDRIA HEXANDRIA.

- 1734 *Aristolochia Sipho*534
 1735 ——— *tomentosa*1369

- 1736 *Aristolochia glauca*1115
 1737 ——— *sempervirens*1116

MONŒCIA TRIANDRIA.

- 1738 *Carex Fraseriana*1391

MONŒCIA TETRANDRIA.

- 1739 *Aucuba japonica*1197

MONŒCIA PENTANDRIA.

- 1740 *Luffa foetida*1638
 1741 *Schisandra coccinea*1413

MONŒCIA POLYANDRIA.

- 1742 *Sagittaria sinensis*1631
 1743 ——— *rigida*1632
 1744 *Begonia discolor*, нк.1473
 [——— *Evansiana*.]
 1745 *Arum triphyllum*, α. *Ze-*
 brinum950
 1746 ——— *trilobatum*339
 1747 *Caladium bicolor*, нк.820
 [*Arum bicolor*.]

MONŒCIA MONADELPHIA.

- 1748 *Jatropha integerrima*1464
 1749 ——— *panduræfolia*604
 1750 *Xylophylla latifolia*1021
 1751 *Trichosanthes Anguina*722

DICECIA TETRANDRIA.

Leucadendron, vide No. 299.

DICECIA HEXANDRIA.

- 1752 *Tamus Elephantipes*1347

DICECIA POLYANDRIA.

- 1753 *Zamia pygmæa*1741

DICECIA GYNANDRIA.


- 1754 *Cluytia alaternoides*1321

POLYGAMIA MONOŒCIA.

- 1755 *Musa coccinea*1559
 Veratrum, vide No. 964.
 1756 *Ophioxylum serpentinum* 784
 1757 *Acacia verticillata*, нк.110
 [*Mimosa verticillata*.]
 1758 *Acacia stricta*, нк.1121
 [*Mimosa stricta*.]
 1759 *Acacia melanoxylon*1659
 1760 ——— *myrtifolia*, нк.302
 [*Mimosa myrtifolia*.]
 1761 *Acacia decipiens*1745
 1762 ——— *armata*1653
 1763 ——— *discolor*1750
 1764 ——— *pubescens*1263
 [*Mimosa pubescens*.]
 1765 *Rhapis flabelliformis*1371
 1766 ——— *acaulis*, нк.1434
 [*Sabal Adansoni*.]

POLYGAMIA DICECIA.

- 1767 *Panax quinquefolium*1333
 1768 ——— *trifolium*, нк.1334
 [*Panax pusilla*, α.]



A

L I S T

Of such PLANTS as occur under different Names in the
HORTUS KEWENSIS, from those under which they were
published in the BOTANICAL MAGAZINE.



HORTUS KEWENSIS.

BOTANICAL MAGAZINE.

A CACIA myrtifolia	<i>Mimosa myrtifolia.</i>
Acacia pubescens	<i>Mimosa pubescens.</i>
Acacia stricta	<i>Mimosa stricta.</i>
Acacia verticillata	<i>Mimosa verticillata.</i>
Allium inodorum	Allium gracile, G.
Allium nigrum	Allium magicum.
Allium sibiricum	Allium Schoenoprasum, β.
* Allium subhirsutum	Allium <i>ciliatum.</i>
Aloe glauca	Aloe rhodacantha,
Aloe reticulata	Aloe arachnoides, γ. reticulata.
Alyssum maritimum	Alyssum halimifolium.
Amaryllis crispa	Strumaria crispa.
Amaryllis falcata	Brunsvigia falcata.
* Amaryllis gigantea	Amaryllis <i>ornata,</i> β.
* Anomatheca juncea	Phalangium Liliago.
Anthericum Liliago	<i>Lapeyrousia juncea.</i>
Anthericum exuviatum	Albuca exuviata.
Anthericum Liliastrum	Phalangium Liliastrum.
Anthericum ramosum	Phalangium ramosum.
Aquilegia vulgaris, δ. speciosa	Acquilegia hybrida.
* Aristeia spiralis	Moræa spiralis.
Astrantia helleborifolia	Astrantia maxima.
* Babiana rubro-cyanea	<i>Ixia rubro-cyanea.</i>
Baptisia alba	Podalyria alba.
Baptisia australis	<i>Sophora australis</i> (Podalyria.)
Baptisia tinctoria	Podalyria tinctoria.
Bauera rubiæfolia	Bauera rubioides.
Begonia discolor	Begonia Evansiana.

* The asterisk placed before the name, denotes that it had been changed in some later Number of the Botanical Magazine, prior to the publication of the last edition of the Hortus Kewensis.

<i>Bignonia australis</i>	<i>Bignonia Pandoræ.</i>
<i>Bletia hyacinthina</i>	<i>Cymbidium hyacinthinum.</i>
<i>Bletia vericunda</i>	<i>Limodorum altum.</i>
<i>Bossiæa heterophylla</i>	<i>Bossiæa lanceolata.</i>
<i>Brassavola cucullata</i>	<i>Epidendrum cucullatum.</i>
<i>Caladium bicolor</i>	<i>Arum bicolor.</i>
<i>Calendula viscosa</i>	<i>Arctotis glutinosa.</i>
<i>Callopagon pulchellus</i>	<i>Limodorum tuberosum.</i>
<i>Campanula alliariæfolia</i>	<i>Campanula macrophylla.</i>
<i>Campanula rotundifolia, β.</i>	<i>Campanula pumila.</i>
<i>Canna coccinea</i>	<i>Canna indica.</i>
<i>Chrysanthemum carinatum</i>	<i>Chrysanthemum tricolor.</i>
<i>Cotyledon pinnata</i>	<i>Bryophyllum calycinum.</i>
<i>Cyclopia genistoides</i>	<i>Ibbetsonia genistoides.</i>
<i>Cymbidium aloifolium</i>	<i>Epidendrum aloifolium.</i>
<i>Cymbidium ensifolium</i>	<i>Epidendrum ensifolium.</i>
<i>Cymbidium sinense</i>	<i>Epidendrum sinense.</i>
<i>Cypripedium humile</i>	<i>Cypripedium acaule.</i>
<i>Dahlia frustranea</i>	<i>Dahlia coccinea.</i>
<i>Draba ciliaris</i>	<i>Draba aizoides.</i>
<i>Dracæna borealis</i>	<i>Smilacina borealis.</i>
<i>Dracæna marginata</i>	<i>Phyloma aloiflorum.</i>
<i>Edwardsia grandiflora</i>	<i>Sophora tetraptera.</i>
<i>Elichrysum canescens</i>	<i>Xeranthemum canescens.</i>
<i>Elichrysum fasciculatum, α.</i>	<i>Xeranthemum sesamoides, γ.</i>
<i>Elichrysum fulgidum</i>	<i>Xeranthemum fulgidum.</i>
<i>Elichrysum sesamoides</i>	<i>Xeranthemum sesamoides.</i>
<i>Epacris purpurascens</i>	<i>Epacris pungens, errore.</i>
<i>Erica Aitoniana</i>	<i>Erica Aitonia.</i>
<i>Erica carnea</i>	<i>Erica herbacea.</i>
<i>Erica fastigiata, β.</i>	<i>Erica primuloides.</i>
<i>Erica hirtiflora, β.</i>	<i>Erica pubescens.</i>
<i>Erica vestita, β.</i>	<i>Erica longifolia.</i>
<i>Erodium chamædryoides</i>	<i>Geranium Reichardi.</i>
<i>Eutaxia myrtifolia</i>	<i>Dillwynia obovata.</i>
<i>Euthales trinervis</i>	<i>Goodenia tenella.</i>
<i>Farsetia deltoidea</i>	<i>Alyssum deltoideum.</i>
<i>Fritillaria persica, γ.</i>	<i>Fritillaria obliqua.</i>
<i>Fritillaria pyrenaica</i>	<i>Fritillaria racemosa.</i>
<i>Fumaria bulbosa</i>	<i>Fumaria cava.</i>
<i>Fumaria sempervirens</i>	<i>Fumaria glauca.</i>
<i>Galax cordifolia</i>	<i>Galax aphylla.</i>
<i>Gaura mutabilis</i>	<i>Oenothera anomala.</i>
* <i>Geissorhiza excisa</i>	<i>Ixia excisa.</i>
* <i>Geissorhiza rochensis</i>	<i>Ixia rochensis.</i>
* <i>Geissorhiza secunda</i>	<i>Ixia secunda.</i>
* <i>Gladiolus Cunonia</i>	<i>Antholyza Cunonia.</i>
<i>Globba radicalis, addenda</i>	<i>Mantisia saltatoria.</i>
<i>Grevillea sericea</i>	<i>Embothrium sericeum.</i>
<i>Heliophila pilosa, β. incisa</i>	<i>Heliophila arabioides.</i>
* <i>Hesperantha falcata</i>	<i>Ixia falcata.</i>
* <i>Hesperantha radiata</i>	<i>Ixia radiata.</i>
<i>Hibiscus Patersonii</i>	<i>Lagunæa Patersonia.</i>
<i>Hoya carnosa</i>	<i>Asclepias carnosæ.</i>

Hyacinthus botryoides	Muscari (<i>Hyacinthus</i>) botryoides.
Hyacinthus corymbosus	Scilla (<i>Massonia</i>) corymbosa.
Hyacinthus Muscari	Muscari moschatum.
Hyacinthus racemosus	Muscari (<i>Hyacinthus</i>) racemosum.
Hyacinthus romanus	Scilla romana.
Jasminum gracile	Jasminum simplicifolium?
*Iris fimbriata	Iris chinensis.
*Iris halophila	Iris spuria, δ . halophila.
*Iris sambucina, β	Iris <i>squalens</i> .
*Iris spuria, α . major	Iris halophila.
*Iris spuria, β . minor	Iris spuria.
Isopogon anemonifolius	<i>Protea anemonifolia</i> .
Justicia furcata	<i>Justicia peruviana</i> .
Ixia aulica	<i>Ixia capillaris</i> , γ . aulica.
Ixia linearis	<i>Ixia capillaris</i> , α . gracillima.
Ixia retusa	<i>Ixia polystachya</i> .
Kennedia monophylla	<i>Glycine bimaculata</i> .
Kennedia prostrata	<i>Glycine coccinea</i> .
Kennedia rubicunda	<i>Glycine rubicunda</i> .
Lachenalia pendula, β	<i>Lachenalia quadricolor</i> .
Lachenalia serotina	<i>Scilla serotina</i> .
Leucadendron concolor	<i>Protea globosa</i> .
Lilium bulbiferum, γ	<i>Lilium pensylvanicum</i> .
Linaria alpina	<i>Antirrhinum alpinum</i> .
Linaria purpurea	<i>Antirrhinum purpureum</i> .
Linaria spartea	<i>Antirrhinum sparteam</i> .
Linaria triornithophora	<i>Antirrhinum triornithophorum</i> .
Linaria triphylla	<i>Antirrhinum triphyllum</i> .
Linaria tristis	<i>Antirrhinum triste</i> .
Linaria viscosa	<i>Antirrhinum viscosum</i> .
Lysimachia stricta	<i>Lysimachia bulbifera</i> .
Magnolia obovata	<i>Magnolia purpurea</i> .
Malcomia maritima	<i>Cheiranthus maritimus</i> .
*Marica Martinicensis	<i>Iris martinicensis</i> .
Massonia scabra	<i>Massonia pustulata</i> .
Mathiola tristis	<i>Cheiranthus tristis</i> .
Menziesia globularis	<i>Menziesia ferruginea</i> , β .
Mesembryanthemum coccineum	<i>Mesembryanthemum bicolorum</i> .
Metrosideros lanceolata	<i>Metrosideros citrina</i> .
*Moræa tristis	<i>Iris tristis</i> .
*Moræa viscaria	<i>Iris viscaria</i> .
*Narcissus bicolor, β	<i>Narcissus major</i> .
Narcissus lætus	<i>Narcissus odorus</i> .
Narcissus nutans	<i>Narcissus trilobus</i> .
Narcissus odorus	<i>Narcissus calathinus</i> .
Narcissus Tazetta, β	<i>Narcissus papyraceus</i> .
Narcissus Tazetta, γ	<i>Narcissus italicus</i> .
Nepeta Mussini	<i>Nepeta longiflora</i> .
Oncidium carthagenense	<i>Epidendrum undulatum</i> .
Ornithidium coccineum	<i>Cymbidium coccineum</i> .
Ornithogalum altissimum	<i>Drimia altissima</i> .
Ornithogalum luteum	<i>Gagea lutea</i> .
Ornithoglossum viride	<i>Melanthium viride</i> .
Othonna perfoliata	<i>Othonna amplexicaulis</i> .

<i>Panax trifolium</i>	<i>Panax pusilla.</i>
<i>Pancratium speciosum</i>	<i>Pancratium caribæum.</i>
* <i>Pardanthus chinensis</i>	<i>Ixia chinensis.</i>
<i>Pavonia præmorsa</i>	<i>Hibiscus præmorsus.</i>
<i>Pelargonium cordatum</i>	<i>Pelargonium cordifolium.</i>
* <i>Pelargonium glaucum</i>	<i>Geranium lanceolatum.</i>
* <i>Pelargonium peltatum</i>	<i>Geranium peltatum.</i>
* <i>Pelargonium Radula</i>	<i>Geranium Radula.</i>
<i>Petrophila pulchella</i>	<i>Protea pulchella.</i>
<i>Physalis peruviana</i>	<i>Physalis edulis.</i>
<i>Podolepis acuminata</i>	<i>Scalia jaceoides.</i>
<i>Podophyllum diphyllum</i>	<i>Jeffersonia diphylla.</i>
<i>Ponthieva glandulosa</i>	<i>Neottia glandulosa.</i>
* <i>Protea cordata</i>	<i>Protea cordifolia, errore.</i>
<i>Protea melaleuca</i>	<i>Protea Lepidocarpon.</i>
<i>Rafnia triflora</i>	<i>Crotalaria triflora.</i>
<i>Rhapis acaulis</i>	<i>Sabal Adansonii.</i>
<i>Robinia viscosa</i>	<i>Robinia glutinosa.</i>
<i>Rosa lutea, β.</i>	<i>Rosa bicolor.</i>
<i>Rosa semperflorens, β.</i>	<i>Rosa semperflorens.</i>
<i>Sansevieria carnea</i>	<i>Sansevieria sessiliflora.</i>
<i>Scævola microcarpa</i>	<i>Goodenia lævigata.</i>
<i>Scilla maritima</i>	<i>Ornithogalum Squilla.</i>
<i>Scilla sibirica</i>	<i>Scilla amœna, β. sibirica.</i>
<i>Scilla unifolia</i>	<i>Ornithogalum unifolium.</i>
<i>Serissa foetida</i>	<i>Lycium japonicum.</i>
<i>Silene stellata</i>	<i>Cucubalus stellatus.</i>
<i>Sisyrinchium anceps</i>	<i>Sisyrinchium gramineum.</i>
<i>Sisyrinchium Bermudiana</i>	<i>Sisyrinchium iridioides.</i>
<i>Sisyrinchium californicum</i>	<i>Marica californica.</i>
<i>Sisyrinchium latifolium</i>	<i>Marica plicata.</i>
<i>Sonchus tingitanus</i>	<i>Scorzonera tingitana.</i>
* <i>Sparaxis bicolor</i>	<i>Ixia bicolor.</i>
* <i>Sparaxis bulbifera</i>	<i>Ixia bulbifera.</i>
* <i>Sparaxis grandiflora, α.</i>	<i>Ixia grandiflora.</i>
* <i>Sparaxis tricolor</i>	<i>Ixia tricolor.</i>
<i>Spartium linifolium</i>	<i>Genista linifolia.</i>
<i>Strelitzia ovata</i>	<i>Strelitzia Reginae.</i>
<i>Sutherlandia frutescens</i>	<i>Colutea frutescens.</i>
* <i>Swainsona galegifolia</i>	<i>Colutea galegifolia.</i>
<i>Talinum arachnoides</i>	<i>Anacampseros arachnoides.</i>
<i>Talinum filamentosum</i>	<i>Anacampseros filamentosa.</i>
<i>Teucrium fruticans</i>	<i>Teucrium latifolium.</i>
<i>Thea Bohea, α. laxa</i>	<i>Thea chinensis, β.</i>
<i>Thermopsis lanceolata</i>	<i>Podalyria lupinoides.</i>
<i>Tolpis barbata</i>	<i>Crepis barbata.</i>
* <i>Trichonema Bulbocodium</i>	<i>Ixia Bulbocodium.</i>
<i>Trillium grandiflorum</i>	<i>Trillium erythrocarpum.</i>
<i>Trillium pendulum</i>	<i>Trillium erectum, β.</i>
<i>Tristania nereifolia</i>	<i>Melaleuca nereifolia.</i>
* <i>Tritonia crocata</i>	<i>Ixia crocata.</i>
* <i>Tritonia lineata</i>	<i>Gladiolus lineatus.</i>
* <i>Tritonia longiflora</i>	<i>Ixia longiflora.</i>
* <i>Tritonia rosea</i>	<i>Tritonia capensis.</i>

* <i>Tritonia securigera</i>	<i>Gladiolus securiger.</i>
<i>Veratrum virginicum</i>	<i>Helonias virginica.</i>
<i>Veratrum viride</i>	<i>Helonias viridis.</i>
<i>Veltheimia viridifolia</i>	<i>Veltheimia (Alettris) capensis.</i>
<i>Vitex incisa</i>	<i>Vitex Negundo.</i>
* <i>Watsonia aletroides, α.</i>	<i>Antholyza Merianella.</i>
<i>Wurmbea campanulata</i>	<i>Melanthium monopetalum.</i>
<i>Wurmbea purpurea</i>	<i>Melanthium spicatum.</i>
<i>Zygophyllum foetidum</i>	<i>Zygophyllum insuave.</i>



An ENUMERATION of the PLANTS figured in the first Forty-
Two Volumes of the BOTANICAL MAGAZINE*.

Volume	Fasci- culust	Num- ber	
I. Feb. 1787.	1	1	I RIS persica Persian Iris, or Flag.
		2	Rudbeckia purpurea Purple Rudbeckia.
		3	Helleborus hyemalis Winter Hellebore, or Aconite.
March	2	4	Cyclamen Coum Round-leaved Cyclamen.
		5	Erythronium Dens Canis Dogs-tooth, or Dogs-tooth Violet.
April	3	6	Narcissus minor Least Daffodil.
		7	Cynoglossum Omphalodes Blue Navel-wort.
		8	Helleborus niger Black Hellebore, or Christ- mas Rose.
May	4	9	Iris pumila Dwarf Flag.
		10	Anemone Hepatica Hepatica, or Noble Liver- wort. [Hepatica triloba. <i>Decand. fl. franc.</i>]
June	5	11	Erica herbacea Herbaceous Heath.
		12	Dodecatheon Meadia Mead's Dodecatheon, or American Cowslip.
		13	Coronilla glauca Sea-green, or Day-smelling, Coronilla.
		14	Primula villosa Mountain Primrose.
		15	Narcissus Jonquilla Common Jonquil.
July	6	16	Iris variegata Variegated Flag.
		17	Cactus flagelliformis Creeping Cereus.
		18	Erodium <i>Chamaedryoides</i> Dwarf Crane's-bill. [<i>Geranium Reichardi</i> .]
Aug.	7	19	Hemerocallis flava Yellow Day Lily.
		20	Pelargonium peltatum Ivy-leaved Crane's-bill. [<i>Geranium peltatum</i> .]
Sept.	8	21	Iris versicolor Particoloured Flag.
		22	Nigella damascena Garden Fennel-flower, or Love in a Mist.

Omit the synonym of Parkinson, which belongs to
Nigella hispanica, and insert *Mill. Icon. 187. f. 2.*

* A Numeral Index, denoting the order and Time of publication, is far from being useless, even to such as choose to bind up their volumes in the same order; but must be indispensable to those who prefer any other arrangement; because, when the regular order is once disturbed, all reference to numbers becomes unavailable.

† To avoid confusion, we use the word *Fasciculus*, to denote the quantity published at one time; and when *Number* is referred to, it always means the number of the plate or the text accompanying it.

ENUMERATION.

Vol.	Fasc.	No.	
I. Sept.	8	23	<i>Tropæolum majus</i> Greater Indian Cress, or Nasturtium.
		24	<i>Agrostemma Coronaria</i> Common red Rose Cam- pion or Cockle.
Oct.	9	25	<i>Dianthus chinensis</i> Chinese or Indian Pink.
		26	<i>Stapelia variegata</i> Variegated Stapelia.
		27	<i>Convolvulus tricolor</i> Trailing Bindweed, or Con- volvulus minor.
Nov.	10	28	<i>Passiflora cærulea</i> Common Passion-flower.
		29	<i>Reseda odorata</i> Sweet-scented Reseda, or Mignonette.
Dec.	11	30	<i>Lilium chalcedonicum</i> Scarlet Martagon Lily.
		31	<i>Jasminum officinale</i> Common white Jasmine.
		32	<i>Mesembryanthemum do- labritorme</i> } Hatchet-leaved Fig-Mari- gold.
		33*	<i>Aster tenellus</i> } Bristly-leaved, or dwarf Star-wort.
Jan. 1788.	12	34*	<i>Browallia elata</i> Tall Browallia.
		35	<i>Crepis barbata</i> Bearded Crepis, or Purple- [<i>Tolpis barbata</i> , НК.] eyed Succory-Hawkweed.
II. Feb.	13	36	<i>Lilium bulbiferum</i> Orange Lily.
		37	<i>Chironia frutescens</i> Shrubby Chironia.
		38	<i>Viburnum Tinus</i> Common Laurustinus.
March	14	39	<i>Dianthus caryophyllus</i> , } Franklin's Tartar Carna- <i>v. flore pleno</i> } tion.
		40	<i>Trillium sessile</i> Sessile-flowered Trillium.
		41	<i>Calceolaria pinnata</i> Pinnated Slipper-wort.
		42	<i>Camellia japonica</i> Rose Camellia.
April	15	43	<i>Cistus incanus</i> Hoary, or Rose Cistus.
		44	<i>Cyclamen persicum</i> Persian Cyclamen.
May	16	45	<i>Crocus mæsiacus</i> Common yellow Crocus. [<i>Crocus vernus</i> .] Consult No. 938 and No. 1111.
		46	<i>Leucojum vernalis</i> Spring Snow-flake.
		47	<i>Amaryllis formosissima</i> Jacobea Lily. Consult No. 1450, note.
		48	<i>Narcissus triandrus</i> Reflexed, or Rush-leaved Daffodil.
June	17	49	<i>Soldanella alpina</i> Alpine Soldanella.
		50	<i>Iris sibirica</i> Siberian Flag.
		51	<i>Narcissus bicolor</i> Great Daffodil. [<i>N. major</i> .]
July	18	52	<i>Gentiana acaulis</i> Large-flowered Gentian, or Gentianella.
		53	<i>Cineraria lanata</i> Woolly Cineraria.
		54	<i>Anemone sylvestris</i> Large white-flowered Wood Anemone.
Aug.	19	55	<i>Geranium striatum</i> Streaked Crane's-bill, or Lady's Needle-work.
		56	<i>Petargonium glaucum</i> Spear-leaved Crane's-bill. [<i>Geranium lanceolatum</i> .]
Sept.	20	57	<i>Papaver orientale</i> Eastern Poppy.
		58	<i>Iris spuria</i> , & <i>minor</i> Small Spurious Flag. [<i>Iris spuria</i> .]

* 33 and 31, in some copies, are wrong; in the letter-
press 31 should be 33, and vice versa.

Vol.	Fasc.	No.	
II. Sept.	20	59	Mesembryanthemum bi- colorum } Two-coloured Fig-Mari- gold.
		60	Lathyrus odoratus } Purple Sweet-pea, or Vetchling.
Oct.	21	61	Iris spuria, <i>y. ochroleuca</i> . . . Tall Flag. [Iris ochroleuca.] <i>Vide No. 1131 et 1514.</i>
		62	Centaurea glastifolia Woad-leaved Centaury.
		63	Fragaria monophylla One-leaved Strawberry, or Strawberry of Versailles.
Nov.	22	64	Hemerocallis fulva Tawny Day-Lily.
		65	Clematis integrifolia Entire-leaved Virgin's- Bower.
		66	Passiflora alata Winged-stalked Passion- flower.
Dec.	23	67	Mesembryanthemum pin- natifidum } Pinnated Fig-Marigold.
		68	Sempervivum arachnoideum Cobweb House-leek.
		69	Rosa muscosa Moss Rose.
Jan. 1789.	24	70	Mesembryanthemum bar- batum } Bearded Fig-Marigold.
		71	Statice pinnata Scollop-leaved Thrift.
III. Feb.	25	72	Helleborus lividus Great three-leaved black Hellebore.
		73	Monsonia speciosa Large-flowered Monsonia.
		74	Antirrhinum triste Melancholy, or black- flowered Toad-Flax.
March	26	75	Potentilla grandiflora Great-flowered Cinque-foil.
		76	Epilobium angustissimum. Narrowest-leaved Willow- herb.
		77	Centaurea montana Mountain Centaury, or greater Blue-bottle.
		78	Narcissus odorus Sweet-scented, or great Jonquil.
April	27	79	Lotus jacobæus Dark-flowered Bird's-foot- Trefoil.
		80	Spigelia marilandica Maryland Spigelia, or Worm-Grass.
May	28	81	Colutea arborescens Common Bladder senna.
		82	Lachenalia tricolor Three-coloured Lachenalia
		83	Hibiscus syriacus Syrian Hibiscus, or Althæa Frutex.
June	29	84	Tussilago alpina Alpine Coltsfoot.
		85	Spartium Junceum Spanish Broom.
		86	Gladiolus Communis Common Corn-flag. Consult No. 719.
July	30	87	Hyoseyamus aureus Golden-flowered Hen-bane
		88	Narcissus Bulbocodium . . Hoop-Petticoat Daffodil.
		89	Viola pedata Cut-leaved Violet.
		90	The whole order of Syngenesia Monogamia is now generally abolished and the genera removed to other classes, by which alteration Viola is added to Pen- tandria Monogynia, unluckily the largest order in the system; but it, by these means, associates with plants with which it has a nearer natural affinity. Gorteria rigens Rigid-leaved Gorteria.

Vol.	Fasc.	No.	
III.	31	91	<i>Iris susiana</i>Chalcedonian Flag.
Aug.		92	<i>Saxifraga sarmentosa</i>China Saxifrage.
		93	<i>Sempervivum monanthes</i> ..Clustered House-leek.
Sept.	32	94	<i>Sisyrinchium Bermudiana</i> , Broad-leaved <i>Sisyrinchium</i> . [<i>Sisyrinchium iridioides</i> .] Consult No. 464, and Annals of Botany, v. 1. p. 216.
		95	<i>Pelargonium Radula</i>Rasp-leaved Crane's-bill. [<i>Geranium Radula</i> .]
		96	<i>Lantana aculeata</i>Prickly Lantana.
Oct.	33	97	<i>Fuchsia coccinea</i>Scarlet Fuchsia.
		98	<i>Tropæolum minus</i>Small Indian Cress, or Nasturtium.
		99	<i>Antirrhinum purpureum</i> ..Purple Toad-flax.
Nov.	34	100	<i>Lathyrus tingitanus</i>Tangier Pea.
		101	<i>Alyssum maritimum</i>Sweet Alyssum. [<i>Alyssum halimifolium</i> .]
		102	<i>Campanula Speculum</i>Venus's Looking-glass.
Dec.	35	103	<i>Pelargonium acetosum</i> ...Sorrel Crane's-bill.
		104	<i>Lysimachia stricta</i>Upright, or Bulb-bearing [<i>L. bulbifera</i> .] Loose-strife.
		105	<i>Tradescantia virginica</i>Virginian Spider-wort.
Jan.	36	106	<i>Iberis umbellata</i>Purple Candy-tuft.
1790.		107	<i>Cassia Chamæcrista</i>Dwarf Cassia.
IV.		108	<i>Anthyllis tetraphylla</i>Four-leaved Kidney-Vetch.
Feb.	37	109	<i>Lavatera trimestris</i>Annual Lavatera.
		110	<i>Acacia verticillata</i>Whorl-leaved Mimosa. [<i>Mimosa verticillata</i> .]
		111	<i>Lathyrus tuberosus</i>Tuberous Lathyrus.
March	38	112	<i>Cistus ladaniferus</i>Gum Cistus.
		113	<i>Convolvulus purpureus</i> ...Purple Bindweed, or Con- volvulus major.
		114	<i>Silene pendula</i>Pendulous Catch-fly.
April	39	115	<i>Lathyrus sativus</i>Blue-flowered Lathyrus, or Chickling-Vetch.
		116	<i>Calopogon tuberosum</i> , HK. Tuberous-rooted Calopo- [<i>Limodorum Tuberosum</i> .] gon.
		117	<i>Campanula carpatica</i>Carpatian, or heart-leaved Bell-flower.
May	40	118	<i>Sedum Anacampseros</i>Evergreen Orpine.
		119	} <i>Strelitzia Reginae</i>Canna-leaved Strelitzia.
		120	
June	41	121	<i>Narcissus incomparabilis</i> .Peerless Daffodil.
		122	<i>Muscari racemosum</i>Starch-scented Grape Hya- [<i>Hyacinthus racemosus</i> .] cinth.
		123	<i>Anemone hortensis</i>Star Anemone.
July	42	124	<i>Iberis gibraltarica</i>Gibraltar Candy-tuft.
		125	<i>Alstroëmeria Ligtu</i>Striped-flowered <i>Alstrœ-</i> meria.
		126	<i>Alyssum deltoideum</i>Purple Alyssum.
Aug.	43	127	<i>Scilla campanulata</i>Spanish Squil. In some copies the letter-press is numbered by mistake 128.
		128	<i>Ixia hybrida</i>Hybrid Ixia, [<i>I. flexuosa</i> .]

Vol.	Fasc.	No.	
			The real <i>Ixia flexuosa</i> is figured No. 624, which see. The letter-press in some copies is, by mistake, numbered 127.
IV.			
Aug.	43	129	<i>Amaryllis vittata</i>Superb <i>Amaryllis</i> .
Sept.	44	130	<i>Alyssum utriculatum</i>Bladder-podded <i>Alyssum</i> , or Mad-wort.
		131	<i>Catesbæa spinosa</i>Thorny <i>Catesbæa</i> , or Lily- Thorn.
		132	<i>Rubus arcticus</i>Dwarf Bramble.
Oct.	45	133	<i>Muscari comosum</i>Tassel-flowered Grape- [<i>Hyacinthus comosus</i> .] Vide No. 734. Hyacinth.
		134	<i>Adonis vernalis</i>Perennial, or Spring- <i>Adonis</i>
		135	<i>Gladiolus cardinalis</i>Superb Corn-flag.
Nov.	46	136	<i>Pelargonium tetragonum</i> ..Square-Stalked Crane's-bill
		137	<i>Hypericum balearicum</i> ...Warty St. John's-wort.
		138	<i>Kalmia hirsuta</i>Hairy <i>Kalmia</i> .
Dec.	47	139	<i>Alstrœmeria Pelegrina</i>Spotted-flowered <i>Pelegrina</i>
		140	<i>Lupinus luteus</i>Common yellow <i>Lupin</i> .
		141	<i>Heliotropium peruvianum</i> . Peruvian Turnsole.
Jan.	48	142	<i>Scorzonera tingitana</i>Poppy-leaved Viper's-grass
1791.		143	<i>Pelargonium glutinosum</i> ..Clammy Crane's-bill.
		144	<i>Ferraria undulata</i>Curled-flowered <i>Ferraria</i> . Consult No. 751.
V.			
Feb.	49	145	<i>Monarda fistulosa</i> , v. <i>coccinea</i> , Crimson <i>Monarda</i> .
		146	<i>Hypericum calycinum</i>Great-flowered St. John's- wort, or Tutsan.
		147	<i>Dais cotinifolia</i>Cotinus-leaved <i>Dais</i> .
March	50	148	<i>Pelargonium betulinum</i> ...Birch-leaved Crane's-bill.
		149	<i>Zinnia multiflora</i>Many-flowered <i>Zinnia</i> .
		150	<i>Tagetes patula</i>French Marigold.
April	51	151	<i>Lotus tetragonolobus</i>Winged <i>Lotus</i> .
		152	<i>Epidendrum fragrans</i>Sweet-scented <i>Epidendrum</i> [<i>Epid. cochleatum</i> .] Vide 1669. The true <i>E. cochleatum</i> is figured at No. 572, which consult.
		153	<i>Bulbocodium vernum</i>Vernal <i>Bulbocodium</i> .
May	52	154	<i>Saponaria ocymoides</i>Basil Soap-wort.
		155	<i>Oxalis versicolor</i>Striped-flowered Wood- sorrel.
		156	<i>Coreopsis verticillata</i>Whorled <i>Coreopsis</i> .
June	53	157	<i>Muscari botryoides</i>Sky-coloured Grape Hya- [<i>Hyacinthus botryoides</i> .] Vide No. 734. cinth.
		158	<i>Hibiscus Rosa sinensis</i> ...China-Rose <i>Hibiscus</i> .
		159	<i>Alyssum saxatile</i>Yellow <i>Alyssum</i> .
July	54	160	<i>Pulmonaria virginica</i>Virginian Lung-wort.
		161	<i>Amygdalus nana</i>Dwarf Almond.
		162	<i>Sanguinaria canadensis</i> ...Canadian <i>Sanguinaria</i> , or Puceon.
Aug.	55	163	<i>Phlox divaricata</i>Early-flowering <i>Lychnidea</i> .
		164	<i>Ranunculus gramineus</i> ...Grass-leaved Crow-foot.
		165	<i>Pelargonium cordifolium</i> ..Heart-leaved Crane's-bill.
Sept.	56	166	<i>Malcomia maritima</i> , НК....Dwarf Annual Stock. [<i>Cheiranthus maritimus</i> .]
		167	<i>Sophora tetraptera</i>Winged-podded <i>Sophora</i> . [<i>Edwardsia grandiflora</i> , НК.]

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
V.		168	<i>Moræa tricuspis</i> , var. β . . . Azure-eyed <i>Moræa</i> . [<i>Iris Pavonia</i> .] Consult No. 696, and <i>Annals of Botany</i> , v. 1. p. 238.
Oct.	57	169	<i>Ixora coccinea</i> Scarlet <i>Ixora</i> .
		170	<i>Draba aizoides</i> Sengreen Whitlow-grass.
		171	<i>Pardanthus chinensis</i> Chinese <i>Pardanthus</i> . [<i>Ixia chinensis</i> .] Vide <i>Annals of Botany</i> , v. 1. p. 416.
Nov.	58	172	<i>Lanium Orvala</i> Balm-leaved Archangel.
		173	<i>Aitonia capensis</i> Cape <i>Aitonia</i> .
		174	<i>Buddlea globosa</i> Round-headed <i>Buddlea</i> .
Dec.	59	175	<i>Kalmia latifolia</i> Broad-leaved <i>Kalmia</i> .
		176	<i>Cytisus Laburnum</i> Common <i>Laburnum</i> .
		177	<i>Kalmia glauca</i> Glaucous <i>Kalmia</i> .
Jan. 1792.	60	178	<i>Hypericum Coris</i> Heath-leaved St. John's- wort.
		179	<i>Fumaria glauca</i> Glaucous <i>Fumitory</i> .
VI.		180	<i>Azalea nudiflora</i> , v. <i>coccinea</i> , Scarlet <i>Azalea</i> .
Feb.	61	181	<i>Sutherlandia frutescens</i> , НК. Scarlet Bladder-senna. [<i>Colutea frutescens</i> .]
		182	<i>Salvia aurea</i> Golden Sage.
		183	<i>Syringa vulgaris</i> Common Lilac. [<i>Syringa vulgaris</i> , β . <i>violacea</i> , НК.] The quotation from Gerard, referring to the smell, belongs to <i>Philadelphus coronarius</i> , No. 391.
March	62	184	<i>Tritonia crocata</i> Saffron-coloured <i>Tritonia</i> . [<i>Ixia crocata</i> .] Vide No. 581 and 609.
		185	<i>Coronilla valentina</i> Rue-leaved <i>Coronilla</i> .
		186	<i>Selago ovata</i> Oval-headed <i>Selago</i> .
April	63	187	<i>Iris sambucina</i> Elder-scented Flag. Vide No. 685.
		188	<i>Convolvulus Nil.</i> Azure <i>Convolvulus</i> .
		189	<i>Erica grandiflora</i> Great-flowered Heath.
May	64	190	<i>Ornithogalum aureum</i> Golden Star of Bethlehem. Willdenow, who has adopted our name, makes three other varieties, viz. the <i>miniatum</i> , <i>flavescens</i> , and <i>fla-</i> <i>vissimum</i> , of Jacquin.
		191	<i>Primula marginata</i> Silver-edged <i>Primula</i> .
		192	<i>Cypripedium humile</i> , НК. Two-leaved Lady's-slipper. [<i>Cypripedium acaule</i> .]
June	65	193	<i>Narcissus angustifolius</i> Narrow-leaved <i>Narcissus</i> .
		194	<i>Fritillaria imperialis</i> Crown-Imperial.
		195	<i>Cheiranthus mutabilis</i> Changeable Wall-flower, or Broad-leaved shrubby stock.
July	66	196	<i>Saxifraga crassifolia</i> Oval-leaved <i>Saxifrage</i> .
		197	<i>Narcissus biflorus</i> Two-flowered <i>Narcissus</i> .
		198	<i>Indigofera candicans</i> White-leaved <i>Indigo</i> .
Aug.	67	199	<i>Aster alpinus</i> Alpine Star-wort.
		200	<i>Antirrhinum sparteum</i> Branching Toad-flax. [<i>Linaria spartea</i> , НК.]
		201	<i>Pelargonium bicolor</i> Two-coloured Crane's-bill.
Sept.	68	202	<i>Lupinus perennis</i> Perennial lupine.
		203	<i>Geranium angulatum</i> Angular-stalked Crane's- bill.
		204	<i>Ranunculus aconitifolius</i> , } Mountain Crow-foot, or var. <i>flore pleno</i> } Fair Maids of France. L.

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
VI.	69	205	<i>Dianthus barbatus</i> Sweet-William.
Oct.		206	<i>Geranium anemonifolium</i> . Anemone-leaved Crane's-bill.
		207	<i>Antirrhinum alpinum</i> Alpine Toad-flax. [<i>Linaria alpina</i> , HK.]
Nov.	70	208	<i>Melissa grandiflora</i> Great-flowered balm.
		209	<i>Hibiscus Trionum</i> Bladder Hibiscus, or Venice Mallow.
		210	<i>Alonsoa linearis</i> , HK. Linear-leaved Alonsoa. [<i>Celsia linearis</i> .] Add the following synonym: <i>Hemimeris coccinea</i> . Willd.
Dec.	71	211	<i>Sedum populifolium</i> Poplar-leaved Stone-crop.
		212	<i>Tanacetum flabelliforme</i> . . Fan-leaved Tansy.
		213	<i>Polygonum orientale</i> Tall Persicaria.
Jan.	72	214	<i>Dracocephalum denticu-</i> } <i>latum</i> } Toothed Dragon's-head.
1793.		215	<i>Ranunculus acris</i> , <i>v. fl. pl.</i> Double upright Crow-foot.
		216	<i>Cypripedium spectabile</i> , HK. White-petaled Ladies-slipper. [<i>Cypripedium album</i> .]
VII.		217	<i>Buchnera viscosa</i> Clammy Buchnera.
Feb.	73	218	<i>Disandra prostrata</i> Trailing Disandra.
		219	<i>Michauxia campanuloides</i> . Rough-leaved Michauxia.
March	74	220	<i>Erica cerinthoides</i> Honeywort-flowered Heath
		221	<i>Ipomœa coccinea</i> Scarlet Ipomœa.
		222	<i>Struthiola juniperina</i> , HK. . . Smooth Struthiola. [<i>Struthiola erecta</i> .]
April	75	223	<i>Lychnis coronata</i> Chinese Lychnis.
		224	<i>Phylica ericoides</i> Heath-leaved Phylica.
		225	<i>Lobelia surinamensis</i> Shrubby Lobelia.
May	76	226	<i>Arabis alpina</i> Alpine Wall-Cress.
		227	<i>Helianthus multiflorus</i> Perennial Sun-flower.
		228	<i>Bellis perennis</i> , <i>var. fl. pl.</i> Great double Daisy.
June	77	229	<i>Primula acaulis</i> , <i>var. flore</i> } <i>pleno carneo</i> } Double Lilac Primrose.
		230	<i>Plumbago rosea</i> Rose-coloured Lead-wort.
		231	<i>Fumaria solida</i> Solid-rooted Fumitory. <i>Class and Order.</i> DIADELPHIA HEXANDRIA. [Misprinted PENTANDRIA.]
July	78	232	<i>Fumaria cava</i> Hollow-rooted Fumitory. [<i>Fumaria bulbosa</i> , HK.]
		233	<i>Chironia baccifera</i> Berry-bearing Chironia.
		234	<i>Linum arboreum</i> Tree-Flax.
Aug.	79	235	<i>Trollius asiaticus</i> Asiatic Globe-Flower.
		236	<i>Verbascum Myconi</i> Borage-leaved Mullein.
		237	<i>Oxalis cernua</i> Nodding-flowered Wood-sorrel. [<i>Oxalis caprina</i> .]
Sept.	80	238	<i>Senecio elegans</i> , <i>var. fl. pl.</i> Double purple Groundsel.
		239	<i>Amaryllis Atamasco</i> Atamasco Lily.
		240	<i>Pelargonium tricolor</i> Three-coloured Crane's-bill.
Oct.	81	241	<i>Fagonia cretica</i> Cretan Fagonia.
		242	<i>Veronica decussata</i> Cross-leaved Speedwell.
		243	<i>Argemone mexicana</i> Mexican Prickly-Poppy.
Nov.	82	244	<i>Ipomœa Quamoelit</i> Winged-leaved Ipomœa.

Vol.	Fasc.	No.	
VII.		245	<i>Teucrium latifolium</i> Broad-leaved shrubby Germander.
		246	<i>Aquilegia canadensis</i> Canadian Columbine.
Dec.	83	247	<i>Scabiosa atropurpurea</i> Sweet Scabious.
		248	<i>Vinca rosea</i> Madagascar Periwinkle.
		249	<i>Cineraria Amelloides</i> Blue Cineraria, or Cape-Aster.
Jan.	84	250	<i>Myrtus tomentosa</i> Woolly-leaved Myrtle.
1794.		251	<i>Allium descendens</i> Purple-headed Garlic.
		252	<i>Campanula grandiflora</i> Great-flowered Bell-flower.
VIII.	85	253	<i>Lathyrus articulatus</i> Jointed-podded Lathyrus.
Feb.		254	<i>Lopezia racemosa</i> Mexican Lopezia.
		255	<i>Cytisus sessilifolius</i> Common Cytisus.
March	86	256	<i>Tritonia longiflora</i> Long-tubed Tritonia. [<i>Ixia longiflora</i> .] Vide Nos. 581 and 609; also, <i>Annals of Botany</i> , vol. 1. p. 208.
		257	<i>Lychnis chalcedonica</i> Scarlet Lychnis, or Flower of Constantinople.
		258	<i>Coronilla varia</i> Purple Coronilla.
April	87	259	<i>Lilium Catesbæi</i> Catesby's Lily.
		260	<i>Metrosideros lanceolata</i> Harsh-leaved <i>Metrosideros</i> [<i>M. citrina</i> .]
		261	<i>Erodium incarnatum</i> Flesh-coloured Crane's-bill.
May	88	262	<i>Mesembryanthemum aureum</i> , Golden Fig-Marigold.
		263	<i>Kennedia monophylla</i> , UK. Purple Kennedia. [<i>Glycine bimaiculata</i> .]
		264	<i>Cistus formosus</i> Beautiful Cistus.
June	89	265	<i>Trichonema roseum</i> Rose-coloured <i>Trichonema</i> [<i>Ixia Bulbocodium</i> .] Vide No. 575, and <i>Annals of Botany</i> , v. 1. p. 222.
		266	<i>Ranunculus amplexicaulis</i> . Plantain-leaved Crow-foot.
		267	<i>Pyrus spectabilis</i> Chinese Apple-tree.
July	90	268	<i>Kennedia rubicunda</i> , UK. Dingy-flowered Kennedia. [<i>Glycine rubicunda</i> .]
		269	<i>Ornithogalum nutans</i> Neapolitan Star of Bethlehem.
		270	<i>Kennedia prostrata</i> , UK. Scarlet Kennedia. [<i>Glycine coccinea</i> .]
Aug.	91	271	<i>Cyrtanthus angustifolius</i> Narrow-leaved <i>Cyrtanthus</i> .
		272	<i>Gladiolus tristis</i> Square-leaved Corn-flag.
		273	<i>Diesma uniflora</i> One-flowered <i>Diesma</i> .
Sept.	92	274	<i>Borbonia crenata</i> Heart-leaved <i>Borbonia</i> .
		275	<i>Liriodendrum tulipifera</i> . Common Tulp-tree.
		276	<i>Blitum virgatum</i> Berry-headed Strawberry-blite.
Oct.	93	277	<i>Mahernia pinnata</i> Winged Mahernia.
		278	<i>Lilium candidum</i> White Lily.
		279	<i>Plumeria rubra</i> Red Plumeria.
Nov.	94	280	<i>Apocynum Androsæmi-</i> } Tutsan-leaved, or fly- <i>folium</i> } catching Dog's-bane.
		281	<i>Turnera ulmifolia</i> , UK. Narrow-leaved <i>Turnera</i> . [<i>Turnera angustifolia</i> .]
		282	<i>Hedysarum obscurum</i> Creeping-rooted <i>Hedysarum</i> .

ENUMERATION.

Vol.	Fasc.	No.	
VIII.	95	283	<i>Mimulus ringens</i> Narrow-leaved Monkey-flower.
		284	<i>Rosa semperflorens</i> Ever-blowing Rose.
		285	<i>Jasminum odoratissimum</i> . Yellow Indian Jasmine.
Jan.	96	286	<i>Portlandia grandiflora</i> Great-flowered Portlandia.
1795.		287	<i>Scævola microcarpa</i> , НК. . . Small-fruited Scævola. [<i>Goodenia lævigata</i> .]
		288	<i>Passiflora ciliata</i> Ciliated Passion-flower.
IX.	97	289	<i>Convolvulus linearis</i> Narrow-leaved Bindweed.
Feb.		290	<i>Amaryllis lutea</i> Yellow Amaryllis.
		291	<i>Capparis spinosa</i> The Caper-Shrub.
March	98	292	<i>Passerina grandiflora</i> Great-flowered Passerina.
		293	<i>Catananche cærulea</i> Blue Catananche.
		294	<i>Amaryllis sarniensis</i> Guernsey Lily.
April	99	295	<i>Agrostemma Cœli Rosa</i> . . . Smooth-leaved Cockle, or Rose-Campion.
		296	<i>Sempervivum tortuosum</i> . . . Gouty House-leek.
		297	<i>Dianthus superbus</i> Superb Pink.
May	100	298	<i>Origanum Dictamnus</i> Dittany of Crete.
		299	<i>Hermannia alnifolia</i> Alder-leaved Hermannia.
		300	<i>Gnaphalium eximium</i> Giant Cudweed.
June	101	301	<i>Melianthus minor</i> Small Honey-flower.
		302	<i>Mimosa myrtifolia</i> Myrtle-leaved Mimosa.
		303	<i>Erica ampullacea</i> Flask-flowered Heath.
July	102	304	<i>Hermannia lavandulifolia</i> . . Lavender-leaved Herman- nia.
		305	<i>Amaryllis equestris</i> Barbadoes Lily.
		306	<i>Othonna pectinata</i> Wormwood-leaved Othonna
Aug.	103	307	<i>Hermannia Althæifolia</i> . . . Marsh-mallow-leaved Her- mannia.
		308	<i>Verbena Aubletia</i> Rose Vervain. For DIANDRIA MONOGYNIA read DIDYNAMIA ANGIOSPERMIA.
		309	<i>Pelargonium echinatum</i> . . . Prickly-stalked Geranium.
Sept.	104	310	<i>Erinus alpinus</i> Alpine Erinus.
		311	<i>Robinia hispida</i> Rose Acacia.
		312	<i>Linum flavum</i> Yellow Flax.
Oct.	105	313	<i>Daphne Cneorum</i> Trailing Daphne.
		314	<i>Genista triquetra</i> Triangular-stalked Broom.
		315	<i>Pelargonium Ceratophyl- } Horn-leaved Crane's- lum } bill.</i>
Nov.	106	316	<i>Polygala Chamæbuxus</i> . . . Box-leaved Milk-wort.
		317	<i>Ononis fruticosa</i> Shrubby Rest-Harrow.
		318	<i>Anthericum Liliastrum</i> . . . Savoy Anthericum, or St. Bruno's Lily.
Dec.	107	319	<i>Anagallis Monelli</i> Italian Pimpernel.
		320	<i>Lobelia Cardinalis</i> Scarlet Lobelia, or Cardi- nal's-flower.
		321	<i>Cetyledon orbiculata</i> Round-leaved Navel-wort.
Jan.	108	322	<i>Manulea tomentosa</i> Woolly Manulea.
1796.		323	<i>Rubus odoratus</i> Flowering Raspberry.
		324	<i>Antirrhinum triphyllum</i> . . Three-leaved Toad-flax.
X.	109	325	<i>Justicia nasuta</i> Dichotomous Justicia.
Feb.		326	<i>Mesembryanthemum vi- } Green-flowered Fig-Mari- ridiflorum } gold.</i>

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
X. March	110	327	<i>Chrysanthemum indicum</i> .. Indian Chrysanthemum.
		328	<i>Trifolium incarnatum</i> Crimson Trefoil.
		329	<i>Ononis Natrx</i> Yellow-flowered Rest-Harrow.
April	111	330	<i>Sida cristata</i> Crested Sida.
		331	<i>Kalmia angustifolia</i> Narrow-leaved Kalmia.
		332	<i>Oenothera fruticosa</i> Shrubby Oenothera.
May	112	333	<i>Cerinthe major</i> Great Honey-wort.
		334	<i>Hypericum monogynum</i> .. Chinese St. John's-wort.
		335	<i>Ononis rotundifolia</i> Round-leaved Rest-Harrow
June	113	336	<i>Lotus hirsutus</i> Hairy Bird's-foot-trefoil.
		337	<i>Prunella grandiflora</i> Great-flowered Self-heal.
		338	<i>Allamanda cathartica</i> Willow-leaved Allamanda.
July	114	339	<i>Arum trilobatum</i> Three-lobed Arum.
		340	<i>Polygala Heisteria</i> Heath-leaved Milk-wort.
		341	<i>Scilla amœna</i> Byzantine Squil.
Aug.	115	342	<i>Erica persoluta</i> Blush-flowered Heath,
		343	<i>Gladiolus Cunonia</i> Cunonia Corn-flag. [<i>Antholyza Cunonia</i> .] Vide <i>Annals of Botany</i> , v. 1. p. 230.
		344	<i>Aspalathus pedunculata</i> .. Small-leaved Aspalathus.
Sept.	116	345	<i>Polygala bracteolata</i> Spear-leaved Milk-wort.
		346	<i>Protea mellifera</i> Honey-bearing Protea.
		347	<i>Oenothera rosea</i> Rose-coloured Oenothera.
Oct.	117	348	<i>Calceolaria Fothergillii</i> ... Fothergill's Slipper-wort.
		349	<i>Solanum laciniatum</i> Cut-leaved Nightshade.
		350	<i>Erica ventricosa</i> Porcelain Heath.
Nov.	118	351	<i>Saxifraga mutata</i> Saffron-coloured Saxifrage.
		352	<i>Oenothera purpurea</i> Purple Oenothera.
		353	<i>Mahernia incisa</i> Cut-leaved Mahernia.
Dec.	119	354	<i>Mimulus glutinosus</i> ,HK. .. Orange Monkey-flower. [<i>Mimulus aurantiacus</i> .]
		355	<i>Oenothera pumila</i> Dwarf Oenothera.
		356	<i>Erica Massoni</i> Masson's Heath.
Jan. 1797.	120	357	<i>Briza maxima</i> Great Quaking-grass.
		358	<i>Erica baccans</i> Arbutus-flowered Heath.
		359	<i>Convolvulus althæoides</i> ... Silky-leaved Convolvulus.
Feb. XI.	121	360	<i>Hibiscus speciosus</i> Superb Hibiscus.
		361	<i>Serissa fœtida</i> ,HK..... Japanese Serissa. [<i>Lycium japonicum</i> .]
		362	<i>Erica retorta</i> Recurved Heath.
March	122	363	<i>Rosa lutea</i> Austrian Rose.
		364	<i>Vitex Negundo</i> Five-leaved Chaste-tree.
		365	<i>Oenothera longiflora</i> Long-flowered Oenothera.
April	123	366	<i>Erica pyramidalis</i> Pyramidal Heath.
		367	<i>Verbena triphylla</i> Three-leaved Vervain.
		368	<i>Antirrhinum viscosum</i> ... Clammy Toad-flax.
May	124	369	<i>Amaryllis undulata</i> Waved-flowered Amaryllis.
		370	<i>Houstonia cœrulea</i> Blue-flowered Houstonia.
		371	<i>Mirabilis Jalapa</i> Common Marvel of Peru.
June	125	372	<i>Zygophyllum fœtidum</i> ,HK. Unpleasant Bean-Caper. [<i>Zygophyllum insuave</i> .]
		373	<i>Iris fimbriata</i> ,HK..... Chinese Flag. [<i>Iris chinensis</i> .]
		374	<i>Cyrilla pulchella</i> Scarlet-flowered Cyrilla.

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XI.		375	<i>Astragalus Monspessulanus</i> , Montpellier Milk-vetch.
July	126	376	<i>Salvia formosa</i> Shining-leaved Sage. [<i>Salvia Leonuroides</i> . <i>Vahl Enum.</i> 236.]
		377	<i>Erodium romanum</i> Roman Crane's-bill.
		378	<i>Roella ciliata</i> Prickly Roella.
Aug.	127	379	<i>Narcissus tenuior</i> Slender Narcissus.
		380	<i>Dolichos lignosus</i> Purple Dolichos.
		381	<i>Sparaxis tricolor</i> Three-coloured Sparaxis. [<i>Ixia tricolor</i> .] Vide No. 779.
Sept.	128	382	<i>Silene ornata</i> Dark-coloured Catch-fly.
		383	<i>Tritonia securigera</i> Hatchet-flowered Tritonia. [<i>Gladiolus securiger</i> .] Vide Nos. 581 and 609.
		384	<i>Crassula cotyledon</i> Tree Crassula.
Oct.	129	385	<i>Monsonia lobata</i> Broad-leaved Monsonia.
		386	<i>Ranunculus parnassifolius</i> . Parnassia-leaved Crow-foot.
		387	<i>Epidendrum aloides</i> Aloe-leaved Epidendrum.
Nov.	130	388	<i>Gaura mutabilis</i> Changeable Gaura. [<i>Oenothera anomala</i> , НК.]
		389	<i>Gaura biennis</i> Biennial Gaura.
		390	<i>Magnolia obovata</i> , НК. Purple Magnolia. [<i>Magnolia purpurea</i> .]
Dec.	131	391	<i>Philadelphus coronarius</i> .. Common Syringa, or Mock-Orange.
		392	<i>Primula longifolia</i> Long-leaved Primrose.
		393	<i>Brunfelsia americana</i> American Brunfelsia.
Jan.	132	394	<i>Lychnis alpina</i> Alpine Lychnis.
1798.		395	<i>Salvia indica</i> Indian Sage.
		396	<i>Mesembryanthemum</i> } ... Shewy Fig-Marigold. spectabile, }
XII.		397	<i>Campanula persicifolia</i> , } Greatest-flowered Peach- <i>v. maxima</i> } leaved Bell-flower.
Feb.	133	398	<i>Agrostemma Flos Jovis</i> ... Umbelled Rose-Campion.
		399	<i>Primula cortusoides</i> Cortusa-leaved Primula.
March	134	400	<i>Lavandula dentata</i> Tooth-leaved Lavender.
		401	<i>Lavandula pinnata</i> Pinnated Lavender.
		402	<i>Erica vestita</i> , <i>var. coccinea</i> . Red-flowered tremulous Heath.
April	135	403	<i>Linum africanum</i> African Flax.
		404	<i>Campanula mollis</i> Soft Bell-flower.
		405	<i>Lagerstroemia indica</i> Indian Lagerstrœmia.
May	136	406	<i>Cineraria cruenta</i> Purple-leaved Cineraria.
		407	<i>Rosa provincialis</i> , <i>var.</i> Pompone Rose.
		408	<i>Calendula Tragus</i> Bending-stalked Marigold.
June	137	409	<i>Amaryllis aurea</i> Golden Amaryllis.
		410	<i>Babiana rubro-cyanea</i> Red-blue Babiana. [<i>Ixia rubro-cyanea</i> .]
		411	<i>Phlox subulata</i> Awl-leaved Lychnidea.
July	138	412	<i>Iris cristata</i> Crested Iris.
		413	<i>Pelargonium ternatum</i> ... Ternate Crane's-bill.
		414	<i>Elichrysum fulgidum</i> , НК. . Great Yellow-flowered Xeranthemum. [<i>Xeranthemum fulgidum</i> .]
Aug.	139	415	<i>Phlox setacea</i> Fine-leaved Lychnidea.
		416	<i>Marica martinicensis</i> Martinico Marica. [<i>Iris martinicensis</i> .]

Vol.	Fasc.	No.	
XII.		417	<i>Alansoa incisifolia</i> , НК. Nettle-leaved <i>Alansoa</i> . [<i>Celsia urticæfolia</i> .]
Sept.	140	418	<i>Watsonia Meriana</i> Merian's <i>Watsonia</i> . [<i>Antholyza Meriana</i> .] Consult No. 537 and 553; also, Annals of Botany, vol. 1. p. 229.
		419	<i>Alyssum montanum</i> Mountain <i>Alyssum</i> , or Madwort.
		420	<i>Elichrysum canescens</i> , НК. Elegant <i>Xeranthemum</i> . [<i>Xeranthemum canescens</i> .]
Oct.	141	421	<i>Centaurea aurea</i> Golden Knap-weed.
		422	<i>Grewia occidentalis</i> Elm-leaved <i>Grewia</i> .
		423	<i>Erica articularis</i> Articular Heath.
Nov.	142	424	<i>Saxifraga rotundifolia</i> Round-leaved <i>Saxifrage</i> .
		425	<i>Elichrysum sesamoides</i> , НК. Superb <i>Xeranthemum</i> . [<i>Xeranthemum sesamoides</i> .]
		426	<i>Cytisus foliosus</i> Leafy <i>Cytisus</i> .
Dec.	143	427	<i>Hippocrepis balearica</i> Shrubby Horse-shoe-vetch
		428	<i>Daphne collina</i> Mountain <i>Daphne</i> .
		429	<i>Erica Aitonia</i> Aiton's Heath.
Jan. 1799.	144	430	<i>Justicia furcata</i> , НК. Peruvian <i>Justicia</i> . [<i>Justicia Peruviana</i> .]
		431	<i>Linum quadrifolium</i> Four-leaved <i>Flax</i> .
XIII. Feb.	145	432	<i>Justicia coccinea</i> Scarlet-flowered <i>Justicia</i> .
		433	<i>Azalea pontica</i> Yellow <i>Azalea</i> .
		434	<i>Oxybaphus viscosus</i> Viscid Umbrella-wort.
		435	<i>Gnaphalium ericoides</i> Heath-leaved <i>Gnaphalium</i> .
March	146	436	<i>Hibiscus præmorsus</i> Round-leaved shrubby Hibiscus.
		437	<i>Hydrangea arborescens</i> Shrubby <i>Hydrangea</i> .
		438	<i>Hydrangea hortensis</i> Garden <i>Hydrangea</i> .
April	147	439	<i>Illicium floridanum</i> Red-flowered Aniseed-tree.
		440	<i>Erica albens</i> Pallid Heath.
		441	<i>Watsonia aletroides</i> , α. Dwarf <i>Watsonia</i> . [<i>Antholyza Merianella</i> .] See No. 533, and <i>Annals of</i> <i>Botany</i> , vol. 1. p. 230.
May	148	442	<i>Genista linifolia</i> Flax-leaved Broom.
		443	<i>Erica Physodes</i> Sticky-flowered Heath.
		444	<i>Canarina Campanula</i> Canary Bell-flower.
June	149	445	<i>Coronilla Emerus</i> Scorpion Senna.
		446	<i>Psoralea bracteata</i> Oval-spiked <i>Psoralea</i> .
		447	<i>Erica empetrifolia</i> Crow-berry-leaved Heath.
July	150	448	<i>Mesembryanthemum micans</i> , Glittering Fig-Marigold.
		449	<i>Hibbertia volubilis</i> , НК. Shewy <i>Dillenia</i> . [<i>Dillenia speciosa</i> , errore.]
		450	<i>Gladiolus Watsonius</i> Watson's Corn-flag. Vide No. 569.
Aug.	151	451	<i>Blakea trinervia</i> Three-ribbed <i>Blakea</i> .
		452	<i>Cardamine trifolia</i> Three-leaved Cuckow- flower.
		453	<i>Amaryllis Reginæ</i> Mexican Lily.
Sept.	152	454	<i>Canna coccinea</i> , Н.К. Common Indian Reed. [<i>Canna indica</i> .]
		455	<i>Alœe retusa</i> Cushion <i>Aloe</i> .
		456	<i>Diosma serratifolia</i> Saw-leaved <i>Diosma</i> .
Oct.	153	457	<i>Alœe plicatilis</i> Fan <i>Aloe</i> .

Vol.	Fasc.	No.	
XIII.	153	458	<i>Aristea cyanea</i> Grass-leaved <i>Aristea</i> .
		459	<i>Convolvulus Cneorum</i> Silvery-leaved Bindweed.
Nov.	154	460	<i>Maurandya semperflorens</i> . Climbing <i>Maurandya</i> .
		461	<i>Jasminum fruticans</i> Yellow Jasmine.
Dec.	155	462	<i>Anthemis Pyrethrum</i> Pellitory of Spain.
		463	<i>Epidendrum ciliare</i> Fringed <i>Epidendrum</i> .
		464	<i>Sisyrinchium anceps</i> , НК. Grass-leaved <i>Sisyrinchium</i> [<i>Sisyrinchium gramineum</i> .]
		465	<i>Indigofera angustifolia</i> Narrow-leaved Indigo.
Jan. 1800.	156	466	<i>Calycanthus præcox</i> Japan Allspice.
		467	<i>Dracocephalum virginianum</i> , Virginian Dragon's-head.
XIV. Feb.	157	468	<i>Oenothera tetraptera</i> White-flowered <i>Oenothera</i> .
		469	<i>Platylobium formosum</i> Large-flowered Flat-pea.
March	158	470	<i>Trillium erectum</i> Upright <i>Trillium</i> .
		471	<i>Erica mediterranea</i> Mediterranean Heath.
		472	<i>Alöe succotrina</i> , α Succotrine Aloe. [<i>Alöe perfoliata</i> , <i>v. succotrina</i> .]
		473	<i>Eugenia uniflora</i> , НК. Pedunculated <i>Plinia</i> , or [<i>Plinia Pedunculata</i> .] One-flowered <i>Eugenia</i> .
April	159	474	<i>Rhodora canadensis</i> Canadian <i>Rhodora</i> .
		475	<i>Pultenea stipularis</i> Scaly <i>Pultenea</i> .
May	160	476	<i>Indigofera psoraloides</i> Long-spiked Indigo.
		477	<i>Pelargonium crassicaule</i> Thick-stalked Crane's-bill.
		478	<i>Phlomis Leonurus</i> Lion's-tail <i>Phlomis</i> .
		479	<i>Geropogon glabrum</i> Smooth <i>Geropogon</i> , or Old-Man's-Beard.
June	161	480	<i>Erica pubescens</i> Downy-flowered Heath.
		481	<i>Erica hirtiflora</i> Rough-flowered Heath.
		482	<i>Crotalaria triflora</i> Three-flowered <i>Crotalaria</i> . <i>Rafnia triflora</i> . <i>Vent. Hort. Malmaison</i> , 48.
July	162	483	<i>Hebenstretia dentata</i> Toothed <i>Hebenstretia</i> .
		484	<i>Erica ciliaris</i> Ciliated Heath.
Aug.	163	485	<i>Bignonia Radicans</i> Ash-leaved Trumpet-flower
		486	<i>Syringa persica</i> Persian Lilac.
		487	<i>Tritonia lineata</i> Penciled <i>Tritonia</i> . [<i>Gladiolus lineatus</i> .] Vide Nos. 581 and 609; also, Annals of Botany, vol. 1. p. 228.
		488	<i>Rhododendron Chamæcistus</i> , Thyme-leaved <i>Rhodo-</i> dendron.
Sept.	164	489	<i>Spiræa trifoliata</i> Three-leaved <i>Spiræa</i> .
		490	<i>Crotalaria juncea</i> Channel-stalked <i>Crotalaria</i>
Oct.	165	491	<i>Gentiana verna</i> Vernal <i>Gentian</i> .
		492	<i>Polygala oppositifolia</i> Opposite-leaved Milk-wort
		493	<i>Pelargonium reniforme</i> Kidney-leaved Crane's-bill.
		494	<i>Centaurea ragusina</i> Cretan Centaury.
Nov.	166	495	<i>Crassula coccinea</i> Scarlet-flowered <i>Crassula</i> .
		496	<i>Heliophila arabioides</i> Club-pointed <i>Heliophila</i> . [<i>Heliophila pilosa</i> , β . <i>incisa</i> , НК.]
Dec.	167	497	<i>Quassia amara</i> Bitter <i>Quassia</i> .
		498	<i>Achillea tomentosa</i> Woolly Milfoil.
		499	<i>Allium Moly</i> Yellow Garlic, or <i>Moly</i> .
		500	<i>Agapanthus umbellatus</i> African Blue-Lily.
Jan. 1801.	168	501	<i>Veltheimia capensis</i> Waved-leaved <i>Veltheimia</i> . [<i>Aletris capensis</i> .]
		502	<i>Heliconia Psittacorum</i> Parrot-beaked <i>Heliconia</i> .

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XIV.		503	<i>Calycanthus floridus</i> Carolina Allspice.
		504	<i>Geranium argenteum</i> Silver-leaved Crane's-bill.
XV. Feb.	169	505	<i>Dianella cærulea</i> Blue Dianella.
		506	<i>Stapelia lentiginosa</i> Freckled Stapelia. In some copies this plate is, by mistake, numbered 505.
March	170	507	<i>Sempervivum globiferum</i> .. Globular Houseleek.
		508	<i>Chrysanthemum tricolor</i> .. Three-coloured Chrysanthemum.
		509	<i>Podalyria australis</i> Blue-flowered Podalyria. [<i>Sophora australis</i> .]
April	171	510	<i>Convallaria bifolia</i> Least Solomon's-Seal.
		511	<i>Chironia linoides</i> Flax-leaved Chironia.
		512	<i>Campanula pumila</i> Dwarf Bell-flower.
May	172	513	<i>Alœe variegata</i> Partridge-breast Aloe.
		514	<i>Lobelia bicolor</i> Spotted-flowered Lobelia.
		515	<i>Lithospermum orientale</i> .. Yellow Gromwell, or Bugloss.
June	173	516	<i>Sparmannia africana</i> African Sparmannia.
		517	<i>Lavatera thuringiaca</i> Great-flowered Lavatera.
		518	<i>Pelargonium tomentosum</i> .. Penny-royal Crane's-bill.
		519	<i>Lilium philadelphicum</i> Philadelphian Lily.
		520	<i>Aristea spiralis</i> White-flowered Aristea. [<i>Moræa spiralis</i> .] Vide No. 605, and Annals of Botany, v. 1. p. 236.
July	174	521	<i>Orobus vernus</i> Early-flowering Bitter-Vetch.
		522	<i>Ixia patens</i> Crimson Ixia.
		523	<i>Watsonia spicata</i> Hollow-leaved Watsonia. [<i>Ixia fistulosa</i> .] Vide No. 553.
		524	<i>Pelargonium pulchellum</i> .. Nonesuch Crane's-bill.
Aug.	175	525	<i>Antirrhinum triornithophorum</i> } Three-bird-bearing Snapdragon. [<i>Linaria triornithophora</i> , НК.]
		526	<i>Cornus florida</i> Great-flowered Cornel.
		527	<i>Zinnia elegans</i> Violet-coloured Zinnia.
Sept.	176	528	<i>Phlox ovata</i> Ovate-leaved Lychnidea.
		529	<i>Melastoma malabathrica</i> .. Cinnamon-leaved Melastoma, or Black Strawberry-tree.
		530	<i>Atragene austriaca</i> Austrian Virgin's-bower.
		531	<i>Iris tuberosa</i> Snake's-head Flag.
		532	<i>Tigridia Pavonia</i> Mexican Tiger-flower. [<i>Ferraria Tigridia</i> .] Vide Annals of Botany, vol. 1. p. 246.
Oct.	177	533	<i>Watsonia aletroides</i> Aletris-like Watsonia.
		534	<i>Aristolochia Siphon</i> Broad-leaved Birthwort.
		535	<i>Viola palmata</i> Palmated Violet.
		536	<i>Stapelia Asterias</i> Star-fish Stapelia.
Nov.	178	537	<i>Watsonia roseo-alba</i> Long-tubed Watsonia.
		538	<i>Gladiolus undulatus</i> , β..... Waved-flowered Corn-Flag
		539	<i>Ixia conica</i> Orange-coloured Ixia.
Dec.	179	540	<i>Mesembryanthemum peruvianum</i> } Great Yellow-flowered Fig-Marigold.
		541	<i>Sparaxis grandiflora</i> Velvet-flowered Sparaxis. [<i>Ixia grandiflora</i> .] Consult No. 779.
		542	<i>Ixia scillaris</i> , r. <i>latifolia</i> , α..... Squil-flowered Ixia.

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XV.		543	<i>Epidendrum cucullatum</i> ... Hooded Epidendrum.
		544	<i>Sphenogyne anthemoides</i> , НК. Chamomile Arctotis. [<i>Arctotis anthemoides</i> .]
Jan. 1802.	180	545	<i>Sparaxis bulbifera</i> Sulphur-coloured Sparaxis [<i>Ixia bulbifera</i> .]
		546	<i>Monarda didyma</i> Scarlet Monarda, or Os- wego Tea.
		547	<i>Pelargonium quinatum</i> Five-fingered Crane's-bill.
		548	<i>Sparaxis bicolor</i> Ringent Sparaxis. [<i>Ixia bicolor</i> .]
XVI. Feb.	181	549	<i>Ixia maculata</i> , <i>v. viridis</i> , γ ... Green-stained Ixia.
		550	<i>Samyda rosea</i> Rose-coloured Samyda.
		551	<i>Campanula azurea</i> Azure Campanula.
March	182	552	<i>Nymphaea cærulea</i> Blue Water-Lily.
		553	<i>Watsonia plantaginea</i> Small-flowered Watsonia.
		554	<i>Massonia ensifolia</i> Trumpet-flowered Mas- sonia.
		555	<i>Zinnia tenuiflora</i> Slender-flowered Zinnia.
		556	<i>Gladiolus versicolor</i> , γ . <i>te-</i> } Small changeable Corn- <i>nuior</i> } Flag.
		557	<i>Trifolium spadiceum</i> Bay-coloured Trefoil.
April	183	558	<i>Melanthium junceum</i> Rush-leaved Melanthium.
		559	<i>Massonia muricata</i> Prickly-leaved Massonia.
		560	<i>Robinia glutinosa</i> Clammy Robinia. [<i>Robinia viscosa</i> , НК.]
		561	<i>Antholyza æthiopica</i> Flag-leaved Antholyza.
May	184	562	<i>Gladiolus gracilis</i> Slender Corn-flag.
		563	<i>Phlox stolonifera</i> Creeping Lychnidea.
		564	<i>Cacalia coccinea</i> Scarlet-flowered Cacalia.
June	185	565	<i>Clematis Viticella</i> Purple Virgin's-Bower.
		566	<i>Hesperantha falcata</i> Sickle-leaved Hesperantha. [<i>Ixia falcata</i> .] Vide Annals of Botany, p. 224.
		567	<i>Gladiolus quadrangularis</i> .. Quadrangular Corn-flag.
		568	<i>Cyanella capensis</i> Purple-flowered Cyanella.
July	186	569	<i>Gladiolus Watsonius</i> , <i>var. β</i> . Dwarf Watson's Corn-flag.
		570	<i>Ixia capillaris</i> , γ . <i>gracillima</i> . Slender Ixia. [<i>Ixia linearis</i> , НК.]
		571	<i>Moræa villosa</i> Hairy Moræa. [<i>Iris villosa</i> .] Vide 593, 613, and 695; also, Annals of Botany, v. 1. p. 238.
Aug.	187	572	<i>Epidendrum cochleatum</i> .. Purple-flowered Epiden- drum.
		573	<i>Hesperantha radiata</i> Nodding-flowered Hesper- antha. [<i>Ixia radiata</i> .] Vide supra 566.
		574	<i>Gladiolus hirsutus</i> , δ . <i>ro-</i> } Rose-coloured hairy Corn- <i>seus</i> . Vide No. 727. } flag.
		575	<i>Trichonema cruciatum</i> Channel-leaved Tricho- nema.
		576	<i>Babiana plicata</i> Sweet-scented Babiana.
		577	<i>Moræa tristis</i> Dull-coloured Moræa. [<i>Iris tristis</i> .] Vide Nos. 593, 613, and 695; also, Annals of Botany, v. 1. p. 238.
		578	<i>Gladiolus recurvus</i> Violet-scented Corn-flag.
		579	<i>Pelargonium pinnatum</i> Pinnated Crane's-bill.
580	<i>Erica glauca</i> Glaucous Heath.		

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>			
XVI. Sept.	188	581	<i>Tritonia squalida</i> Sweet-scented Tritonia.		
		582	<i>Gladiolus cuspidatus</i> Tall Corn-flag.		
		583	<i>Babiana villosa</i> Crimson Babiana.		
		584	<i>Geissorhiza excisa</i> Dwarf Geissorhiza. [<i>Ixia excisa.</i>] Vide 672, and Annals of Botany, v. 1. p. 223. A dubious species. G.		
		585	<i>Stapelia grandiflora</i> Great-flowered Stapelia.		
		586	<i>Gladiolus alatus</i> Wing-flowered Corn-flag.		
		587	<i>Moræa viscaria</i> Bird-limed Moræa. [<i>Iris viscaria.</i>] Vide 696.		
		588	<i>Lachenalia quadricolor</i> . . . Four-coloured Lachenalia. [<i>Lachenalia pendula</i> , β. НК.]		
		Oct.	189	589	<i>Ixia aristata</i> Salver-flowered Ixia.
				590	<i>Lachenalia pendula</i> Pendulous Lachenalia.
591	<i>Gladiolus carneus</i> Flesh-coloured Corn-flag.				
592	<i>Gladiolus namaquensis</i> . . . Thick-leaved Corn-flag.				
593	<i>Moræa unguiculata</i> Long-clawed Moræa.				
594	<i>Ixia crateroides</i> Bowl shaped Ixia.				
595	<i>Lapeyrousia corymbosa</i> . . . Level-topped Lapeyrousia.				
596	<i>Cratæva fragrans</i> Sweet-scented Cratæva.				
XVII. Nov.	190			597	<i>Geissorhiza secunda</i> One-ranked Geissorhiza. [<i>Ixia secunda.</i>] Vide No. 672, and Annals of Botany, v. 1. p. 223. Vahl Enum. 2. p. 55. n. 13. excluso synonymo de la Roch.
				598	<i>Geissorhiza rochensis</i> , α. Plaid Geissorhiza.
		599	<i>Ixia crispa</i> Curled-leaved Ixia.		
		600	<i>Watsonia iridifolia</i> , β. } Scarlet flag-leaved Wat- <i>fulgens</i> } sonia.		
		601	<i>Watsonia brevifolia</i> Short-leaved Watsonia.		
		602	<i>Gladiolus angustus</i> Narrow-leaved Corn-flag.		
		603	<i>Pothos cannæfolia</i> Sweet-scented Pothos.		
		604	<i>Jatropha panduræfolia</i> Fiddle-leaved Jatropha.		
		Dec.	191	605	<i>Aristea capitata</i> Tallest Aristea.
				606	<i>Anomatheca juncea</i> Cut-leaved Anomatheca.
607	<i>Ixia monadelphæ</i> Monadelphous Ixia.				
608	<i>Watsonia marginata</i> Long-spiked Watsonia.				
609	<i>Tritonia miniata</i> Late-flowering Tritonia.				
610	<i>Gladiolus floribundus</i> Large-flowered Corn-flag.				
611	<i>Epidendrum elongatum</i> Long-stalked Epidendrum.				
612	<i>Erica metulæflora</i> Nine-pin-flowered Heath.				
Jan. 1803.	192			613	<i>Moræa edulis</i> Long-leaved Moræa.
				614	<i>Wachendorfia hirsuta</i> Hairy Wachendorfia.
		615	<i>Melasphærulea graminea</i> Grass-leaved Melasphæ- rulea. [<i>Diasia iridifolia.</i> Decand. in Bulletin, n. 30. Octr. 1803.]		
		616	<i>Wachendorfia paniculata</i> Panicked Wachendorfia.		
		617	<i>Ixia capillaris</i> , β. <i>stricta</i> Wire-stemmed Ixia. _____ δ. <i>incarnata</i> , Flesh-coloured Ixia.		
		618	<i>Tritonia capensis</i> Long-tubed Tritonia.		
		619	<i>Stapelia radiata</i> Starry Stapelia.		
		620	<i>Pterospermum acerifolium</i> Maple-leaved Pterosper- mum.		
		Feb.	193	621	<i>Babiana stricta</i> Upright Babiana.
				622	<i>Tritonia deusta</i> Copper-coloured Tritonia.
623	<i>Ixia erecta</i> Upright Ixia.				

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>			
XVII.		624	<i>Ixia flexuosa</i> Flexuose <i>Ixia</i> .		
		625	<i>Gladiolus blandus</i> , α . car- } neo-albescens } Fairest Corn-flag.		
		626	<i>Babiana disticha</i> Hyacinth-scented <i>Babiana</i> .		
		627	<i>Cistus algarvensis</i> Algarve <i>Cistus</i> .		
		628	<i>Petræa volubilis</i> Twining <i>Petræa</i> .		
		March	194	629	<i>Ixia polystachia</i> Lily of the Valley-scented <i>Ixia</i> .
				630	<i>Ixia columellaris</i> Variegated <i>Ixia</i> .
				631	<i>Watsonia humilis</i> Lake-coloured <i>Watsonia</i> .
				632	<i>Gladiolus Milleri</i> Miller's Corn-flag.
				633	<i>Cassia corymbosa</i> Corymbose <i>Cassia</i> .
634	<i>Punica nana</i> Dwarf Pomegranate-tree.				
635	<i>Scutellaria grandiflora</i> Large-flowered <i>Scutellaria</i> .				
636	<i>Rhododendrum dahuricum</i> , Dotted-leaved <i>Rhododen-</i> <i>dron</i> .				
April	195			637	<i>Babiana stricta</i> , α Dark blue-flowered upright <i>Babiana</i> .
				638	<i>Babiana spathacea</i> Stiff-leaved <i>Babiana</i> .
		639	<i>Gentiana ciliata</i> Fringed-flowered <i>Gentian</i> .		
		640	<i>Lonicera implexa</i> Minorca Honeysuckle.		
		641	<i>Melanthium eucomoides</i> Dwarf <i>Melanthium</i> .		
		642	<i>Massonia pustulata</i> Shagreen-leaved <i>Massonia</i> .		
		643	<i>Lachenalia lanceæfolia</i> Spotted Copperas-leaved <i>Lachenalia</i> .		
		644	<i>Lobelia coronopifolia</i> Bucks-horn <i>Lobelia</i> .		
		XVIII.	196	645	<i>Gladiolus blandus</i> , γ Pale-purple Corn-flag.
				646	<i>Marica paludosa</i> Marsh <i>Marica</i> .
647	<i>Gladiolus undulatus</i> , α Waved-flowered Corn-flag.				
648	<i>Gladiolus blandus</i> , β Snow-white Corn-flag.				
649	<i>Protea cordata</i> Heart-leaved <i>Protea</i> .				
650	<i>Rhododendron ponticum</i> Purple <i>Rhododendron</i> .				
651	<i>Passiflora serratifolia</i> Notch-leaved <i>Passion-</i> <i>flower</i> .				
652	<i>Crocus susianus</i> Cloth of gold <i>Crocus</i> .				
June	197			653	<i>Ornithogalum revolutum</i> Revolute-flowered Star of <i>Bethlehem</i> .
				654	<i>Marica Northiana</i> Broad-stemmed <i>Northiana</i> .
		655	<i>Marica plicata</i> Small-flowered <i>Marica</i> . [<i>Sisyrinchium latifolium</i> , α . K.]		
		656	<i>Statice speciosa</i> Plantain-leaved <i>Thrift</i> .		
		657	<i>Amaryllis reticulata</i> Netted-veined <i>Amaryllis</i> .		
		658	<i>Menianthes indica</i> Indian Buck-bean.		
		659	<i>Campanula sibirica</i> Siberian Bell-flower.		
		660	<i>Lysimachia quadriflora</i> Four-flowered Loose-strife		
		July	198	661	<i>Amaryllis longifolia</i> Long-leaved <i>Amaryllis</i> .
				662	<i>Hypoxis stellata</i> , α Yellow-flowered Star- <i>Hyp-</i> <i>poxis</i> .
663	<i>Scilla italica</i> , <i>vid.</i> 1306, <i>b.</i> Italian squil.				
664	<i>Fritillaria pyrenaica</i> , α Pyrenian <i>Fritillary</i> .				
665	<i>Psoralea corylifolia</i> Hazel-leaved <i>Psoralea</i> .				
666	<i>Stachys coccinea</i> Scarlet <i>Stachys</i> .				
667	<i>Andromeda pulverulenta</i> Oval-leaved <i>Andromeda</i> .				
668	<i>Gordonia Lasianthus</i> Smooth <i>Gordonia</i> , or <i>Lob-</i> <i>lolly-Bay</i> .				

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>			
XVIII. Aug.	199	669	<i>Iris lurida</i> Dingy Flag. For HEXANDRIA read TRIANDRIA.		
		670	<i>Iris germanica</i> German Flag.		
		671	<i>Iris florentina</i> Florentine Flag.		
		672	<i>Geissorhiza obtusata</i> Yellow-flowered Geissorhiza.		
		673	<i>Nicotiana undulata</i> New-Holland Tobacco.		
		674	<i>Protea Lepidocarpon</i> Black-flowered Protea. [<i>Protea melaleuca</i> , НК.]		
		675	<i>Orobus varius</i> Particoloured Bitter Vetch.		
		676	<i>Anthyllis Erinacea</i> Prickly Anthyllis, or Kidney Vetch.		
		Sept.	200	677	<i>Silene vespertina</i> Morocco Catchfly.
				678	<i>Tritonia crispa</i> Curled-leaved Tritonia.
679	<i>Iris lusitanica</i> Portuguese Flag.				
680	<i>Babiana tubiflora</i> , β. Long-tubed Babiana. <i>Gladiolus inclinatus</i> . <i>Red. Liliac.</i> 44.				
681	<i>Iris graminea</i> Grass-leaved Flag.				
682	<i>Lupinus arboreus</i> Tree Lupin.				
683	<i>Spartium monospermum</i> .. White single-seeded Broom				
684	<i>Nymphaea advena</i> Three-coloured Water-Lily				
Oct.	201			685	<i>Iris pallida</i> Pale Flag.
				686	<i>Iris Xiphium</i> Spanish Flag.
		687	<i>Iris Xiphioides</i> Pyrenean Flag.		
		688	<i>Gladiolus viperatus</i> Perfumed Corn-flag.		
		689	<i>Silene saxatilis</i> Stone Catch-fly.		
		690	<i>Gardenia Rothmannia</i> Spotted-flowered Gardenia		
		691	<i>Campanula gracilis</i> Slender Bell-flower.		
		692	<i>Pyrus japonica</i> Japan Apple-tree.		
		XIX. Nov.	202	693	<i>Moræa iridioides</i> Perennial-leaved Moræa.
				694	<i>Melanthium spicatum</i> Star-flowered Melanthium. [<i>Wurmbea purpurea</i> , НК.]
695	<i>Moræa flexuosa</i> Flexuose Moræa.				
696	<i>Moræa tricuspis</i> , α. Trident-petaled Moræa.				
697	<i>Protea anemonifolia</i> Fork-leaved Protea. [<i>Isopogon anemonifolius</i> , НК.]				
698	<i>Protea Scolymus</i> Small smooth-leaved Protea				
699	<i>Convolvulus cairicus</i> Egyptian Bindweed.				
700	<i>Betonica grandiflora</i> Great-flowered Betony.				
Dec.	203			701	<i>Marica striata</i> Streaked-flowered Marica. [<i>Sisyrinchium striatum</i> , НК.]
				702	<i>Moræa tripetala</i> Three-petal-like Moræa.
		703	<i>Iris virginica</i> Virginian Flag.		
		704	<i>Tritonia fenestrata</i> Open-flowered Tritonia.		
		705	<i>Gentiana adscendens</i> , α. Upright Porcelain-flowered Gentian.		
		706	<i>Erica longifolia</i> , <i>var. carnea</i> , Flesh-coloured long-leaved Heath.		
		707	<i>Chironia decussata</i> Cross-leaved Chironia.		
		708	<i>Hedychium coronarium</i> ... Sweet-scented Garland-flower.		
		Jan. 1804.	204	709	<i>Hypoxis serrata</i> Saw-leaved Hypoxis.
				710	<i>Hypoxis erecta</i> Upright Hypoxis.
711	<i>Hypoxis sobolifer</i> Creeping Hypoxis.				
712	<i>Moræa longiflora</i> Long-flowered Moræa.				

Vol.	Fasc.	No.			
XIX.		713	<i>Draba pyrenaica</i> Mountain Whitlow-grass.		
		714	<i>Valeriana sibirica</i> Siberian Valerian.		
Feb.	205	715	<i>Bauera rubioides</i> Madder-leaved Bauera.		
		716	<i>Atragene capensis</i> Cape Atragene.		
		717	<i>Tulipa Celsiana</i> , vide No. 1390, <i>b.</i> Cape Tulip. [<i>Tulipa Breyniana</i> .]		
		718	<i>Panocratium illyricum</i> Illyrian Panocratium.		
		719	<i>Gladiolus segetum</i> Round-seeded Corn-flag.		
		720	<i>Albuca minor</i> Lesser Albuca.		
		721	<i>Hillia longiflora</i> Long-tubed Hillia.		
		722	<i>Trichosanthes anguina</i> Snake-Gourd.		
		723	<i>Gentiana adscendens</i> , β Dwarf Porcelain-flowered Gentian.		
		March	206	724	<i>Stapelia revoluta</i> Revolute-flowered Stapelia.
725	<i>Amaryllis curvifolia</i> Glaucous-leaved Amaryllis.				
726	<i>Amaryllis humilis</i> Divaricate-petaled Amaryllis.				
727	<i>Gladiolus hirsutus</i> , β Variegated shaggy Corn-flag.				
728	<i>Ornithogalum arabicum</i> . . Large-flowered Star of Bethlehem.				
729	<i>Matthiola tristis</i> , HK. Dark-flowered Stock. [<i>Cheiranthus tristis</i> .]				
730	<i>Hesperis tristis</i> Nigh-smelling Rocket.				
731	<i>Nolana prostrata</i> Trailing Nolana.				
732	<i>Convolvulus sepium</i> , β . } <i>americanus</i> } American Great Bindweed.				
April	207			733	<i>Amaryllis Belladonna</i> , α . . . Belladonna Lily.
		734	<i>Muscari moschatum</i> Musk Grape Hyacinth.		
		735	<i>Lachenalia angustifolia</i> . . . Narrow-leaved Lachenalia.		
		736	<i>Massonia angustifolia</i> . . . Sweet-scented Massonia.		
		737	<i>Cerbera Ahouai</i> Oval-leaved Cerbera.		
		738	<i>Banksia ericæfolia</i> Heath-leaved Banksia.		
		739	<i>Sansevieria sessiliflora</i> Chinese Sansevieria. [<i>Sansevieria carnea</i> , HK.] <i>Vide</i> 1431, <i>b.</i>		
		740	<i>Tagetes lucida</i> Sweet-scented Tagetes, or Chili Marigold.		
		741	<i>Lobelia gracilis</i> Slender-stemmed Lobelia.		
		XX. May	208	742	<i>Indigofera citisoides</i> Angular-stalked Indigo.
743	<i>Androsace villosa</i> Hairy Androsace.				
744	<i>Tritoma media</i> Glaucous-leaved Tritoma.				
745	<i>Lachenalia purpuro-cærulea</i> , Purple-blue Lachenalia.				
746	<i>Scilla bifolia</i> Two-leaved Squil.				
747	<i>Helonias bullata</i> Spear-leaved Helonias.				
748	<i>Helonias asphodeloides</i> . . . Grass-leaved Helonias.				
749	<i>Scilla peruviana</i> Corymbose Squil.				
750	<i>Moræa papilionacea</i> Dwarf Moræa.				
751	<i>Ferraria antherosa</i> Green variegated Ferraria. [<i>Ferraria Ferrariola</i> , HK.]				
June	209	752	<i>Ipomæa Bona nox</i> Prickly Ipomæa.		
		753	<i>Podalyria biflora</i> Two-flowered Podalyria.		
		754	<i>Galax cordifolia</i> , HK. Heart-leaved Galax. [<i>Galax aphylla</i> .]		
		755	<i>Pergularia minor</i> West-coast Creeper.		
		756	<i>Alœe arachnoides</i> Spider-footed-leaved Aloe.		
		757	<i>Alœe humilis</i> Soft-spined Aloe.		
		July	210		

Vol.	Fasc.	No.			
XX.		758	<i>Tritoma Uvaria</i> Serrulate-leaved <i>Tritoma</i> .		
		759	<i>Moræa crispa</i> Short-spathed <i>Moræa</i> .		
		760	<i>Persoonia linearis</i> Linear-leaved <i>Persoonia</i> .		
		761	<i>Pelargonium incrassatum</i> Fleshy-leaved Crane's-bill.		
		762	<i>Dahlia frustranea</i> , HK. Scarlet-flowered <i>Dahlia</i> . [<i>Dahlia coccinea</i> .]		
		763	<i>Elichrysum fasciculatum</i> , α. HK. Straw-coloured <i>Xe-</i> [<i>Xeranthemum sesamoides</i> , γ.] ranthemum.		
		Aug.	211	764	<i>Tritoma pumila</i> Lesser <i>Tritoma</i> .
				765	<i>Alöe maculata</i> Spotted <i>Aloe</i> .
				766	<i>Lachenalia unifolia</i> One-leaved <i>Lachenalia</i> .
				767	<i>Melanthium uniflorum</i> Yellow <i>Melanthium</i> .
768	<i>Othonna pinnata</i> Pinnated <i>Othonna</i> , or <i>Afri-</i> can Ragwort.				
Sept.	212	769	<i>Lagunæa Patersonia</i> Norfolk-Island <i>Lagunæa</i> . [<i>Hibiscus Patersonii</i> , HK.]		
		770	<i>Protea cynaroides</i> Artichoke-flowered <i>Protea</i> .		
		771	<i>Moræa ramosa</i> Branching <i>Moræa</i> .		
		772	<i>Moræa tricuspis</i> , γ. <i>lutea</i> Yellow Trident-petaled <i>Moræa</i> .		
		773	<i>Asphodel usluteus</i> Yellow <i>Asphodel</i> , or <i>King's-</i> spear.		
		774	<i>Allium subhirsutum</i> , v. 1141. Hairy-leaved <i>Garlick</i> . [<i>Allium ciliatum</i> .]		
		775	<i>Knowltonia vesicatoria</i> Blistering <i>Knowltonia</i> .		
		776	<i>Elichrysum spirale</i> , HK. Brown-tipped <i>Xeranthem-</i> [<i>Xeranthemum variegatum</i> .] mum.		
		777	<i>Oncidium carthaginense</i> Spread-Eagle <i>Oncidium</i> . [<i>Epidendrum undulatum</i> .]		
		Oct.	213	778	<i>Pyrola umbellata</i> Umbelled <i>Winter-Green</i> .
779	<i>Sparaxis grandiflora</i> , var. β. Streaked-flowered <i>Sparaxis</i>				
780	<i>Sarracenia flava</i> Yellow Side-saddle-flower.				
781	<i>Lonicera sempervirens</i> , α Great Trumpet-Honey- suckle.				
782	<i>Campanula capensis</i> Cape <i>Campanula</i> , or <i>Bell-</i> flower.				
783	<i>Philydrum lanuginosum</i> Woolly <i>Philydrum</i> .				
XXI. Nov.	214	784	<i>Ophioxylum serpentinum</i> Three-leaved <i>Ophioxylum</i> .		
		785	<i>Dionæa Muscipula</i> Venus's Fly-trap.		
		786	<i>Stapelia verrucosa</i> Warty-flowered <i>Stapelia</i> .		
		787	<i>Iris sambucina</i> , β Brown-flowered <i>Iris</i> . [<i>Iris squalens</i> .]		
		788	<i>Hoya carnosa</i> Thick-leaved <i>Hoya</i> . [<i>Asclepias carnosa</i> .]		
		789	<i>Ixia maculata</i> , β. <i>amethystina</i> } <i>tina</i> } Amethystine <i>Ixia</i> .		
		790	<i>Hesperantha radiata</i> , γ. } <i>caricina</i> } Carex-leaved <i>Hesperantha</i>		
		791	<i>Viola cornuta</i> Horned <i>Violet</i> .		
		792	<i>Swainsonia galegifolia</i> Red-flowered <i>Swainsonia</i> . [<i>Colutea galegifolia</i> .]		
		Dec.	215	793	<i>Stapelia pedunculata</i> Long-stalked <i>Stapelia</i> .
794	<i>Cordia Sebestena</i> Rough-leaved <i>Cordia</i> .				
795	<i>Dianthus caucaseus</i> Caucasian <i>Pink</i> .				
796	<i>Petrophila pulchella</i> Fennel-leaved <i>Petrophila</i> .				
797	<i>Nymphæa Lotus</i> Egyptian <i>Lotus</i> .				

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>			
XXI.		798	<i>Lilium pomponium</i> , β Yellow Pompone Lily.		
		799	<i>Asphodelus ramosus</i> Branched Asphodil.		
		800	<i>Lilium Canadense</i> , α Common Canadian Lily.		
		801	<i>Billardiera scandens</i> Climbing Billardiera.		
		Jan.	216	802	<i>Alöe cymbiformis</i> Tender-leaved Aloe.
				803	<i>Helonias læta</i> Channel-leaved Helonias.
		1805.		804	<i>Albuca major</i> Larger Albuca.
				805	<i>Ornithogalum caudatum</i> . . Long-spiked Star of Beth- lehem.
				806	<i>Tulbagia alliacea</i> Narcissus-leaved Tulbagia
				807	<i>Silene chloræfolia</i> Armenian Catchfly.
808	<i>Salvia chamædrioides</i> Germander Sage.				
Feb.	217			809	<i>Malpighia volubilis</i> Twining Barbadoes Cherry
				810	<i>Cassia biflora</i> Two-flowered Cassia.
				811	<i>Campanula capitata</i> Clustered Bell-flower.
				812	<i>Gnidia simplex</i> Flax-leaved Gnidia.
				813	<i>Malpighia glabra</i> Smooth-leaved Barbadoes -Cherry.
		814	<i>Alöe viscosa</i> Triangular Aloe.		
		815	<i>Alöe margaritifera</i> , β . <i>media</i> , Middle-sized Pearl Aloe.		
		816	<i>Anthericum frutescens</i> Onion-leaved Anthericum.		
		817	<i>Lachenalia pustulata</i> Blistered Lachenalia.		
		March	218	818	<i>Chironia angustifolia</i> Narrow-leaved Chironia.
				819	<i>Nymphaea odorata</i> Sweet-scented Water-Lily.
				820	<i>Arum bicolor</i> Two-coloured Arum.
821	<i>Kitaibelia vitifolia</i> Vine-leaved Kitaibelia.				
822	<i>Drimia elata</i> Tall Drimia.				
823	<i>Gladiolus hirsutus</i> , γ Two-flowered Shaggy Corn- flag.				
824	<i>Pitcairnia bromeliæfolia</i> Scarlet Pitcairnia.				
825	<i>Pancratium Dryandri</i> , KER. Lesser Seashore Pancre- [<i>Pancratium littorale</i> , β .] tium.				
April	219			826	<i>Pancratium caribæum</i> West-Indian Pancratium. Vide 1467. b.
				827	<i>Pancratium rotatum</i> , β Large crowned Pancratium
				828	<i>Alöe humilis</i> , β . <i>incurva</i> . . . Curved-leaved stemless Aloe.
				829	<i>Aspalathus araneosa</i> Hairy Aspalathus.
		830	<i>Achyranthes porrigens</i> Crimson-headed Achyran- thes.		
		831	<i>Anagallis fruticosa</i> Shrubby Pimpernel.		
		832	<i>Calla Æthiopica</i> Ethiopian Calla.		
		XXII.	220	833	<i>Eriocephalus africanus</i> Cluster-leaved Erioc- ephalus.
				834	<i>Clematis florida</i> Large-flowered Virgin's- bower.
				835	<i>Cheiranthus Armeniacus</i> Armenian Wall-flower.
				836	<i>Pothos foetida</i> Stinking Pothos, or Scunck- weed.
				837	<i>Alöe verrucosa</i> , <i>vid.</i> 1323. Warted Aloe.
838	<i>Alöe Lingua</i> , β . <i>crassifolia</i> . . . Thick-leaved Tongue Aloe				
839	<i>Tulipa suaveolens</i> Early Dwarf Tulip.				
June	221			840	<i>Eucomis bifolia</i> Two-leaved Eucomis.
				841	<i>Anemone coronaria</i> Poppy Anemone.
				842	<i>Neottia glandulosa</i> Glandulous Neottia. [<i>Ponthieva glandulosa</i> , HK.]

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>			
XXII.		843	<i>Astragalus montanus</i> Mountain Milk-Vetch.		
		844	<i>Epacris purpurascens</i> , <i>HK.</i> . . . Rigid Epacris. [<i>Epacris pungens.</i>]		
		845	<i>Crocus biflorus</i> Scotch Crocus.		
		846	<i>Ixia erecta</i> , <i>β. lutea</i> Yellow upright Ixia.		
		847	<i>Babiana tubiflora</i> , <i>α.</i> Long-tubed Babiana.		
		848	<i>Massonia latifolia</i> Broad-leaved Massonia.		
		July	222	849	<i>Sarracenia purpurea</i> Broad-lipped purple Side-saddle-flower.
				850	<i>Kæmpferia Galanga</i> Galangale.
		Aug.	223	851	<i>Cobæa scandens</i> Climbing Cobæa.
				852	<i>Hyoscyamus physaloides</i> . . . Purple-flowered Henbane.
853	<i>Fritillaria latifolia</i> Broad-leaved Fritillary.				
854	<i>Lachenalia orchioides</i> Sessile-flowered Lachenalia				
855	<i>Trillium grandiflorum</i> , <i>HK.</i> . . . Funnel-flowered Trillium. [<i>Trillium erythrocarpum.</i>]				
856	<i>Pitcairnia latifolia</i> Broad-leaved Pitcairnia.				
857	<i>Fritillaria obliqua</i> Violet-flowered Fritillary.				
858	<i>Lilium canadense</i> , <i>β.</i> Deep-coloured Canadian Lily.				
859	<i>Lachenalia serotina</i> , <i>HK.</i> Brown-flowered Lachenalia [<i>Scilla serotina.</i>]				
860	<i>Crocus vernus</i> , <i>β. neapolitanus</i> } Large purple Spring } Crocus.				
861	<i>Justicia adhatoda</i> Malabar Nut.				
Sept.	224			862	<i>Grevillea sericea</i> , <i>HK.</i> [<i>Embothrium sericeum.</i>]
		863	<i>Bossiaea microphylla</i> , <i>HK.</i> . . . Small-leaved Bossiaea. [<i>Platylobium microphyllum.</i>]		
		864	<i>Bignonia capreolata</i> Four-leaved Trumpet-flower		
		865	<i>Bignonia australis</i> , <i>HK.</i> . . . New South-Wales Trumpet-fl. [<i>Bignonia Pandoræ.</i>] <i>Tecoma australis</i> , <i>Br. Pr.</i>		
		866	<i>Anemone thalictroides</i> Meadow-rue-leaved Anemone.		
		867	<i>Myrtus disticha</i> Globe-berried Myrtle.		
		868	<i>Androsace lactea</i> Grass-leaved Androsace.		
		869	<i>Allium triquetrum</i> Three-edged Garlic.		
		870	<i>Iris aphylla</i> , <i>γ.</i> Orange-flower-scented Flag		
		871	<i>Anthericum exuviatum</i> , <i>HK.</i> . . . Adder-skin Albuca. [<i>Albuca exuviata.</i>]		
		872	<i>Lilium Dahuricum</i> Siberian Lily. [<i>Lilium pensylvanicum.</i>] Vide 1210, <i>b.</i>		
Oct.	225	873	<i>Hemerocallis graminea</i> Narrow-leaved Day-Lily.		
		874	<i>Gladiolus byzantinus</i> Turkish Corn-flag.		
		875	<i>Iris spuria</i> , <i>α. major</i> , v. 1131. Long-leaved Flag. [<i>Iris halophila.</i>]		
		876	<i>Ornithogalum latifolium</i> Broad-leaved Star of Bethlehem.		
XXIII.	226	877	<i>Erythrina herbacea</i> Herbaceous Coral-tree.		
		878	<i>Leucadendron concolor</i> , <i>HK.</i> . . . Globe-flowered Leucadendron. [<i>Protea globosa.</i>]		
		879	<i>Trifolium Lupinaster</i> Lupine Trefoil.		
		880	<i>Cornus canadensis</i> Canadian Cornel.		
Nov.	226	881	<i>Protea stellaris</i> Starry Protea.		
		882	<i>Hibiscus palustris</i> Marsh Hibiscus.		

Vol.	Fasc.	No.			
XXIII.		883	<i>Euphorbia petiolaris</i> Long-stalked Spurge.		
		884	<i>Aster reflexus</i> Reflexed-leaved Star-wort.		
		885	<i>Verbascum phoeniceum</i> ... Purple-flowered Mullein.		
		886	<i>Scabiosa caucasea</i> Caucasian Scabious.		
		887	<i>Atragene americana</i> American Atragene.		
		888	<i>Cymbidium sinense</i> ,HK. .. Chinese Epidendrum. [<i>Epidendrum sinense</i> .]		
		Dec.	227	889	<i>Onosma taurica</i> Golden-flowered Onosma.
				890	<i>Goodenia grandiflora</i> Large-flowered Goodenia.
891	<i>Pimelæa linifolia</i> Flax-leaved Pimelea.				
892	<i>Althæa flexuosa</i> Seringapatam Hollyhock.				
893	<i>Lilium Martagon</i> Turk's-cap Lily.				
894	<i>Hemerocallis cærulea</i> Blue-flowered Day-Lily.				
Jan. 1806.	228			895	<i>Witsenia corymbosa</i> Corymbose Witsenia.
				896	<i>Dolichos Lablab</i> Black-seeded Dolichos.
				897	<i>Pyrola maculata</i> Spotted-leaved Winter-Green.
				898	<i>Orontium japonicum</i> Japan Orontium.
		899	<i>Convallaria racemosa</i> Cluster-flowered Solomon's Seal.		
		900	<i>Yucca filamentosa</i> Thready Adam's-Needle.		
		901	<i>Lobelia Erinus</i> Ascending Lobelia.		
		Feb.	229	902	<i>Antirrhinum Asarina</i> Heart-leaved Snap-Dragon
				903	<i>Nelumbium speciosum</i> ... Sacred Bean of India.
				904	<i>Melastoma corymbosa</i> ... Corymbose Melastoma.
905	<i>Andromeda arborea</i> Tree Andromeda, or Sorrel Tree.				
906	<i>Ziziphora serpyllacea</i> Sweet-scented Ziziphora.				
907	<i>Coronilla coronata</i> Crown-flowered Coronilla.				
March	230			908	<i>Silene fimbriata</i> Fringed-flowered Campion
				909	<i>Medicago carstiensis</i> Creeping-rooted Medick.
				910	<i>Halesia tetraptera</i> Four-winged Snow-Drop Tree.
				911	<i>Cypripedium parviflorum</i> .. Yellow Ladies-slipper.
		912	<i>Campanula macrophylla</i> .. Alliaria-leaved Bell-flower. [<i>C. alliariæfolia</i> ,HK. <i>C. lamiifolia</i> , <i>Fl. cauc.</i>]		
		913	<i>Eucomis punctata</i> Spotted-leaved Eucomis.		
		914	<i>Phalangium Liliago</i> ,β. Lesser Grass-leaved Phalangium. [<i>Anthericum Liliago</i> ,HK.]		
		915	<i>Amaryllis revoluta</i> Revolute Amaryllis.		
		April	231	916	<i>Uvularia chinensis</i> Brown-flowered Uvularia.
				917	<i>Hypoxis serrata</i> ,β..... Large-flowered serrate-leaved Hypoxis.
918	<i>Ornithogalum Squilla</i> Common red-rooted Sea- [<i>Scilla maritima</i> ,HK.] Onion, or Official Squil.				
919	<i>Scilla autumnalis</i> ,α..... Purple-flowered Autumnal Squil.				
920	<i>Kæmpferia rotunda</i> Round-rooted Galangale.				
921	<i>Styrax lævigatum</i> Smooth Storax.				
922	<i>Eryngium alpinum</i> Alpine Eringo.				
923	<i>Nepeta Mussini</i> ,HK..... Scollop-leaved Catmint. [<i>Nepeta longiflora</i> , errore.]				
XXIV. May	232			*923	<i>Amaryllis gigantea</i> Gigantic Amaryllis. [<i>Amaryllis ornata</i> ,β.]
				924	<i>Narcissus moschatus</i> ,α.... White, Long-flowered Daf-fodil. Vide No. 945.

Vol.	Fasc.	No.			
XXIV.		925	Narcissus Tazetta Polyanthus Narcissus.		
		926	Pæonia tenuifolia Fine-leaved Peony.		
		927	Campanula collina Sage-leaved Bell-flower.		
		928	Vaccinium buxifolium Box-leaved Whortle-berry.		
		929	Symphytum asperrimum Prickly Comfrey.		
		June	233	930	Bletia verecunda, HK. Tall Bletia. [<i>Limodorum altum</i> .]
				931	Phytolacca decandra Virginian Poke.
				932	Echinops Ritro Small Globe-Thistle.
				933	Protea mucronifolia Dagger-leaved Protea.
				934	Narcissus calathinus, α. * Great Yellow Jonquil. [<i>Narcissus odoratus</i> , HK.] Vide No. 1186.
935	Ornithogalum unifolium One-leaved Star of Beth- [<i>Scilla unifolia</i> , HK.] lehem.				
July	234			936	Lilium superbum Superb Lily.
				937	Hyacinthus orientalis Garden Hyacinth.
				938	Crocus sulphureus, α. Old Cloth of Gold Crocus.
				939	Scilla romana Roman Squil. [<i>Hyacinthus romanus</i> , HK.]
		940	Narcissus Trewianus Largest Trew's Narcissus. [<i>Narcissus orientalis</i> , α.] Vide No. 1298, b.		
		941	Claytonia virginica Virginian Claytonia.		
		942	Primula integrifolia Entire-leaved Primrose.		
		943	Convolvulus bryoniæfolius Bryony-leaved Bindweed.		
		Aug.	235	944	Dillwynia glaberrima Smooth-leaved Dillwynia.
				945	Narcissus trilobus Narrow-leaved Narcissus. [<i>Narcissus nutans</i> , HK.]
946	Narcissus orientalis, γ. Many-flowered Levant Narcissus.				
947	Narcissus papyraceus Paper-white Narcissus. [<i>Narcissus Tazetta</i> , β. HK.]				
948	Narcissus incomparibilis, β. } Cream-coloured Levant <i>subbiflorus</i> , v. No. 1298, b. } Narcissus. [<i>Narcissus orientalis</i> , β.]				
949	Aotus villosa Villous Aotus.				
950	Arum triphyllum, α. <i>zebrinum</i> , Zebra-flowered Arum.				
951	Rhododendron maximum Laurel-leaved Rhododen- dron.				
Sept.	236			952	Fritillaria pyrenaica, β. Snake-skin Fritillary. Vide No. 1536, b.
				953	Ornithogalum unifolium, β. Gibraltar Star of Bethlehem
		954	Trillium cernuum Nodding-flowered Trillium		
		955	Uvularia perfoliata, α. Perfoliate Uvularia.		
		956	Scalæa jaceoides [<i>Podolepis acuminata</i> , HK.]		
		957	Campanula alpina Alpine Bell-flower.		
		958	Goodia lotifolia Lotus-leaved Goodia.		
		Oct.	237	959	Clematis calycina Minorca Virgin's-Bower.
				960	Leucoium autumnale Autumnal Snow-Flake.
				961	Hæmanthus multiflorus Many-flowered Blood- Flower.
962	Fritillaria persica, β. Lesser Persian Fritillary.				
963	Veratrum nigrum Dark-flowered Veratrum.				

* Obs. *Narcissus calathinus*, β est *N. odoratus*, No. 7, et *N. lætus*, HK.

Vol.	Fasc.	No.	
XXIV.		964	<i>Celsia cretica</i> Great-flowered Celsia.
		965	<i>Loddigesia oxalidifolia</i> Oxalis-leaved Loddigesia.
		966	<i>Erica elegans</i> Elegant Heath.
XXV. Nov.	238	967	<i>Pultenæa villosa</i> Villous Pultenæa.
		968	<i>Rhexia virginica</i> Virginian Rhexia.
		969	<i>Sphærolobium vimineum</i> Twiggy Sphærolobium.
		970	<i>Andromeda cassinefolia</i> Shining oval-leaved Andromeda.
		971	<i>Lilium pomponium</i> , α Scarlet Pomponc Lily.
		972	<i>Ornithogalum juncifolium</i> Rush-leaved Star of Bethlehem.
Dec.	239	973	<i>Allium caucaseum</i> Caucasian Garlic. [<i>Allium paniculatum</i> .] Vide 1143, <i>b.</i> et 1330, <i>b.</i>
		974	<i>Vaccinium Arctostaphylos</i> . Madeira Whortle-Berry.
		975	<i>Hydrangea Quercifolia</i> Oak-leaved Hydrangea.
		976	<i>Stachytarpheta mutabilis</i> Changeable Bastard Ver- vain.
		977	<i>Magnolia pumila</i> Dwarf Magnolia.
		978	<i>Allium roseum</i> , β Rose-coloured Garlic.
		979	<i>Allium maculatum</i> , β . <i>ob-</i> <i>liquum</i> } Short-leaved Marble Aloe. [<i>Allium Lingua</i> , α .] Vide 1322, <i>b.</i>
		980	<i>Jasminum simplicifolium</i> Simple-leaved Jasmine.
		981	<i>Androsace lactea</i> Grass-leaved Androsace.
		982	<i>Epacris grandiflora</i> Crimson Epacris.
Jan. 1807.	240	983	<i>Sisyrinchium californicum</i> , HK. Yellow-flowered Sisy- [<i>Marica californica</i> .] rinchium.
		984	<i>Asphodelus fistulosus</i> Onion-leaved Asphodel.
		985	<i>Helonias virginica</i> Virginian Helonias. [<i>Veratrum virginicum</i> , HK. .]
		986	<i>Iris lurida</i> Dingy-coloured Flag.
		987	<i>Cortusa Matthioli</i> Bear's-ear Sanicle.
		988	<i>Salvia Forskohlei</i> Forskohl's Sage.
		989	<i>Crowea Saligna</i> Willow-leaved Crowea.
		990	<i>Psoralea glandulosa</i> Striped-flowered Psoralea.
		991	<i>Scilla corymbosa</i> Cape Hyacinth. [<i>Hyacinthus corymbosus</i> , HK. .] Vide 1468, <i>b.</i>
		Feb.	241
993	<i>Lachenalia rubida</i> , α Dotted-flowered Lachenalia		
994	<i>Ornithoglossum viride</i> , HK. Green-flowered Bird's- [<i>Melanthium viride</i> .] Tongue.		
995	<i>Poinciana pulcherrima</i> Barbadoes Flower-fence.		
996	<i>Hedysarum roseum</i> Rose-coloured Hedysarum.		
997	<i>Thymus grandiflorus</i> Large-flowered Thyme.		
998	<i>Thea chinensis</i> , β Bohea Tea-Tree. [<i>Thea Bohea</i> , α . <i>laxa</i> , HK. .]		
999	<i>Phlomis Lychnitis</i> Lamp-wick Phlomis.		
1000	<i>Melhania Erythroxyton</i> , HK. St. Helena Red-Wood. [<i>Pentapetes Erythroxyton</i> .]		
March	242		
		1002	<i>Veronica gentianoides</i> Veined-flowered Speedwell
		1003	<i>Lythrum virgatum</i> Fine-branched Willow- Herb.
		1004	<i>Gardenia Thunbergia</i> Starry Gardenia.

Vol.	Fasc.	No.	
XXV.		1005	<i>Convolvulus purpureus</i> , } Spotted-flowered Bind-weed. <i>v. elatior</i> }
		1006	<i>Polygala alopecuroides</i> . . . Fox-tail Milk-wort.
April	243	1007	<i>Stapelia divaricata</i> Straddling Stapelia.
		1008	<i>Magnolia fuscata</i> Brown-stalked Magnolia.
		1009	<i>Dracocephalum grandiflorum</i> } Betony-leaved Dragon's-head.
		1010	<i>Hypoxis ovata</i> Smooth-leaved Hypoxis.
		1011	<i>Narcissus orientalis</i> , <i>fl. pl.</i> . . . The Cyprus, or Double Roman Narcissus.
		1012	<i>Moræa ciliata</i> , γ Ciliate-leaved Moræa.
		1013	<i>Ixia Aulica</i> , HK. Rose-coloured Ixia. [<i>Ixia capillaris</i> , γ . <i>aulica</i> .]
		1014	<i>Justicia lucida</i> Shining-leaved Justicia.
		1015	<i>Phyteuma campanuloides</i> . . . Three-flowered Phyteuma.
		1016	<i>Robinia Halodendron</i> Salt-tree Robinia.
XXVI. May	244	1017	<i>Verbesina sativa</i> Oil-seed Verbesina.
		1018	<i>Lilium bulbiferum</i> , β . <i>umbellatum</i> } Umbel-flowered Orange Lily.
		1019	<i>Babiana sambucina</i> Elder-flower-scented Babiana.
		1020	<i>Lachenalia tricolor</i> , β . <i>luteola</i> } Yellow-flowered Lachenalia.
		1021	<i>Xylophylla latifolia</i> Broad-leaved Xylophylla.
		1022	<i>Lantana annua</i> Annual Lantana.
		1023	<i>Gesneria tomentosa</i> Woolly Gesneria.
		1024	<i>Fuchsia lycioides</i> Box-thorn Fuchsia.
		1025	<i>Scilla sibirica</i> , HK. Siberian Squil. [<i>Scilla amœna</i> , <i>v. sibirica</i> .]
		1026	<i>Narcissus orientalis</i> , δ Yellow Garden Narcissus.
June	245	1027	<i>Trillium pendulum</i> , HK. Pendulous Trillium. [<i>Trillium erectum</i> , β .]
		1028	<i>Colchicum variegatum</i> , Chequer-flowered Meadow-Saffron.
		1029	<i>Menyanthes exaltata</i> Tall Buck-Bean.
		1030	<i>Iberis ciliata</i> Ciliate-leaved Candytuft.
		1031	<i>Oxalis rubella</i> Rose-flowered Oxalis.
		1032	<i>Chorizema nana</i> Dwarf Chorizema.
		1033	<i>Moræa collina</i> Equal-flowered Moræa.
		1034	<i>Crinum Americanum</i> , β Two-flowered West-Indian Crinum.
		1035	<i>Allium striatum</i> , <i>v. 1324, b.</i> Streaked Garlic.
		1036	<i>Neottia orchioides</i> Frosted-flowered Neottia.
Aug.	247	1037	<i>Verbascum ovalifolium</i> Oval-leaved Mullein.
		1038	<i>Gentiana caucasea</i> Caucasian Gentian.
		1039	<i>Gentiana Saponaria</i>
		1040	<i>Anthericum vespertinum</i> Afternoon-flowering Anthericum.
		1041	<i>Patersonia sericea</i> Silky Patersonia.
		1042	<i>Gladiolus versicolor</i> , α Large-flowered Corn Flag.
		1043	<i>Convallaria stellata</i> Star-flowered Solomon's-Seal.
		1044	<i>Anthericum revolutum</i> Curled-flowered Anthericum.
		1045	<i>Moræa bituminosa</i> Yellow Clammy Moræa.
		1045	
Sept.	248		

Vol.	Fasc.	No.			
XXVI.		1046	<i>Albuca physodes</i>Dingy-flowered <i>Albuca</i> .		
		1047	<i>Moræa tenuis</i>Brown-flowered <i>Moræa</i> .		
		1048	<i>Linum hypericifolium</i>Mallow-flowered Flax.		
		1049	<i>Cardiospermum Halicacabum</i> , Smooth Heart-seed.		
		1050	<i>Pæonia peregrina</i>Crimson-flowered Peony.		
		1051	<i>Polygala Senega</i>Official Milk-wort, or Rattle-Snake-Root.		
Oct.	249	1052	<i>Babiana stricta</i> , γPurple-flowered <i>Babiana</i> .		
		1053	<i>Babiana sulphurea</i>Pale-flowered <i>Babiana</i> .		
		1054	<i>Hesperantha cinnamomea</i> . Cinnamon Evening-flower.		
		1055	<i>Phalangium ramosum</i>Branching Spider-wort. [<i>Anthericum ramosum</i> , HK.]		
		1056	<i>Martynia proboscidea</i>Horned-capsuled <i>Martynia</i>		
		1057	<i>Clethra arborea</i>Tree <i>Clethra</i> .		
		1058	<i>Tristania neriifolia</i> , HK.Oleander-leaved <i>Tristania</i> . [<i>Melaleuca neriifolia</i> , HK.]		
		1059	<i>Rosa multiflora</i>Bramble-flowered Rose.		
XXVII Nov.	250	1060	<i>Wachendorfia thyrsiflora</i> .. Tall-flowering <i>Wachendorfia</i> .		
		1061	<i>Moræa ciliata</i> , βBluish-flowered ciliate <i>Moræa</i> .		
		1062	<i>Helonias lutea</i> , v. 1540, b. .Spiked-flowered <i>Helonias</i> .		
		1063	<i>Ophiopogon japonicus</i>Japan Snake's-beard.		
		1064	<i>Echites suberecta</i> , βLarger Savanna-flower.		
		1065	<i>Polygonum crispulum</i> , α . .Curled <i>Polygonum</i> .		
		1066	<i>Melia Azedarach</i>Common Bead-Tree.		
		Dec.	251	1067	<i>Convolvulus erubescens</i> ... Maiden-blush Bindweed.
				1068	<i>Physalis edulis</i>Eatable <i>Physalis</i> , or Cape [<i>Physalis peruviana</i> , HK.] Gooseberry.
				1069	<i>Dianthus orientalis</i>Georgian Pink.
1070	<i>Clematis cirrhosa</i>Evergreen Virgin's-bower.				
1071	<i>Chlorophytum inornatum</i> .. Greenish-flowered <i>Chlorophytum</i> .				
Jan. 1808.	252	1072	<i>Watsonia rosea</i>Pyramidal <i>Watsonia</i> .		
		1073	<i>Crinum asiaticum</i>Largest <i>Crinum</i> .		
		1074	<i>Drimia altissima</i>Tallest <i>Drimia</i> . [<i>Ornithogalum altissimum</i> .]		
		1075	<i>Hæmanthus coccineus</i> Salmon-coloured Blood-Flower.		
		1076	<i>Curculigo orchioides</i> , β . . . Lance-leaved <i>Curculigo</i> .		
		1077	<i>Rosa lutea</i> , β . <i>bicolor</i>Red and Yellow Austrian Rose.		
		1078	<i>Gentiana asclepiadea</i> Swallow-wort-leaved <i>Gentiana</i> .		
		1079	<i>Prenanthes alba</i>White-flowered <i>Prenanthes</i>		
		1080	<i>Chrysanthemum coccineum</i> , Red-flowered <i>Chrysanthemum</i> .		
		Feb.	253	1081	<i>Dracæna fragrans</i>Sweet-scented <i>Dracæna</i> .
1082	<i>Pancratium rotatum</i> , αAmerican <i>Pancratium</i> .				
1083	<i>Eucomis undulata</i>Undulate-leaved <i>Eucomis</i> .				
1084	<i>Dracocephalum peregrinum</i> Twin-flowered Dragon's-head.				
1085	<i>Aralia hispida</i>Hispid <i>Aralia</i> .				
1086	<i>Linum austriacum</i>Austrian Flax.				
1087	<i>Linum ascyrifolium</i>Blue and White Flax.				

Vol.	Fasc.	No.	
XXVII March	254	1088	<i>Gethyllis spiralis</i>Thread-leaved <i>Gethyllis</i> .
		1089	<i>Amaryllis corusca</i> , v. 1430, b. Salmon-coloured <i>Amaryllis</i> [<i>Amaryllis humilis</i> , β.]
		1090	<i>Amaryllis venusta</i> , v. 1430, b. Poppy-coloured <i>Amaryllis</i> .
		1091	<i>Veltheimia glauca</i>Glaucous-leaved <i>Vel-</i> <i>theimia</i> .
April	255	1092	<i>Anthyllis cretica</i>Cretan Kidney-Vetch.
		1093	<i>Ziziphora Poushkini</i>Hairy-headed <i>Ziziphora</i> .
		1094	<i>Catalpa syringifolia</i>Common <i>Catalpa</i> .
		1095	<i>Andromeda coriacea</i>Shining-leaved <i>Andromeda</i>
		1096	<i>Veratrum viride</i> , НК.....Green-flowered <i>Veratrum</i> . [<i>Helonias viridis</i> .]
		1097	<i>Lachenalia quadricolor</i> , β.. Spotted-leaved, four-co- loured <i>Lachenalia</i> .
		1098	<i>Gladiolus tristis</i> , β. Yellow-flowered square- leaved <i>Corn-flag</i> .
		1099	<i>Baptisia tinctoria</i> , НК.....Dyer's <i>Baptisia</i> . [<i>Podalyria tinctoria</i> .]
		1100	<i>Linum trigynum</i>Three-styled <i>Flax</i> .
		1101	<i>Gentiana Pneumonanthe</i> , } Spotted-flowered <i>Calathian</i> <i>v. guttata</i>} <i>Violet</i> .
XXVIII May	256	1102	<i>Scilla campanulata</i>Spanish <i>Harebell</i> .
		1103	<i>Moræa collina</i> , γ.....Straw-coloured equal- flowered <i>Moræa</i> .
June	257	1104	<i>Sowerbæa juncea</i>Rush-leaved <i>Sowerbæa</i> .
		1105	<i>Geissorhiza secunda</i> , β.....White one-ranked <i>Geis-</i> <i>sorrhiza</i> .
		1106	<i>Vaccinium dumosum</i>Bushy <i>Whortle-berry</i> .
		1107	<i>Cucubalus stellatus</i>Four-leaved <i>Campion</i> . [<i>Silene stellata</i> , НК.]
		1108	<i>Diapensia lapponica</i>Northern <i>Diapensia</i> .
		1109	<i>Nandina domestica</i>Garden <i>Nandina</i> .
		1110	<i>Crocus versicolor</i>Party-coloured <i>Crocus</i> .
		1111	<i>Crocus mæsiacus</i> , β.....Cream-coloured <i>Crocus</i> .
		1112	<i>Uvularia grandiflora</i>Large Yellow <i>Uvularia</i> .
		1113	<i>Erythronium americanum</i>Yellow-flowered <i>Dog's-</i> <i>tooth Violet</i> .
July	258	1114	<i>Teucrium betonicum</i>Hoary <i>Germander</i> .
		1115	<i>Aristolochia glauca</i>Glaucous-leaved <i>Birthwort</i>
		1116	<i>Aristolochia sempervirens</i>Evergreen <i>Birthwort</i> .
		1117	<i>Prunus nigra</i>Black <i>Plum-Tree</i> .
		1118	<i>Arenaria montana</i>Mountain <i>Sandwort</i> .
		1119	<i>Aconitum uncinatum</i>Hook-flowered <i>Wolf's-bane</i>
		1120	<i>Anemone narcissiflora</i>Narcissus-flowered <i>Ane-</i> <i>mone</i> , or <i>Wind-flower</i> .
		1121	<i>Acacia stricta</i> , НК.....Twin-flowered <i>Acacia</i> . [<i>Mimosa stricta</i> .]
		1122	<i>Colchicum byzantinum</i> ...Broad-leaved <i>Meadow-</i> <i>Saffron</i> .
		1123	<i>Iris ruthenica</i>Pigmy <i>Flag</i> .
Aug.	259	1124	<i>Anthericum canaliculatum</i>Hairy <i>Anthericum</i> .
		1125	<i>Amaryllis advena</i>Streaked-flowered <i>Ama-</i> <i>ryllis</i> .
		1126	<i>Hyoseyamus Scopolia</i>Pendulous-flowered <i>Hen-</i> <i>bane</i> .

Vol.	Fasc.	No.			
XXVIII		1127	<i>Fumaria Cucullaria</i> Two-spurred Fumitory.		
		1128	<i>Telopea speciosissima</i> , HK. The Waratah. [<i>Embothrium speciosissimum</i> .]		
		1129	<i>Allium gracile</i> , v. 1293, b. et 1524, b. Carolina Garlic. [<i>Allium inodorum</i> .]		
		1130	<i>Iris sub-biflora</i> Purple Flag.		
		1131	<i>Iris spuria</i> , δ . <i>halophila</i> Smaller sulphur-coloured Flag. [<i>Iris halophila</i> , HK.]		
		1132	<i>Aphyllanthes monspeliensis</i> , Rusk-stalked Lily-Pink.		
		Sept.	260	1133	<i>Cyrtanthus obliquus</i> Oblique-leaved <i>Cyrtanthus</i>
				1134	<i>Ornithogalum lacteum</i> Milk-white Star of Beth- lehem.
				1135	<i>Tulipa gesneriana</i> Garden Tulip.
				1136	<i>Browallia demissa</i> Spreading <i>Browallia</i> .
1137	<i>Euthales trinervis</i> , HK. Three-nerved <i>Euthales</i> . [<i>Goodenia tenella</i> .]				
1138	<i>Cercis Siliquastrum</i> Common Judas-Tree.				
1139	<i>Erica resinosa</i> Varnished Heath.				
Oct.	261			1140	<i>Scilla hyacinthoides</i> Hyacinth Squil.
				1141	<i>Allium Schoenoprasum</i> , β Larger Chives.
				1142	<i>Allium tataricum</i> Tartarian Garlic.
				1143	<i>Allium nutans</i> Flat-stalked Garlic.
				1144	<i>Bossiaea lanceolata</i> Narrow-leaved <i>Bossiaea</i> .
		1145	<i>Rhododendron caucaseum</i> . Caucasian <i>Rhododendron</i>		
		1146	<i>Besleria pulchella</i> Striped-flowered <i>Besleria</i> .		
		1147	<i>Hydropeltis purpurea</i> Purple-flowered <i>Hydro-</i> <i>peltis</i> .		
XXIX. Nov.	262	1148	<i>Allium magicum</i> Homer's Garlic. [<i>Allium nigrum</i> , HK.]		
		1149	<i>Allium angulosum</i> Angular-scaped Garlic.		
		1150	<i>Allium senescens</i> Narcissus-leaved Garlic.		
		1151	<i>Anigozanthus flavida</i> Russet-green-flowered <i>Ani-</i> <i>gozanthus</i> .		
		1152	<i>Vaccinium crassifolium</i> Thick-leaved Whortle- berry.		
		1153	<i>Schotia tamarindifolia</i> Broad-leaved <i>Schotia</i> .		
		1154	<i>Pæonia Moutan</i> The Moutan, or Chinese Tree-Peony.		
		Dec.	263	1155	<i>Smilacina umbellata</i> , v. 1155, b. Umbel-flowered <i>Smila-</i> <i>cina</i> . [<i>Smilacina borealis</i> , α .]
1156	<i>Pontederia Cordata</i> Heart-leaved <i>Pontederia</i> .				
1157	<i>Agave virginica</i> Spike-flowered <i>Agave</i> .				
1158	<i>Xyris operculata</i> Cap-fruited <i>Xyris</i> .				
1159	<i>Digitalis lanata</i> Woolly-spiked Fox-glove.				
1160	<i>Clematis cylindrica</i> Long-flowered Virgin's- bower				
1161	<i>Primula villosa</i> , v. <i>nivea</i> Snowy primrose.				
1162	<i>Dianthus discolor</i> Two-coloured Pink.				
Jan. 1809.	264			1163	<i>Iris sibirica</i> , β White Meadow Flag.
				1164	<i>Ornithogalum thyrsoides</i> Thyrses-flowering Star of Bethlehem.
		1165	<i>Lilium concolor</i> Chinese Orange Lily.		
		1166	<i>Wachendorfia brevifolia</i> Dingy-flowered <i>Wachen-</i> <i>dorfia</i> .		
		1167	<i>Celastrus Pyracanthus</i> <i>Pyracantha</i> -leaved Staff- Tree.		

Vol.	Fasc.	No.			
XXIX.		1168	<i>Trifolium canescens</i> Grey Clover.		
		1169	<i>Stapelia picta</i> Painted Stapelia.		
		1170	<i>Epacris pulchella</i> Sweet-scented Epacris.		
		Feb.	265	1171	<i>Amaryllis zeylanica</i> [<i>Amaryllis ornata</i> .]
				1172	<i>Antholyza æthiopica</i> ,β. Lesser Scarlet Antholyza.
				1173	<i>Ixia erecta</i> , v. <i>lutea odorata</i> . Yellow sweet-scented Ixia.
				1174	<i>Erodium hymenodes</i> Ternate-leaved Heron's-bill
				1175	<i>Centaurea ochroleuca</i> Caucasian Centaury.
				1176	<i>Cytisus purpureus</i> Purple-flowered Cytisus.
				1177	<i>Baptisia alba</i> ,HK..... White-flowered Baptisia. [<i>Podalyria alba</i> .]
March	266	1178	<i>Amaryllis revoluta</i> Changeable-flowered Amaryllis.		
		1179	<i>Sansevieria guineensis</i> African Bow-string Hemp.		
		1180	<i>Dracæna ovata</i> Ovate-leaved <i>Dracæna</i> .		
		1181	<i>Asclepias nivea</i> Almond-leaved Swallow-wort.		
		1182	<i>Asclepias variegata</i> Variegated Swallow-wort.		
		1183	<i>Protea speciosa</i> Splendid Protea.		
		1184	<i>Stapelia elegans</i> Elegant Stapelia.		
		April	267	1185	<i>Lachenalia serotina</i> ,β.HK. . Pink, late-flowering <i>Lachenalia</i> . [<i>Scilla serotina</i> ,β.]
1186	<i>Narcissus bifrons</i> Jonquil-scented Narcissus				
1187	<i>Narcissus bicolor</i> White and Yellow Garden Daffodil.				
1188	<i>Narcissus italicus</i> Pale-flowered Narcissus. [<i>Narcissus Tazetta</i> ,γ.HK.]				
1189	<i>Nymphæa versicolor</i> Changeable Water-Lily.				
1190	<i>Viminaria denudata</i> Leafless Rush-Broom.				
1191	<i>Gloxinia maculata</i> Spotted-stalked <i>Gloxinia</i> .				
XXX.	268			1192	<i>Tradescantia discolor</i> Purple-leaved Spiderwort.
				1193	<i>Watsonia roseo-alba</i> ,β..... Variegated long-tubed <i>Watsonia</i> .
May				1194	<i>Watsonia, Meriana</i> ,γ..... Largest Merian's <i>Watsonia</i> , or Scarlet Tuberos.
		1195	<i>Watsonia humilis</i> ,β. Larger Lake-coloured <i>Watsonia</i> .		
		1196	<i>Arnica Bellidiastrum</i> Daisy-leaved <i>Arnica</i> .		
		1197	<i>Aucuba Japonica</i> Japan <i>Aucuba</i> .		
		1198	<i>Glycine Apios</i> Tuberos-rooted <i>Glycine</i> .		
		1199	<i>Lysinema pungens</i> ,α. <i>rubra</i> ,HK. <i>add.</i> Red-flowered pungent <i>Lysinema</i> . [<i>Epacris pungens</i> , v. <i>rubra</i> .]		
June	269	1200	<i>Gagea lutea</i> Yellow <i>Gagea</i> . [<i>Ornithogalum luteum</i> ,HK.]		
		1201	<i>Damasonium indicum</i> East-Indian <i>Damasonium</i> .		
		1202	<i>Tulipa sylvestris</i> Wild Tulip.		
		1203	<i>Allium Chamæmoly</i> Bastard Garlic.		
		1204	<i>Dianthus petræus</i> Rock Pink.		
		1205	<i>Dianthus alpinus</i> Alpine Pink.		
		1206	<i>Magnolia auriculata</i> Eared-leaved <i>Magnolia</i> .		
		July	270	1207	<i>Fritillaria latifolia</i> ,α..... Largest broad-leaved <i>Fritillary</i> .
1208	<i>Galaxia ovata</i> ,α..... Large flowered <i>Galaxia</i> .				

Vol.	Fasc.	No.			
XXX.		1209	<i>Iris pumila</i> , v. <i>lutea</i> Yellow Dwarf Flag,		
		1210	<i>Leucoium æstivum</i> Summer Snow-Flake.		
		1211	<i>Mirbelia reticulata</i> Netted-leaved <i>Mirbelia</i> .		
		1212	<i>Struthiola pubescens</i> Long-tubed <i>Struthiola</i> .		
		1213	<i>Collinsonia anisata</i> Anise-scented <i>Collinsonia</i> .		
		1214	<i>Erica Thunbergii</i> Globular-tubed Heath.		
		Aug.	271	1215	<i>Fritillaria imperialis</i> , β Yellow Crown-Imperial.
				1216	<i>Fritillaria pyrenaica</i> , α . HK. Oriental Fritillary. [<i>Fritillaria racemosa</i> , α .] Vid. :538, <i>b</i> .
				1217	<i>Brunsvigia toxicaria</i> , <i>Ker in Bot. Reg.</i> The Poison- [<i>Hæmanthus toxicarius</i> .] Bulb.
				1218	<i>Hibbertia grossulariæfolia</i> Gooseberry-leaved <i>Hibbertia</i> .
				1219	<i>Primula intermedia</i> Siberian Bird's-eye Primrose.
				1220	<i>Mesembryanthemum den-</i> } Great beard-leaved Fig- <i>sum</i> } Marigold.
				1221	<i>Aquilegia hybrida</i> [<i>Aquilegia vulgaris</i> , δ . <i>speciosa</i> , HK.]
				Sept.	272
1223	<i>Hypoxis stellata</i> , β White-flowered Star <i>Hypoxis</i> .				
1224	<i>Pancratium Amancaes</i> Golden <i>Panercatium</i> .				
1225	<i>Trichonema roseum</i> Rose-coloured <i>Trichonema</i> .				
1226	<i>Verbascum cupreum</i> Copper-flowered Mullein.				
1227	<i>Stapelia campanulata</i> Bell-flowered <i>Stapelia</i> .				
1228	<i>Convolvulus canariensis</i> Canary Bindweed.				
1229	<i>Gentiana septemfida</i> Crested <i>Gentian</i> .				
Oct.	273	1230	<i>Allium fistulosum</i> Welsh Onion.		
		1231	<i>Aristea pusilla</i> Flat-stemmed <i>Aristea</i> .		
		1232	<i>Crinum erubescens</i> Blush-coloured <i>Crinum</i> .		
		1233	<i>Lotus odoratus</i> Sweet-scented Bird's-foot Trefoil.		
		1234	<i>Stapelia vetula</i> Dingy-flowered <i>Stapelia</i> .		
		1235	<i>Bossiaea scolopendria</i> Flat-stemmed <i>Bossiaea</i> .		
		1236	<i>Myrtus Pimenta</i> , α . <i>longifolia</i> , Long-leaved Pimento.		
		XXXI. Nov.	274	1237	<i>Lilium tigrinum</i> Tyger-spotted Lily.
				1238	<i>Moræa edulis</i> , γ Yellow long-leaved <i>Moræa</i>
				1239	<i>Hæmanthus pubescens</i> , β . <i>v.</i> 1523, <i>b.</i> White-flowered [<i>Hæmanthus albiflos</i> .] <i>Hæmanthus</i> .
				1240	<i>Stapelia pulvinata</i> Cushioned <i>Stapelia</i> .
1241	<i>Liparia sphaerica</i> Ruscus-leaved <i>Liparia</i> .				
1242	<i>Eugenia fragrans</i> Sweet-scented <i>Eugenia</i> .				
1243	<i>Nymphæa kalmiana</i> Canadian Water Lily.				
Dec.	275			1244	<i>Trichonema pudicum</i> Blush <i>Trichonema</i> .
				1245	<i>Eustrephus latifolius</i> Broad-leaved <i>Eustrephus</i> .
				1246	<i>Lapeyrousia fissifolia</i> Leafy-spiked <i>Lapeyrousia</i> .
		1247	<i>Moræa pavonia</i> Orange-coloured <i>Moræa</i> .		
		1248	<i>Centaurea macrocephala</i> Large-headed, yellow <i>Centaurea</i> .		
		1249	<i>Erica aristata</i> Bearded-leaved Heath.		
		1250	<i>Erica andromedæflora</i> Andromeda-flowered Heath.		
		1251	<i>Hedysarum capitatum</i> Sceptre-flowered <i>Hedysarum</i> .		

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>			
XXXI. Jan. 1810.	276	1252	<i>Cyanella lutea</i> Yellow Cyanella.		
		1253	<i>Amaryllis disticha</i> Sierra-Leone Lily. [<i>Amaryllis ornata</i> , α .] Vide No. 1943.		
		1254	<i>Hesperantha pilosa</i> , β Grass-leaved Evening- Flower.		
		1255	<i>Geissorhiza setacea</i> Narrowest-leaved Tile-root		
		1256	<i>Impatiens coccinea</i> , Glandular-leaved Balsam.		
		1257	<i>Campanula peregrina</i> Rough-leaved Bell-flower.		
		1258	<i>Campanula barbata</i> Bearded Bell-Flower.		
		1259	<i>Ibbetsonia genistoides</i> Spotted-flowered Ibbet- [<i>Cyclopia genistoides</i> ,HK.] sonia.		
		Feb.	277	1260	<i>Yucca gloriosa</i> Superb Adam's-Needle.
				1261	<i>Iris pumila</i> , v. <i>violacea</i> Violet Dwarf Flag.
				1262	<i>Narcissus triandrus</i> , v. } Yellow reflexed-flowered luteus } Narcissus.
				1263	<i>Acacia pubescens</i> ,HK..... Hairy-stemmed Acacia. [<i>Mimosa pubescens</i> .]
				1264	<i>Nigella orientalis</i> Oriental Fennel-Flower.
				1265	<i>Nigella hispanica</i> , Spanish Fennel-Flower.
1266	<i>Garidella Nigellastrum</i> Fennel-leaved Garidella.				
March	278	1267	<i>Crocus serotinus</i> Mountain Crocus.		
		1268	<i>Aponogeton angustifolium</i> . Narrow-leaved Aponogeton		
		1269	<i>Lachenalia orchioides</i> , α ... Spotted-leaved Orchis-like Lachenalia.		
		1270	<i>Alöe mitraeformis</i> Mitre Aloe.		
		1271	<i>Diosma speciosa</i> Umbel-flowered Diosma.		
		1272	<i>Lomatia silaifolia</i> Sulphur wort-leaved Lo- matia.		
		1273	<i>Cynanchum discolor</i> Virginian Cynanchum.		
		1274	<i>Eutaxia myrtifolia</i> ,HK..... Myrtle-leaved Eutaxia. [<i>Dillwynia obovata</i> .]		
		April	279	1275	<i>Tritonia viridis</i> Greenish-flowered Tritonia
				1276	<i>Moræa angusta</i> Rolled-leaved Moræa.
1277	<i>Aristea melaleuca</i> Mourning-flowered Aristea				
1278	<i>Alöe rhodacantha</i> Red-spined glaucous Aloe				
1279	<i>Teucrium orientale</i> Great-flowered Germander				
1280	<i>Nymphæa rubra</i> Red-flowered Water-Lily.				
1281	<i>Gypsophila prostrata</i> Trailing Gypsophila.				
1282	<i>Daphne pontica</i> Twin-flowered Daphne.				
XXXII. May	280			1283	<i>Moræa spicata</i> Flexuose Moræa.
				1284	<i>Moræa crispa</i> , γ Curled-leaved Moræa.
		1285	<i>Ixia maculata</i> , v. <i>ochroleuca</i> , Cream-coloured spotted Ixia.		
		1286	<i>Andromeda calyculata</i> , α . } Globe-flowered calyced <i>ventricosa</i> } Andromeda.		
		1287	<i>Achillea Clavenæ</i> Silvery-leaved Milfoil.		
		1288	<i>Vaccinium resinosum</i> , β Red-flowered Clammy Whortle-berry.		
		1289	<i>Aspalathus carnososa</i> Fleshy-leaved Aspalathus.		
		1290	<i>Campanula thyrsoides</i> Long-spiked Bell-Flower.		
		June	281	1291	<i>Melanthium monopetalum</i> . Many-flowered Melan- [<i>Wurmbea campanulata</i> ,HK.] thium.
				1292	<i>Galaxia graminea</i> Narrow-leaved Galaxia.
1293	<i>Aponogeton distachyon</i> ,... Forked-flowered Apono- geton.				

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>			
XXXII.		1294	<i>Salvia Amœna</i> Purple-flowered Sage.		
		1295	<i>Lachnæa eriocephala</i> Woolly-headed <i>Lachnæa</i> .		
		1296	<i>Corchorus japonicus</i> , β Double-flowered Japan Corchorus.		
		July	282	1297	<i>Styphelia triflora</i> Cluster-flowered <i>Styphelia</i>
				1298	<i>Narcissus orientalis</i> , α Pale-cupped White Nar- cissus.
				1299	<i>Narcissus bifrons</i> , β Jonquil-scented Narcissus.
1300	<i>Narcissus moschatus</i> , δ Smaller White Spanish Daffodil.				
		1301	<i>Narcissus major</i> , β , γ Large Yellow Spanish Nar- cissus.		
		1302	<i>Peliosanthes Teta</i> Green-flowered Teta.		
		1303	<i>Coffea arabica</i> Coffee-Tree.		
		1304	<i>Fabricia lævigata</i> Smooth <i>Fabricia</i> .		
Aug.	283	1305	<i>Euphorbia mellifera</i> Honey-bearing <i>Euphorbia</i> .		
		1306	<i>Alœe arborescens</i> Narrow-leaved Sword Aloe.		
		1307	<i>Phlox pilosa</i> Hairy Phlox, or <i>Lychnidea</i> .		
		1308	<i>Phlox amœna</i> Fraser's Hairy Phlox.		
		1309	<i>Claytonia alsinoides</i> Chickweed <i>Claytonia</i> .		
		1310	<i>Goodia pubescens</i> Hairy <i>Goodia</i> .		
		1311	<i>Lupinus nootkatensis</i> Nootka-Sound Lupin.		
		1312	<i>Othonna perfoliata</i> , HK. Perfoliate <i>Othonna</i> . [<i>Othonna amplexicaulis</i> .]		
		1313	<i>Billardiera mutabilis</i> Changeable-flowered Bil- lardiera.		
		Sept.	284	1314	<i>Alœe arachnoides</i> , γ , <i>reticulata</i> } Pale netted-veined-leaved Aloe.
1315	<i>Hæmanthus puniceus</i> Waved-leaved Blood- Flower.				
1316	<i>Mediola virginiana</i> Indian Cucumber.				
1317	<i>Anthericum alooides</i> Aloe-leaved <i>Anthericum</i> .				
1318	<i>Lonicera flava</i> Yellow-flowered Woodbine				
1319	<i>Lobelia lutea</i> Yellow Lobelia.				
1320	<i>Mantisia saltatoria</i> Opera-Girls. [<i>Globba radicalis</i> , HK. add.] Vide No. 1428.				
Oct.	285			1321	<i>Cluytia alaternoides</i> Narrow-leaved <i>Cluytia</i> .
				1322	<i>Alœe Lingua</i> , <i>v.</i> 1331, <i>b.</i> Common Tongue Aloe.
				1323	<i>Alœe picta</i> Spotted-leaved Aloe.
		1324	<i>Allium cernuum</i> Bowed-umbelled Garlic.		
		1325	<i>Lobelia gigantea</i> Gigantic Lobelia.		
		1326	<i>Stapelia geminata</i> Twin-flowered <i>Stapelia</i> .		
		1327	<i>Potentilla clusiana</i> Clusius's Cinque-foil.		
		1328	<i>Menyanthes sarmentosa</i> Running Buck-bean.		
XXXIII. Nov.	286	1329	<i>Albuca vittata</i> Riband <i>Albuca</i> .		
		1330	<i>Allium flavum</i> Yellow Garlic.		
		1331	<i>Allium carinatum</i> , α Keel-leaved Aloe.		
		1332	<i>Alœe depressa</i> Short-leaved Perfoliate Aloe.		
		1333	<i>Panax quinquefolia</i> Five-leaved <i>Panax</i> , or Ginseng.		
		1334	<i>Panax pusilla</i> , α Lesser <i>Panax</i> . [<i>Panax trifolium</i> , HK.]		
		1335	<i>Fumaria formosa</i> Blush Fumitory.		
Dec.	287	1336	<i>Claytonia perfoliata</i> Perfoliate <i>Claytonia</i> .		
		1337	<i>Alœe rigida</i> Stiff-leaved Aloe.		

Vol.	Fasc.	No.			
xxxiii.		1338	Alöe pentagona Pentagonal Aloe.		
		1339	Anthericum longiscapum Glaucous-leaved Anthericum.		
		1340	Tradescantia erecta Upright Spiderwort.		
		1341	Fothergillia alnifolia, α . } Blunt-leaved Fothergillia.		
			<i>obtusa</i> }		
		1342	Fothergillia alnifolia, γ . } Broad-leaved Fothergillia.		
			<i>major</i> }		
		1343	Calendula viscosa, HK. Viscous Marigold. [Arctotis glutinosa.]		
		Jan. 1811.	288	1344	Phlox carolina Rough-stemmed Lychnidea
				1345	Alöe Radula Rasp-leaved Aloe
				1346	Alöe saponaria, β . <i>latifolia</i> . Largest Soap-Aloe.
				1347	Tamus eliphantipes Cape-Bryony, or Elephant's Foot.
				1348	Hermannia tenuifolia Fine-leaved Hermannia.
1349	Hermannia flammea Night-smelling Hermannia				
1350	Astragalus sinicus Umbellated Astragalus.				
Feb.	289	1351	Tropæolum peregrinum Ciliated Tropæolum, or Indian Cress.		
		1352	Alöe foliolosa Small-leaved Aloe.		
		1353	Alöe recurva Recurved Aloe.		
		1354	Alöe mirabilis Rough-leaved Cushion Aloe		
		1355	Alöe virens Apple-green-leaved Aloe.		
		1356	Hibiscus surattensis Prickly-stalked Hibiscus.		
		1357	Diosma pulchella Blunt-leaved Diosma.		
		1358	Justicia nervosa Blue-flowered Justicia.		
		1359	Nymphæa nitida Cup-flowered Water-Lily.		
		March	290	1360	Alöe margaritifera, γ . <i>minima</i> , Least Pearl Aloe.
				1361	Alöe arachnoides, β . <i>pumila</i> . Dark-leaved Spider Aloe.
1362	Alöe mitræformis, β . <i>brevifolia</i> , Least Mitre Aloe.				
1363	Strumaria crispa Glittering-flowered Strumaria. [Amaryllis crispa, HK.] Vide 1383, <i>b</i> .				
1364	Nymphæa rubra, β . <i>rosea</i> Rose-coloured Water-Lily.				
1365	Lotus australis New-Holland Lotus.				
1366	Cnicus spinosissimus Feathery-headed Cnicus.				
April	291	1367	Anacampseros filamentosa. Thready Anacampseros. [Talinum filamentosum, HK.]		
		1368	Anacampseros arachnoides. White-flowered Anacampseros. [Talinum arachnoides, HK.]		
		1369	Aristolochia tomentosa Downy-leaved Birth-wort.		
		1370	Erica Monadelphæa Monadelphous Heath.		
		1371	Rhapis flabelliformis Dwarf Ground-Ratan.		
xxxiv. May	292	1372	Lachenalia lucida Glossy-leaved Lachenalia.		
		1373	Lachenalia unicolor, β Plain-leaved self-coloured Lachenalia.		
		1374	Neottia speciosa Red-flowered Neottia.		
		1375	Pothos pentaphylla Five-leaved Pothos.		
		1376	Mesembryanthemum minutum, Tiny Fig-Marigold.		
		1377	Rosa bracteata Macartny's Rose.		
		1378	Ixia monadelphæa, β Orange-coloured, monadelphous Ixia.		
		1379	Ixia fucata Painted-flowered Ixia.		
		1380	Drimia lanceæfolia, β Lesser plain-leaved Drimia [Hyacinthus revolutus, HK.]		
		1381	Allium bisulcum Jonquil-leaved Garlic.		

Vol.	Fasc.	No.			
xxxiv. June	293	1382	<i>Eriospermum latifolium</i> , α . . . Short-pediced, broad-leaved <i>Eriospermum</i> .		
		1383	<i>Strumaria spiralis</i> Spiral-stalked <i>Strumaria</i> .		
		1384	<i>Crocus sulphureus</i> , β Self-coloured Old Cloth of Gold <i>Crocus</i> .		
		1385	<i>Allium Ampeloprasum</i> Great round-headed <i>Garlic</i> <i>Vide No. 1408, b.</i>		
		1386	<i>Geranium ibericum</i> , Iberian <i>Geranium</i> .		
		1387	<i>Cytisus divaricatus</i> , β Smooth-leaved, straddling <i>Cytisus</i> .		
		1388	<i>Tussilago fragrans</i> Sweet-scented <i>Coltsfoot</i> .		
		1389	<i>Thermopsis lupinoides</i> Lupin-leaved <i>Thermopsis</i> , [<i>Podalyria lupinoides</i> .]		
		July	294	1390	<i>Tulipa clusiana</i> Clusius's <i>Tulip</i> .
				1391	<i>Carex Fraseriana</i> Fraser's <i>Carex</i> .
1392	<i>Trichonema caulescens</i> Caulescent <i>Trichonema</i> .				
1393	<i>Iris ruthenica</i> , β Pigmy <i>Iris</i> .				
1394	<i>Pultenæa daphnoides</i> Daphne-leaved <i>Pultenæa</i> .				
1395	<i>Zieria Smithii</i> Lanceolate <i>Zieria</i> .				
1396	<i>Pittosporum Tobira</i> Gloss-leaved <i>Pittosporum</i> .				
1397	<i>Stapelia reclinata</i> Reclining <i>Stapelia</i> .				
Aug.	295	1398	<i>Bignonia grandiflora</i> Chinese Trumpet-flower.		
		1399	<i>Erica odorata</i> Perfumed <i>Heath</i> .		
		1400	<i>Ruellia formosa</i> Splendid <i>Ruellia</i> .		
		1401	<i>Lachenalia contaminata</i> Mixed-coloured <i>Lachenalia</i> .		
		1402	<i>Uvularia sessilifolia</i> Sessile-leaved <i>Uvularia</i> .		
		1403	<i>Smilacina borealis</i> Northern <i>Smilacina</i> . [<i>Dracæna borealis</i> , HK.]		
		1404	<i>Dianella ensifolia</i> , α Whitish-flowered <i>Dianella</i> .		
		1405	<i>Lilium monadelphum</i> Monadelphous <i>Lily</i> .		
		1406	<i>Watsonia strictiflora</i> Straight-flowered <i>Watsonia</i> .		
		1407	<i>Moræa Sisyrinchium</i> European <i>Moræa</i> , or Spanish <i>Nut</i> .		
Sept.	296	1408	<i>Allium obliquum</i> Twisted-leaved <i>Garlic</i> .		
		1409	<i>Bryophyllum calycinum</i> Pendulous-flowered <i>Bryophyllum</i> . [<i>Cotyledon pinnata</i> , HK.] For MONOGYNIA read TETRAGYNIA.		
		1410	<i>Gentiana septemfida</i> , β Spotted-flowered crested <i>Gentian</i> .		
		1411	<i>Liatris spicata</i> Spiked <i>Liatris</i> .		
		1412	<i>Carolinea minor</i> Lesser <i>Carolinea</i> .		
		1413	<i>Schisandra coccinea</i> Scarlet-flowered <i>Schisandra</i> .		
		1414	<i>Gentiana macrophylla</i> Long-leaved <i>Gentian</i> .		
		1415	<i>Alöe serratula</i> Saw-leaved <i>Aloe</i> .		
		1416	<i>Pitcairnia bracteata</i> , β . } <i>sulphurea</i> } Yellow-flowered <i>Pitcairnea</i>		
		1417	<i>Alöe arachnoides</i> , δ . } <i>translucens</i> } Transparent-leaved <i>Aloe</i> . [<i>Alöe translucens</i> , HK.]		
xxxv. Nov.	298	1418	<i>Aletris farinosa</i> White-flowered American <i>Aletris</i> .		
		1419	<i>Pancratium amboinense</i> Amboyna <i>Pancratium</i> . <i>Vide 142, Note.</i>		

Vol.	Fasc.	No.			
xxxv.		1420	<i>Allium patens</i> Pale-flowered Garlic.		
		1421	<i>Arthropodium paniculatum</i> , Paniced Anthropodium.		
		1422	<i>Pæonia humilis</i> Dwarf Peony.		
		1423	<i>Justicia bicolor</i> Dotted-flowered Justicia.		
		1424	<i>Pentstemon pubescens</i> , α . } Broad-leaved Hairy Pent- <i>latifolia</i> } stemon.		
		1425	<i>Pentstemon lævigata</i> Smooth Pentstemon.		
		Dec.	299	1426	<i>Zingiber Casumunar</i> Casmunar, or Hairy Ginger.
				1427	<i>Eryngium corniculatum</i> One-horned Eryngium.
				1428	<i>Globba sessiliflora</i> Sessile-flowered Globba.
				1429	<i>Salvia Hablitziana</i> Hablitz's Sage.
				1430	<i>Amaryllis purpurea</i> Cinnabar-flowered Ama- ryllis.
				1431	<i>Commelina africana</i> Yellow Cape Commelina.
				1432	<i>Allium paniculatum</i> Pendulous-flowered Garlic
		Jan. 1812.	300	1433	<i>Hemerocallis japonica</i> Sweet-scented, Japan Day- Lily.
1434	<i>Sabal Adansonii</i> Dwarf Sabal, or Swamp [<i>Rhapis acaulis</i> , НК.] Palmetto.				
1435	<i>Tradescantia cristata</i> Crest-bunched Spider-wort				
1436	<i>Cotyledon crenata</i> Scollop-leaved Navel-wort				
1437	<i>Ornithidium coccineum</i> , НК. Scarlet-flowered Ornithi- [<i>Cymbidium coccineum</i> .] dium.				
1438	<i>Cytisus leucanthus</i> Pale-flowered Cytisus.				
1439	<i>Astroloma humifusum</i> Juniper-leaved Astroloma.				
Feb.	301			1440	<i>Datura Metel</i> Downy Thorn-apple.
				1441	<i>Pæonia dahurica</i> Daurian Peony.
				1442	<i>Edwardsia microphylla</i> Small-leaved Edwardsia.
		1443	<i>Brunsvigia falcata</i> Sweet-scented Brunswick- Lily.		
		1444	<i>Drimia ciliaris</i> Fringed-leaved Drimia.		
		1445	<i>Triglochin bulbosum</i> Bulbous-rooted Arrow- grass.		
March	302	1446	<i>Ocimum scutellarioides</i> Skull-cap-like Basil.		
		1447	<i>Euryale ferox</i> Prickly Euryale.		
		1448	<i>Gypsophila repens</i> Creeping Gypsophila.		
		1449	<i>Lantana trifolia</i> Three-leaved Lantana.		
		1450	<i>Amaryllis blanda</i> Blush Lily, or Amaryllis.		
		1451	<i>Anthericum Annuum</i> Annual Anthericum.		
		1452	<i>Alœ albicans</i> Hard-leaved Aloe.		
April	303	1453	<i>Pancratium speciosum</i> Balsam-scented Sea-Daf- fodil.		
		1454	<i>Anthericum pugioniforme</i> . Round-rooted Anthericum.		
		1455	<i>Alœ spiralis</i> Rough-flowered Aloe.		
		1456	<i>Bixa Orellana</i> Heart-leaved Bixa, or Anotta.		
		1457	<i>Sempervivum soboliferum</i> . Hen and Chicken House- leek.		
		1458	<i>Pimelœa rosea</i> Rôse-coloured Pimelœa.		
xxxvi. May	304	1459	<i>Parnassia caroliniana</i> Carolina Grass of Parnassus		
		1460	<i>Alœ saponaria</i> , α Common Soap-Aloe.		
		1461	<i>Scilla non-scripta</i> , β Pink-coloured Hare-bells.		
		1462	<i>Pitcairnia integrifolia</i> Entire-leaved Pitcairnia.		
		1463	<i>Gnidia imberbis</i> Smooth-scaled Gnidia.		

Vol.	Fasc.	No.	
xxxvi.		1464	<i>Jatropha integerrima</i> Spicy Jatropha.
		1465	<i>Dentaria diphylla</i> Broad-leaved Tooth-wort, or Pepper-root.
June	305	1466	<i>Phyteuma cordata</i> Horned Rampion.
		1467	<i>Pancratium amœnum</i> Broad, spear-leaved Sea-Daffodil.
		1468	<i>Scilla brevifolia</i> Root-sheathed Cape Squil. [<i>Hyacinthus brevifolius</i> , НК. <i>add.</i>]
		1469	<i>Allium Cepa</i> , β. v. 1635, b. Bulb-bearing Common Onion, or Tree-Onion.
		1470	<i>Laurus Diospyrus</i> Twiggy Bay.
		1471	<i>Laurus geniculata</i> Flexuose Bay.
		1472	<i>Septas globiflora</i> Globe-flowered Septas.
July	306	1473	<i>Begonia discolor</i> , НК. Two-coloured Begonia. [<i>Begonia Evansiana</i> .]
		1474	<i>Alœ succotrina</i> , β. <i>pur-</i> <i>purascens</i> } Largest Soccotrine Aloe. [<i>Alœ purpurascens</i> , НК.]
		1475	<i>Hesperantha pilosa</i> , α. Hairy Evening-flower.
		1476	<i>Trichonema speciosum</i> Crimson Trichonema.
		1477	<i>Podolobium trilobum</i> Holly-leaved Podolobium.
		1478	<i>Philadelphus inodorus</i> Carolina scentless Phila- delphus.
		1479	<i>Ceanothus americanus</i> New-Jersey Tea.
		1480	<i>Azalea indica</i> Indian Azalea.
		1481	<i>Albuca setosa</i> Bristly-rooted Albuca.
		1482	<i>Sparaxis tricolor</i> , β. γ. δ. Three-coloured Sparaxis.
Aug.	307	1483	<i>Gladiolus trichonemifolius</i> . <i>Trichonema</i> -leaved Corn- flag.
		1484	<i>Lobelia unidentata</i> Single-toothed Lobelia.
		1485	<i>Lasiopetalum quercifolium</i> . Oak-leaved <i>Lasiopetalum</i> .
		1486	<i>Lasiopetalum solanaceum</i> . <i>Solanum</i> -leaved <i>Lasiope-</i> <i>talum</i> .
		1487	<i>Bartonia decapetala</i> Ten-petaled Bartonia.
		1488	<i>Tacca integrifolia</i> Entire-leaved Tacca.
		1489	<i>Uvularia rosea</i> Red small-flowered Uvu- laria.
Sept.	308	1490	<i>Uvularia lanuginosa</i> Green-flowered, Downy Uvularia.
		1491	<i>Oncidium bifolium</i> Two-leaved <i>Oncidium</i> .
		1492	<i>Bletia hyacinthina</i> Hyacinthine Bletia. [<i>Cymbidium hyacinthinum</i> .]
		1493	<i>Bossiaea prostrata</i> Procumbent <i>Bossiaea</i> .
		1494	<i>Euphorbia Ipecacuanhæ</i> Emetic Spurge.
		1495	<i>Eucomis nana</i> Dwarf <i>Eucomis</i> .
		1496	<i>Iris fulva</i> Copper-coloured Iris.
		1497	<i>Lachenalia nervosa</i> Nerved-leaved <i>Lachenalia</i> .
		1498	<i>Viola rothomagensis</i> Rouen Heart's-ease.
		1499	<i>Lobelia speculum</i> Looking-glass Lobelia.
Oct.	309	1500	<i>Roxburghia Gloriosa</i> Green-flowered Roxburg- [<i>Roxburghia gloriosoides</i> , НК.] <i>hia</i> .
		1501	<i>Mimulus luteus</i> Langsdoff's <i>Mimulus</i> .
		1502	<i>Tritonia longiflora</i> , β. γ. Long-flowered <i>Tritonia</i> .
		1503	<i>Tritonia rochensis</i> , α. Bending-flowered <i>Tritonia</i> .
		1504	<i>Iris prismatica</i> New-Jersey Iris.
		1505	<i>Nartheecium americanum</i> American <i>Nartheecium</i> .
xxxvii	310		
Nov.		1502	<i>Tritonia longiflora</i> , β. γ. Long-flowered <i>Tritonia</i> .
		1503	<i>Tritonia rochensis</i> , α. Bending-flowered <i>Tritonia</i> .
		1504	<i>Iris prismatica</i> New-Jersey Iris.
		1505	<i>Nartheecium americanum</i> American <i>Nartheecium</i> .

Vol.	Fasc.	No.			
xxxvii	311	1506	<i>Calothamnus quadrifida</i> . . . Four-cleft Calothamnus.		
		1507	<i>Billardiera longiflora</i> Blue-berried Billardiera.		
		1508	<i>Platylobium triangulare</i> . . . Triangular-leaved Flat-Pea		
		1509	<i>Aster liratus</i> Fluted-stemmed Star-wort		
		Dec.	311	1510	<i>Pomaderris elliptica</i> Oval-leaved Pomaderris.
				1511	<i>Bignonia uncata</i> Hooked-tendrilled Trum- pet-flower.
				1512	<i>Satyrium carneum</i> Great-flowered Cape Sa- tyrium.
				1513	<i>Jeffersonia diphylla</i> Barton's Jeffersonia. [<i>Podophyllum diphyllum</i> , НК.]
				1514	<i>Iris spuria</i> , ϵ . <i>desertorum</i> . . . Sweet-scented Bastard Iris
				1515	<i>Iris spuria</i> , ζ . <i>stenogyna</i> . . . Cream-coloured Bastard Iris.
				1516	<i>Galaxia ovata</i> Purple-flowered Galaxia.
				1517	<i>Lachenalia racemosa</i> Starch-flowered Lachenalia
		Jan.	312	1518	<i>Clerodendrum tomentosum</i> . Downy Clerodendrum, or Cumberland-Tree.
				1519	<i>Diosma fragrans</i> Aromatic Diosma.
		1813.		1520	<i>Platylobium parviflorum</i> . . Small-flowered Flat-Pea.
	1521		<i>Pyrethrum indicum</i> East-Indian Feverfew.		
		1522	<i>Agave lurida</i> , α Broad-leaved, Vera Cruz Agave.		
		1523	<i>Hæmanthus quadrivalvis</i> . . Hairy-leaved, Scarlet Hæ- manthus.		
		1524	<i>Allium striatum</i> Streak-leaved Garlic.		
Feb.	313	1525	<i>Nymphæa pygmæa</i> Pigmy Water-Lily.		
		1526	<i>Pterospermum suberifo- lium</i> } Cork-leaved Pterosper- mum.		
		1527	<i>Dillwynia parvifolia</i> Short-leaved Dillwynia.		
		1528	<i>Russelia multiflora</i> Many-flowered Russelia.		
		1529	<i>Tillandsia stricta</i> Stiff-leaved Tillandsia.		
		1530	<i>Watsonia marginata</i> , β . } Lesser Broad-leaved Wat- <i>minor</i> } sonia.		
		1531	<i>Tritonia capensis</i> , β Lesser Trumpet-Tritonia.		
		1532	<i>Peliosanthes humilis</i> Dwarf Peliosanthes.		
		March	314	1533	<i>Gompholobium poly- morphum</i> } Variable Gompholobium.
				1534	<i>Ixodia Achilleoides</i> Milfoil-like Ixodia.
1535	<i>Cosmea bipinnata</i> Fine-leaved Cosmea.				
1536	<i>Cineraria Petasitis</i> Butter-bur-leaved Cineraria				
1537	<i>Fritillaria persica</i> , α Largest Persian Fritillary.				
1538	<i>Fritillaria latifolia</i> , γ . <i>lutea</i> . Yellow Fritillary.				
1539	<i>Eucomis punctata</i> , β . <i>striata</i> , Striped-leaved Eucomis.				
1540	<i>Helonias læta</i> , β Narrow channel-leaved Helonias.				
April	315			1541	<i>Sida hastata</i> Halbert-leaved Mexican Sida.
				1542	<i>Clitoria ternatea</i> Winged-leaved Clitoria.
				1543	<i>Talinum reflexum</i> Reflexed-flowered Talinum
				1544	<i>Oxylobium cordifolium</i> . . . Heart-leaved Oxylobium.
		1545	<i>Dillwynia floribunda</i> Close-flowered Dillwynia. [<i>Dillwynia ericifolia</i> .]		
		1546	<i>Curcuma Zedoaria</i> Aromatic Turmeric.		
		1547	<i>Pitcairnia angustifolia</i> Narrow-leaved Pitcairnia.		

Vol.	Fasc.	No.	
xxxviii May	316	1548	<i>Erica primuloides</i> Cowslip Heath. [<i>Erica fastigiata</i> , β. HK.]
		1549	<i>Oxalis pentaphylla</i> Five-fingered Wood-Sorrel
		1550	<i>Vaccinium nitidum</i> , β. <i>decumbens</i> } Red-twigg'd decumbent Whortle-berry.
		1551	<i>Gentiana ochroleuca</i> Pale-white Gentian.
		1552	<i>Olea fragrans</i> Sweet-scented Olive.
		1553	<i>Astrantia maxima</i> Hellebore-leaved Master- [<i>Astrantia helleborifolia</i> , HK.] wort.
June	317	1554	<i>Bromelia Ananas</i> , β. The Queen Pine-Apple.
		1555	<i>Phlomis tuberosa</i> Tuberos Phlomis.
		1556	<i>Capraria undulata</i> Waved-leaved Capraria.
		1557	<i>Cactus Tuna</i> , γ. <i>nigricans</i> .. Lesser black-spined Indian -Fig.
		1558	<i>Spermacoce strigosa</i> Cross-wort Button-weed.
		1559	<i>Musa coccinea</i> Scarlet Banana.
		1560	<i>Allium Ampeloprasum</i> , β. . Purple Cape Garlic.
July	318	1561	<i>Pancratium calathinum</i> ... White Brasil Pancratium.
		1562	<i>Neottia picta</i> Spotted-leaved Neottia.
		1563	<i>Aster argophyllus</i> Musk-scented Star-wort.
		1564	<i>Gladiolus hastatus</i> The Spade Corn-flag.
		1565	<i>Muscari moschatum</i> , β. ... Yellow Musk-Hyacinth.
		1566	<i>Andromeda floribunda</i> Conical-flowered Andromeda.
		1567	<i>Dalibarda fragarioides</i> Strawberry-leaved Dalibarda.
		1568	<i>Neottia cernua</i> Nodding-flowered Neottia.
Aug.	319	1569	<i>Cypripedium arietinum</i> ... Ram's-head Ladies-Slipper
		1570	<i>Rosa hispida</i> Hispid-stemmed Rose.
		1571	<i>Menziesia ferruginea</i> , β. ... Carolina Menziesia. [<i>Menziesia globularis</i> , HK.]
		1572	<i>Convolvulus Jalapa</i> The true Jalap.
		1573	<i>Mesembryanthemum tenticulare</i> , β. } Yellow-flowered, Round- leaved Fig-Marigold.
		1574	<i>Scilla esculenta</i> Missouri Squil, or Quamash.
		1575	<i>Gladiolus communis</i> , β. } Flesh-coloured, Common <i>carneus</i> } Corn-flag.
		1576	<i>Allium stellatum</i> Missouri Garlic.
Sept.	320	1577	<i>Arbutus canariensis</i> Teneriffe Strawberry-Tree.
		1578	<i>Aphelandra cristata</i> Dense-spiked Aphelandra.
		1579	<i>Andromeda mariana</i> , α. Oval-leaved Maryland Andromeda.
		1580	<i>Podalyria styracifolia</i> Storax-leaved Podalyria. [<i>Podalyria calyptrata</i> , HK.] ?
		1581	<i>Dryandra floribunda</i> Many-flowered Dryandra.
		1582	<i>Dryandra longifolia</i> Long-leaved Dryandra.
		1583	<i>Ribes resinum</i> Clammy Currant.
Oct.	321	1584	<i>Pothos sagittata</i> Arrow-leaved Pothos.
		1585	<i>Phylloma aloiflorum</i> The Bourbon Aloe. [<i>Dracæna marginata</i> , HK.]
		1586	<i>Amaryllis tubispatha</i> Griffin's Amaryllis.
		1587	<i>Daphne odora</i> Sweet-scented Daphne.
		1588	<i>Pultenæa stricta</i> Upright Pultenæa.
		1589	<i>Tiarella cordifolia</i> Heart-leaved Tiarella.

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XXXVIII		1590	<i>Virgilia capensis</i> Vetch-leaved <i>Virgilia</i> .
		1591	<i>Lilium japonicum</i> White Japan Lily.
XXXIX. Nov.	322	1592	(<i>Enothera missourensis</i> Missouri Evening-Prim- [<i>Enothera macrocarpa</i> , НК. <i>add. ?</i>] <i>V.</i> 1674, <i>b.</i> rose.
		1593	<i>Enothera cæspitosa</i> Matted Evening-Primrose.
		1594	<i>Lachnæa purpurea</i> Purple-flowered <i>Lachnæa</i> .
		1595	<i>Viola montana</i> Mountain Violet.
		1596	<i>Lophiola aurea</i> , Golden-crested <i>Lophiola</i> .
		1597	<i>Tradescantia subaspera</i> Lyon's new Spider-wort.
		1598	<i>Tradescantia crassifolia</i> Tuberous-rooted Spider- wort.
		1599	<i>Helonias graminea</i> Grass-leaved <i>Helonias</i> .
Dec.	323	1600	<i>Sabbatia calycosa</i> Dichotomous <i>Sabbatia</i> .
		1601	<i>Rudbeckia columnaris</i> High-crowned <i>Rudbeckia</i> .
		1602	<i>Galardia bicolor</i> Two-coloured <i>Galardia</i> .
		1603	<i>Convolvulus candicans</i> Tenassée Bindweed.
		1604	<i>Iris sibirica</i> , <i>γ. sanguinea</i> Hibbert's Iris.
		1605	<i>Crinum amabile</i> Sir Abraham Hume's Cri- num.
		1606	<i>Enothera Glauca</i> Glauous-leaved Evening- Primrose.
Jan. 1814.	324	1607	<i>Vaccinium diffusum</i> Shining-leaved Whortle- berry.
		1608	<i>Anchusa ochroleuca</i> Pale-flowered Alkanet.
		1609	<i>Heliotropium corymbosum</i> , Large-flowered Turnsole.
		1610	<i>Hæmodorum planifolium</i> Dingy-flowered <i>Hæmo-</i> <i>dorum</i> .
		1611	<i>Lachenalia bifolia</i> Cowled, two-leaved <i>Lache-</i> <i>nalia</i> .
		1612	<i>Moræa collina</i> , <i>α. miniata</i> Lesser equal-flowered <i>Mo-</i> <i>ræa</i> .
		1613	<i>Alstroëmeria Salsilla</i> Potatoe-rooted <i>Alstroë-</i> <i>meria</i> .
		1614	<i>Columnnea scandens</i> Climbing <i>Columnnea</i> .
		1615	<i>Barleria cristata</i> Crested <i>Barleria</i> .
		1616	<i>Diosma ovata</i> Oval-leaved <i>Diosma</i> .
Feb.	325	1617	<i>Statice spathulata</i> Spathula-leaved Sea-La- (PENTANDRIA PENTAGYNIA.) vender.
		1618	<i>Hæmanthus rotundifolius</i> Round-leaved Blood- Flower.
		1619	<i>Brunsvigia multiflora</i> Scarlet Brunswic-Lily, or Chandelier-Flower.
		1620	<i>Strumaria gemmata</i> Jewelled-flowered <i>Struma-</i> <i>ria</i> .
		1621	<i>Magnolia conspicua</i> Lily-flowered <i>Magnolia</i> , or Yu-ian.
March	326	1622	<i>Dianthus caryophyllus</i> , <i>γ.</i> } Wheat-Ear Carnation. <i>imbricatus</i> }
		1623	<i>Arnopogon Dalechampii</i> Great-flowered Sheep's- beard.
		1624	<i>Hovea lanceolata</i> Lance-leaved <i>Hovea</i> .
		1625	<i>Mylocarpum ligustrinum</i> Privet-leaved <i>Mylocarpum</i> , or Buck-Wheat-Tree.
		1626	<i>Erica togata</i> Large-cupped Heath.
		1627	<i>Spilanthes crocata</i> Saffron-flowered <i>Spilanthes</i>

Vol.	Fasc.	No.			
xxxix. April	327	1628	<i>Gomphocarpus fruticosus</i> . Willow-leaved Gomphocarpus.		
		1629	<i>Statice conspicua</i> Shewy Sea-Lavender.		
		1630	<i>Cimicifuga palmata</i> Palmate-leaved Bug-wort.		
		1631	<i>Sagittaria sinensis</i> Chinese Arrow-head.		
		1632	<i>Sagittaria rigida</i> Brittle-stalked Arrow-head		
		1633	<i>Papaver nudicaule</i> , β. Yellow-flowered, Naked-stalked Poppy.		
		1634	<i>Lilium Martagon</i> , α. Smooth-stalked Martagon, or Turk's-Cap-Lily.		
		1635	<i>Phalangium Liliago</i> , α. } Larger Grass-leaved Phalangium.		
		XL. May	328	1636	<i>Laurus Cassia</i> Cassia, or Bastard Cinnamon.
				(Mr. Brown's opinion is erroneously stated.—He does not suppose the Cinnamon and Cassia to be distinct genera).	
1637	<i>Cedera prolifera</i> Proliferous <i>Cedera</i> .				
1638	<i>Luffa foetida</i> Stinking Luffa.				
1639	<i>Jacquinia aurantiaca</i> Orange-flowered <i>Jacquinia</i>				
1640	<i>Cleome spinosa</i> Prickly <i>Cleome</i> .				
1641	<i>Pelargonium triste</i> , β. <i>fili-</i> } Dropwort-leaved Night-smelling <i>Pelargonium</i> .				
1642	<i>Iberis saxatilis</i> , β. <i>corifolia</i> . Smooth-leaved Rock Candy-tuft.				
June	329			1643	<i>Maurandia antirrhiniflora</i> . Snap-dragon-flowered <i>Maurandia</i> .
				1644	<i>Sida periptera</i> Shuttle-cock <i>Sida</i> .
		1645	<i>Andersonia Sprengelioides</i> , Sprengelia-like <i>Andersonia</i>		
		1646	<i>Cameraria dubia</i> Doubtful <i>Cameraria</i> .		
		1647	<i>Mesembryanthemum ob-</i> } Heart-shaped Fig-Mari-		
			<i>cordellum</i> } gold, or Glauous, chequered Dumplin.		
		1648	<i>Stapelia pulla</i> Black-flowered <i>Stapelia</i> .		
		1649	<i>Enkianthus quinqueflora</i> . . Canton <i>Enkianthus</i> .		
		1650	<i>Leucadendron grandiflorum</i> } Great-flowered <i>Leucadendron</i> .		
		July	330	1651	<i>Saxifraga ceratophylla</i> Shining-calyxed <i>Saxifrage</i> .
1652	<i>Nymphaea odorata</i> , β. <i>minor</i> , Lesser, sweet-scented Water-Lily.				
1653	<i>Acacia armata</i> Simple-leaved, prickly <i>Acacia</i> .				
1654	<i>Camellia japonica</i> , ζ. <i>anemiflora</i> } Anemone-flowered, or Waratah <i>Camellia</i> .				
1655	<i>Tupistra squalida</i> Amboyna <i>Tupistra</i> .				
1656	<i>Albuca viridiflora</i> Grass-green <i>Albuca</i> .				
1657	<i>Lachnæa buxifolia</i> , α. <i>virens</i> , Green, box-leaved <i>Lachnæa</i>				
1658	<i>Lachnæa buxifolia</i> , β. <i>glauca</i> , Glauous, box-leaved <i>Lachnæa</i> .				
Aug	331			1659	<i>Acacia melanoxylon</i> Black-wooded <i>Acacia</i> .
				1660	<i>Veronica labiata</i> Labiated <i>Speedwell</i> .
		1661	<i>Stapelia campanulata</i> Bell-shaped <i>Stapelia</i> .		
		1662	<i>Stapelia reticulata</i> Netted-flowered <i>Stapelia</i> .		
		1663	<i>Mesembryanthemum in-</i> } Never-closing Fig-Mari-		
	<i>claudens</i> } gold.				

Vol.	Fasc.	No.	
XL.		1664	<i>Saxifraga virginensis</i> Virginian Saxifrage.
		1665	<i>Gladiolus blandus</i> , δ Painted Corn-flag.
Sept.	332	1666	<i>Diphylleia cymosa</i> Cyme-flowered <i>Diphylleia</i> .
		1667	<i>Troximon glaucum</i> Glaucous-leaved <i>Troximon</i> .
		1668	<i>Habenaria ciliaris</i> Yellow-fringed <i>Habenaria</i> .
		1669	<i>Epidendrum fragrans</i> Sweet-scented <i>Epidendrum</i> .
		1670	<i>Camellia japonica</i> , ϵ . <i>myr-</i> } Myrtle-leaved, red <i>Ca-</i> <i>tifolia</i> } <i>mellia</i> .
		1671	<i>Rhododendron catawbiense</i> , Catawba <i>Rhododendron</i> .
Oct.	333	1672	<i>Penstemon glabra</i> Nuttall's <i>Penstemon</i> .
		1673	<i>Cristaria coccinea</i> Scarlet <i>Cristaria</i> .
		1674	<i>Oenothera Fraseri</i> Fraser's Evening-Primrose
		1675	<i>Papaver caucasicum</i> Caucasian Poppy.
		1676	<i>Stapelia Bufonis</i> Toad-flowered <i>Stapelia</i> .
		1677	<i>Ardisia solanacea</i> Night-shade-like <i>Ardisia</i> .
		1678	<i>Ardisia acuminata</i> Acuminated <i>Ardisia</i> .
		1679	<i>Veronica multifida</i> Fine-cut <i>Speedwell</i> .
		1680	<i>Helonias glaberrima</i> Smooth-leaved <i>Helonias</i> . [<i>Zigadenus glaberrimus</i> , H.K. <i>add.</i>]
		1681	<i>Cleome pentaphylla</i> Five-leaved <i>Cleome</i> .
XLI. Nov.	334	1682	<i>Convolvulus purpureus</i> , δ . } Striped-flowered <i>Bind-</i> <i>varius</i> } weed.
		1683	<i>Oxalis variabilis</i> , γ . <i>albiflora</i> , White-flowered, variable Wood-sorrel.
Dec.	335	1684	<i>Pittosporum viridiflorum</i> . . Green-flowered <i>Pittosporum</i> .
		1685	<i>Doryanthes excelsa</i> Gigantic <i>Doryanthes</i> .
		1686	<i>Delphinium grandiflorum</i> . . Great-flowered <i>Larkspur</i> .
		1687	<i>Narcissus viridiflorus</i> Green Autumnal <i>Jonquil</i> .
		1688	<i>Sesamum indicum</i> Indian <i>Sesamum</i> , or Oily- grain.
		1689	<i>Cosmea lutea</i> Yellow-flowered <i>Cosmea</i> .
		1690	<i>Thalia dealbata</i> Mealy <i>Thalia</i> .
		1691	<i>Brassia maculata</i> Spotted-flowered <i>Brassia</i> .
		1692	<i>Lobelia variifolia</i> Various-leaved <i>Lobelia</i> .
		1693	<i>Myoporum parvifolium</i> Small-leaved <i>Myoporum</i> .
		1694	<i>Protea acuminata</i> Sharp-pointed <i>Protea</i> .
		1695	<i>Commelina tuberosa</i> Tuberos <i>Commelina</i> .
Jan. 1815.	336	1696	<i>Eugenia Jambos</i> Narrow-leaved <i>Eugenia</i> .
		1697	<i>Elichrysum Stæhelina</i> , H.K. . <i>Stæhelina</i> -like Everlasting- flower. [<i>Pteronia pauciflora</i> .]
		1698	<i>Oxalis rosacea</i> Rose-coloured <i>Wood-sorrel</i> .
		1699	<i>Crotalaria pulchella</i> Large-flowered <i>Crotalaria</i> .
		1700	<i>Yucca aloifolia</i> Tall-stemmed <i>Adam's-</i> <i>Needle</i> .
		1701	<i>Sesuvium Portulacas-</i> } Purslane-leaved <i>Sesuvium</i> . <i>trum</i> , β . <i>revolutum</i> }
Feb.	337	1702	<i>Hibiscus Manihot</i> Palmate-leaved <i>Hibiscus</i> .
		1703	<i>Helonias bracteata</i> Leafy-flowered <i>Helonias</i> .
		1704	<i>Lachenalia quadricolor</i> , γ . } Spotted-leaved yellow <i>La-</i> <i>lutea</i> } <i>chenalia</i> .
		1705	<i>Hæmanthus tigrinus</i> Tiger-spotted <i>Blood-</i> flower.
		1706	<i>Donia squarrosa</i> Snake-headed <i>Donia</i> .

Vol.	Fasc.	No.			
XLI.		1707	<i>Petalostemum violaceum</i> . . . Purple-flowered <i>Petalostemum</i> .		
		1708	<i>Bauhinia porrecta</i> Smooth-leaved, Mountain Ebony.		
		1709	<i>Liatris scariosa</i> Scarious-cupped <i>Liatris</i> .		
		1710	<i>Sarracenia variolaris</i> Hook-leaved Side-saddle-flower.		
March	338	1711	<i>Matthiola odoratissima</i> Persian Stock.		
		1712	<i>Oxalis variabilis</i> , <i>β. rubra</i> . . . Red-flowered variable Wood-sorrel.		
		1713	<i>Protea formosa</i> Crown-flowered <i>Protea</i> .		
		1714	<i>Polygala mixta</i> Heath-leaved Milk-wort.		
		1715	<i>Polygala stipulacea</i> Stipuled Milk-wort.		
		1716	<i>Verbesina alata</i> Winged-stalked <i>Verbesina</i>		
April	339	1717	<i>Protea latifolia</i> Rayed-flowered <i>Protea</i> .		
		1718	<i>Pelargonium radicans</i> Fleshy, fringed-leaved Crane's-bill.		
		1719	<i>Sprengelia incarnata</i> Flesh-coloured <i>Sprengelia</i> .		
		1720	<i>Erica Lawsoni</i> Lawson's Heath.		
		1721	<i>Azalea calendulacea</i> , <i>β. crocea</i> } Orange-coloured <i>Azalea</i> .		
		1722	<i>Hedysarum bupleurifolium</i> } Hare's-ear-leaved <i>Hedysarum</i> .		
		1723	<i>Campanula punctata</i> Spotted Bell-flower.		
		1724	<i>Silene regia</i> Splendid Catchfly.		
		1725	<i>Swainsona coronillifolia</i> . . . Purple-flowered <i>Swainsona</i>		
		XLII. May	340	1726	<i>Cratægus indica</i> Indian Hawthorn.
				1727	<i>Psoralea aphylla</i> Leafless <i>Psoralea</i> .
				1728	<i>Salvia azurea</i> Azure-flowered Sage.
1729	<i>Cestrum fastigiatum</i> Honeysuckle <i>Cestrum</i> .				
1730	<i>Ageratum cœlestinum</i> Blue-flowered <i>Ageratum</i> .				
1731	<i>Jasminum revolutum</i> Curled-flowered yellow Jasmine.				
1732	<i>Bromelia pyramidalis</i> Pyramidal-flowered <i>Bromelia</i> .				
1733	<i>Beaufortia decussata</i> Splendid <i>Beaufortia</i> .				
June	341			1734	<i>Calea lobata</i> Yellow-flowered <i>Calea</i> , or Halberd-weed.
				1735	<i>Cardamine asarifolia</i> Kidney-leaved Ladies-Smock.
		1736	<i>Zanthoriza apiifolia</i> Parsley-leaved <i>Zanthoriza</i> , or Yellow-root.		
		1737	<i>Elæocarpus cyaneus</i> Blue-fruited <i>Elæocarpus</i> .		
		1738	<i>Heynea trijuga</i> Walnut-like <i>Heynea</i> .		
		1739	<i>Dianthus leptopetalus</i> Narrow-petaled Pink.		
July	342	1740	<i>Dianthus virgineus</i> Virgin Pink.		
		1741	<i>Zamia pygmaea</i> Least <i>Zamia</i> .		
		1742	<i>Seseli divaricatum</i> Shining <i>Seseli</i> .		
		1743	<i>Pulmonaria dahurica</i> Daurian Lung-wort.		
		1744	<i>Halleria lucida</i> African Fly-Honeysuckle.		
		1745	<i>Acacia decipiens</i> Paradoxical <i>Acacia</i> .		
		1746	<i>Corræa speciosa</i> Red-flowered <i>Corræa</i> .		
		1747	<i>Euphorbia variegata</i> Pye-balled Spurge.		
Aug.	343	1748	<i>Gomesa recurva</i> Recurved <i>Gomesa</i> .		
		1749	<i>Arnica montana</i> Mountain <i>Arnica</i> , or Leopard's-Bane.		

<i>Vol.</i>	<i>Fasc.</i>	<i>No.</i>	
XLII.		1750	<i>Acacia discolor</i> Two-coloured-leaved <i>Acacia</i> .
		1751	<i>Cymbidium ensifolium</i> Sword-leaved <i>Cymbidium</i> .
		1752	<i>Centaurea Rhaponticum</i> Swiss Centaury.
		1753	<i>Lonicera sempervirens</i> , β . } Carolina Trumpet-Honey- <i>minor</i> } suckle.
		1754	<i>Pæonia anomala</i> Jagged-leaved Siberian Peony.
		1755	<i>Lasiopetalum purpureum</i> Purple-flowered <i>Lasiopetalum</i> .
Sept.	344	1756	<i>Pæonia albiflora</i> White-flowered Peony.
		1757	<i>Daviesia latifolia</i> Broad-leaved <i>Daviesia</i> .
		1758	<i>Erica Hibbertiana</i> Hibberts's Heath.
		1759	<i>Duranta Ellisia</i> Prickly <i>Duranta</i> .
		1760	<i>Mentzelia oligosperma</i> Few-seeded <i>Mentzelia</i> .
		1761	<i>Metrosideros speciosa</i> Shewy <i>Metrosideros</i> .
		1762	<i>Rosa semperflorens</i> , γ . } Miss Lawrence's Rose. <i>minima</i> }
		1763	<i>Boronia pinnata</i> Hawthorn-scented <i>Boronia</i>
Oct.	345	1764	<i>Allium sphærocephalon</i> Small, Round-headed Garlic.
		1765	<i>Crassula centauroides</i> Centaury-flowered <i>Crassula</i> .
		1766	<i>Lasiopetalum ferrugineum</i> Rusty <i>Lasiopetalum</i> .
		1767	<i>Bursaria spinosa</i> Thorny <i>Bursaria</i> .
		1768	<i>Pæonia edulis</i> , var. <i>sinensis</i> , Chinese eatable Peony.
		1769	<i>Ipomœa sanguinea</i> Blood-flowered <i>Ipomœa</i> .
		1770	<i>Cestrum Parqui</i> Willow-leaved <i>Cestrum</i> .



GENERAL INDEX

Curtis's THE BOTANICAL MAGAZINE,

VOL. 43-44-45-46-47, AND 48.

- ACACIA linearis. v. 47. p. 2156.
—— linifolia. ib. p. 2168.
—— longifolia. v. 43. p. 1827.
—— longifolia. β . v. 47. p. 2166.
—— lophantha. v. 47. p. 2108.
—— nigricans. v. 47. p. 2188.
Acanthus spinosus. β . v. 43. p. 1808.
Aconitum septentrionale. β . v. 48. p. 2196.
Æschylus macrostachya. v. 47. p. 2118.
Allium stellatum. β . v. 43. p. 1840.
Aloe ferox. v. 45. p. 1975.
—— microcantha. v. 48. p. 2272.
Alpinia cernua. v. 44. p. 1906.
—— nutans. v. 44. p. 1903.
Althæa Caribæa. v. 44. p. 1916.
Amaranthus speciosus. v. 48. p. 2227.
Amaryllis (Hippeastrum) Fulgida, var. mi-
niata. v. 45. p. 1943.
—— (Coburgia) Reticulata v. striati-
folia. v. 47. p. 2113.
Amorpha nana. v. 47. p. 2112.
Amsonia Salicifolia. v. 44. p. 1873.
Amygdalus pumila. v. 47. p. 2176.
Anarrhinum bellidifolium. v. 46. p. 2056.
Anchusa angustifolia. v. 44. p. 1897.
—— Capensis. v. 43. p. 1822.
—— Italica. v. 48. p. 2197.
—— undulata. v. 47. p. 2119.
Andromeda Catesbæi. v. 45. p. 1955.
Androsace coronopifolia. v. 45. p. 2022.
—— septentrionalis. v. 45. p. 2021.
Anemone alba. v. 47. p. 2167.
—— Alpina. α . major. v. 45. p. 2007.
—— palmata. γ . v. 46. p. 2079.
—— patens. β . ochroleuca. v. 45. p. 1994.
—— pratensis. β . obsoleta. v. 44. p. 1863.
Anisomeles Malabarica. v. 46. p. 2071.
Annona tripetala. v. 45. p. 2011.
Anthyllis Barba-Jovis. v. 44. p. 1927.
Arabis Caucasica. v. 46. p. 2046.
—— nutans. v. 48. p. 2219.
Arbutus Andrachne. v. 46. p. 2024.
Arctotis speciosa. v. 47. p. 2182.
Ardisia crenata. v. 45. p. 1950.
Arethusa bulbosa. v. 48. p. 2204.
Arum bulbiferum. v. 46. p. 2072.
—— spirale. v. 48. p. 2220.
Aspalathus chenopoda. v. 48. p. 2225.
—— ciliaris. v. 48. p. 2233.
Asperula Arcadiensis. v. 47. p. 2146.
Atragene Sibirica. v. 45. p. 1951.
Azalea Calendulacea. α . v. 47. p. 4143.
Bæckia virgata. v. 47. p. 2127.
Bæobotrys Indica. v. 47. p. 2052.
Banksia marginata. β . microstachya. v. 45.
p. 1947.
Bellis annua. v. 47. p. 2174.
Berckheya grandiflora. v. 43. p. 1844.
—— uniflora. v. 46. p. 2094.
Betonica incana. v. 47. p. 2125.
Bignonia Chamberlaynii. v. 47. p. 2148.
—— venusta. v. 46. p. 2050.
Blandfordia nobilis. v. 45. p. 2003.
Bletia Tankervilleæ. v. 44. p. 1924.
Bocconia cordata. v. 44. p. 1905.
Borago laxiflora. v. 43. p. 1798.
Borbonia ruscifolia. v. 47. p. 2128.
Bouvardia triphylla. v. 43. p. 1854.
Brachysema latifolia. v. 45. p. 2008.
Bryonia quinqueloba. v. 43. p. 1820.
Bupthalmum sericeum. v. 43. p. 1836.
Cactus phyllanthoides. v. 46. p. 2092.
—— triangularis. v. 44. p. 1884.
Calendula chrysanthemifolia. v. 48. p. 2218.
—— tragus. β . v. 45. p. 1981.
Calla palustris. v. 43. p. 1831.
Callicarpa cana. v. 47. p. 2107.
Callicoma serratifolia. v. 43. p. 1811.
Callistachys ovata. v. 44. p. 1925.
Calostemma luteum. v. 46. p. 2101.
—— purpureum. v. 46. p. 2100.
Camellia axillaris. v. 46. p. 2047.
—— sasanqua. β . v. 46. p. 2080.
Campanula lactiflora. v. 45. p. 1973.
—— Sarmatica. v. 45. p. 2019.
Canna lutea. v. 46. p. 2085.
—— iridiflora. v. 45. p. 1968.
Capsicum bicolor. v. 43. p. 1835.
Carthamus lanatus. v. 47. p. 2143.
Cassia ligustrina. v. 43. p. 1829.
Celastrus buxifolius. v. 47. p. 2114.
—— cymosus. v. 46. p. 2070.
Celsia Arcturus. v. 45. p. 1962.
Cerastium amplexicaule. v. 43. p. 1789.
Cerbera Manghas. v. 43. p. 1845.
Chamærops humilis. v. 47. p. 2152.
Chaptalia tomentosa. v. 48. p. 2257.
Chelone Lyoni. v. 44. p. 1864.
Chloranthus monostachys. v. 48. p. 2190.
Chrysanthemum Indicum. β . v. 46. p. 2042.
Chrysocoma comaurea. v. 45. p. 1972.
Cimicifuga cordifolia. v. 46. p. 2069.
Cineraria aurantiaca. v. 48. p. 2262.
—— aurita. v. 43. p. 1786.

GENERAL INDEX TO THE

- Cineraria parviflora*. v. 45. p. 1990.
 ——— *Sibirica*. v. 44. p. 1869.
Cistus lævis. v. 43. p. 1782.
 ——— *samsucifolius*. v. 43. p. 1803.
Claytonia Sibirica. v. 48. p. 2243.
Clematis cordata. v. 43. p. 1816.
 ——— *crispa*. v. 44. p. 1892.
Cleome pubescens. v. 43. p. 1857.
Clerodendrum fragrans. v. 45. p. 1834.
 ——— *viscosum*. v. 43. p. 1805.
Clitoria heterophylla. v. 47. p. 2111.
Cluytia pulchella. v. 45. p. 1945.
Combretum purpureum. v. 46. p. 2102.
Commersonia platyphylla. v. 43. p. 1813.
Convolvulus bicolor. v. 48. p. 2205.
 ——— *panduratus*. v. 44. p. 1939.
 ——— *pentanthus*. v. 47. p. 2151.
 ——— *turpethum*. v. 46. p. 2093.
Coreopsis ferulaefolia. v. 46. p. 2059.
Coris Monspeliensis. v. 47. p. 2131.
Coronilla minima. α . v. 47. p. 2179.
Corræa virens. v. 44. p. 1901.
Cotyledon curviflora. v. 46. p. 2044.
Crassula cultrata. v. 44. p. 1940.
 ——— *falcata*. v. 46. p. 2035.
 ——— *jasminea*. v. 47. p. 2178.
 ——— *lactea*. v. 43. p. 1771.
Cratægus glabra. v. 47. p. 2105.
Crinum Broussoneti. v. 47. p. 2121.
 ——— *declinatum*. v. 48. p. 2231.
 ——— *defixum*. v. 48. p. 2208.
 ——— *flaccidum*. v. 47. p. 2133.
 ——— *scabrum*. v. 47. p. 2180.
 ——— *speciosum*. v. 48. p. 2217.
Crocus vernus. β . *obovatus*. v. 48. p. 2240.
Crossandra undulæfolia. v. 47. p. 2186.
Crotalaria fenestrata. v. 44. p. 1933.
 ——— *pulcherrima*. v. 46. p. 2027.
 ——— *purpurea*. v. 44. p. 1913.
Cryptostemma calendulacea. α . v. 48. p. 2232.
Cullumia ciliaris. v. 46. p. 2095.
Cuphea circeoides. v. 48. p. 2201.
 ——— *procumbens*. v. 44. p. 1931.
Curculigo latifolia. v. 46. p. 2034.
Cylista albiflora. v. 43. p. 1859.
Cynanthum viridiflorum. v. 44. p. 1929.
Cynoglossum pictum. v. 47. p. 2134.
Cypripedium venustum. v. 47. p. 2129.
Cyrtopodium Andersonii. v. 43. p. 1800.
 ——— *Woodfordii*. v. 43. p. 1814.
Cytisus proliferus. v. 44. p. 1908.
Dahlia flore multiplici. v. 44. p. 1885.
 ——— *superflua*. v. 44. p. 1885.
Daphne Altaica. v. 44. p. 1875.
 ——— *oleoides*. v. 44. p. 1917.
Daviesia mimosceides. v. 45. p. 1957.
Delphinium urceolatum. v. 43. p. 1791.
Dendrobium cucullatum. v. 48. p. 2242.
Dentaria pentaphylla. v. 48. p. 2202.
Dianthus arenarius. v. 46. p. 2038.
 ——— *atrorubens*. v. 43. p. 1775.
 ——— *campestris*. γ . v. 44. p. 1876.
 ——— *Carthusianorum*. β . v. 46. p. 2089.
 ——— *fragrans*. v. 46. p. 2067.
Diervilla humilis. v. 43. p. 1796.
Digitalis ferruginea. v. 43. p. 1828.
 ——— *minor*. v. 47. p. 2160.
 ——— *obscura*. v. 47. p. 2157.
Digitalis orientalis. v. 48. p. 2253.
 ——— *tomentosa*. v. 48. p. 2194.
Dillwynia cinerascens. v. 48. p. 2247.
Dodartia orientalis. v. 48. p. 2191.
Dolichos Sinensis. v. 48. p. 2232.
Dorstenia Houstoni. v. 45. p. 2017.
Dracæna ferrea. v. 46. p. 2053.
Dracocephalum Sibiricum. v. 47. p. 2185.
Drypis spinosa. v. 48. p. 2216.
Echinops strigosa. v. 47. p. 2109.
Echites caryophyllata. v. 44. p. 1919.
Echium Creticum. v. 44. p. 1934.
 ——— *fruticosum*. β . *minor*. v. 43. p. 1772.
 ——— *rubrum*. v. 43. p. 1826.
Elichrysum splendens. v. 43. p. 1773.
Epidendrum umbellatum. v. 46. p. 2030.
Erica Blandfordiana. v. 43. p. 1793.
 ——— *Bonplandiana*. v. 47. p. 2126.
 ——— *concava*. v. 47. p. 2149.
 ——— *fastigiata*. v. 46. p. 2084.
 ——— *flava*, v. *imbricata*. v. 43. p. 1815.
 ——— *fragrans*. v. 47. p. 2181.
 ——— *gemmifera*. v. 48. p. 2266.
 ——— *Monsoniæ*. v. 44. p. 1915.
 ——— *propendens*. v. 47. p. 2140.
 ——— *rubella*. v. 47. p. 2165.
 ——— *sanguinolenta*. v. 48. p. 2263.
 ——— *sulphurea*. v. 45. p. 1984.
Erythrina cristagalli. v. 47. p. 2161.
Eucalyptus pulverulenta. v. 46. p. 2087.
Eugenia elliptica. v. 44. p. 1872.
 ——— *myrtifolia*. v. 48. p. 2230.
Eupatorium salviæfolium. v. 45. p. 2010.
Euphorbia epithymoides. v. 48. p. 2258.
 ——— *punicea*. v. 45. p. 1961.
Falkia repens. v. 48. p. 2228.
Ferula Persica. v. 46. p. 2096.
Fumaria nobilis. v. 45. p. 1953.
Furcraea gigantea. v. 48. p. 2250.
Galanthus plicatus. v. 47. p. 2162.
Galega orientalis. v. 48. p. 2192.
Galinsogea trilobata. v. 44. p. 1895.
Gardenia amœna. v. 44. p. 1904.
 ——— *radicans*. v. 43. p. 1842.
 ——— *randia*. v. 43. p. 1841.
Gastrolobium bilobum. v. 48. p. 2212.
Gaultheria procumbens. v. 45. p. 1966.
Gazania uniflora. v. 48. p. 2270.
Gentiana crinita. v. 46. p. 2031.
 ——— *incarnata*. v. 43. p. 1856.
 ——— *viscosa*. v. 47. p. 2135.
Geodorum citrinum. v. 48. p. 2195.
Gerardia purpurea. v. 46. p. 2048.
Globularia vulgaris. v. 48. p. 2256.
Gloxinia speciosa. v. 44. p. 1937.
Glycine frutescens. v. 46. p. 2103.
 ——— *Sinensis*. v. 46. p. 2083.
Glycyrrhiza echinata. v. 47. p. 2154.
 ——— *lepidota*. v. 47. p. 2150.
Gnaphalium apiculatum. v. 45. p. 1985.
 ——— *arenarium*. v. 47. p. 2159.
 ——— *foetidum*. v. 45. p. 1987.
 ——— *fruticans*. v. 43. p. 1802.
 ——— *leontopodium*. v. 45. p. 1958.
Gnidia oppositifolia. v. 44. p. 1902.
 ——— *pinifolia*. v. 45. p. 2016.
Goodyera discolor. v. 46. p. 2055.
Grislea tomentosa. v. 44. p. 1906.

- Hæmanthus multiflorus*. v. 45. p. 1995.
Hakea nitida. v. 48. p. 2246.
Hallia imbricata. v. 43. p. 1850.
Hamelia ventricosa. v. 44. p. 1894.
Hebenstretia fruticosa. v. 45. p. 1970.
Hedychium angustifolium. v. 46. p. 2078.
Hedysarum Alpinum. v. 48. p. 2213.
Helianthus angustifolius. v. 46. p. 2051.
 ——— *diffusus*. v. 45. p. 2020.
Helicteres Isora. v. 46. p. 2061.
Heliotropium Indicum. v. 43. p. 1837.
Hibiscus radiatus. v. 44. p. 1911.
Hippia frutescens. v. 43. p. 1855.
Hypericum Olympicum. β . v. 44. p. 1867.
Hovea Celsi. v. 45. p. 2005.
Jasione perennis. v. 48. p. 2198.
Jasminum Azoricum. v. 44. p. 1889.
 ——— *hirsutum*. v. 45. p. 1991.
 ——— *Sambac*. γ . v. 43. p. 1785.
Ilex Chinensis. v. 46. p. 2043.
Inula glandulosa. v. 44. p. 1907.
Ipomœa atropurpurea. v. 46. p. 2170.
 ——— *insignis*. v. 43. p. 1790.
Iris pseudacorus. β . v. 48. p. 2239.
Jussieua grandiflora. v. 47. p. 2122.
Justicia ecbolium. v. 43. p. 1847.
 ——— *eustachyana*. v. 46. p. 2076.
 ——— *picta*. β . v. 44. p. 1870.
 ——— *secunda*. v. 46. p. 2060.
Kaulfussia Amelloides. v. 47. p. 2177.
Kennedea ovata. v. 47. p. 2169.
Lactuca perennis. v. 47. p. 2130.
Lagasca mollis. v. 43. p. 1804.
Lantana nivea. v. 45. p. 1946.
Lathyrus grandiflorus. v. 44. p. 1938.
Laurus Cinnamomum. v. 46. p. 2028.
Lavatera plebeia. v. 48. p. 2269.
 ——— *triloba*. v. 48. p. 2226.
Lebeckia nuda. v. 48. p. 2214.
Leptospermum grandifolium. v. 43. p. 1810.
Lessertia pulchra. v. 46. p. 2064.
Leucium vernum. β . v. 45. p. 1993.
Limodorum falcatum. v. 46. p. 2097.
Limonia arborea. v. 46. p. 2074.
Linaria genistæfolia. γ . *procera*. v. 47. p. 2183.
Liparia vestita. v. 48. p. 2223.
Lobelia ilicifolia. v. 44. p. 1896.
 ——— *Kalmii*. v. 48. p. 2238.
 ——— *minima*. v. 46. p. 2077.
 ——— *pedunculata*. v. 48. p. 2251.
 ——— *racemosa*. v. 47. p. 2137.
Lonicera cærulea. v. 45. p. 1965.
Lupinus Nootkatensis. β . v. 47. p. 2136.
Lychnis fulgens. v. 46. p. 2104.
Lysimachea thyrsoflora. v. 45. p. 2012.
Lythrum alatum. v. 43. p. 1812.
Magnolia glauca. γ . *major*. v. 47. p. 2164.
 ——— *grandiflora*. γ . v. 45. p. 1952.
 ——— *macrophylla*. v. 48. p. 2189.
Malaxis liliifolia. v. 45. p. 2004.
Malva amœna. v. 45. p. 1998.
Maranta zebrina. v. 44. p. 1926.
Melaleuca decussata. v. 48. p. 2268.
 ——— *squarrosa*. v. 44. p. 1935.
 ——— *thymifolia*. v. 44. p. 1868.
Melastoma hirta. v. 45. p. 1971.
 ——— *osbeckioides*. v. 48. p. 2235.
 ——— *sanguinea*. v. 48. p. 2241.
Menispermum Canadense. v. 44. p. 1910.
Menyanthes ovata. v. 44. p. 1909.
Mesembryanthemum albidum. v. 43. p. 1824.
 ——— *depressum*. v. 44. p. 1866.
 ——— *tricolor*. v. 47. p. 2144.
Metrosideros hispida. v. 45. p. 1960.
 ——— *saligna*. v. 43. p. 1821.
Moluccella lævis. v. 43. p. 1852.
Momordica elaterium. v. 44. p. 1914.
Mussaenda pubescens. v. 46. p. 2099.
Myoporum debile. v. 43. p. 1830.
Neottia elata. v. 46. p. 2026.
Nerium coronarium. v. 44. p. 1865.
 ——— *odorum*. β . v. 43. p. 1799.
 ——— *odorum*. γ . v. 46. p. 2032.
Nerine rosea. v. 47. p. 2124.
Nicotiana Langsdorffii. v. 48. p. 2221.
 ——— *quadrivalvis*. v. 43. p. 1778.
Nycterium amazonium. v. 43. p. 1801.
Nymphaea stellata. β . v. 46. p. 2058.
Oenothera corymbosa. v. 45. p. 1974.
 ——— *grandiflora*. v. 46. p. 2068.
Oncidium flexuosum. v. 48. p. 2203.
Onosma simplicissima. v. 48. p. 2248.
Ophrys tenthredinifera. v. 44. p. 1930.
Orchis acuminata. v. 44. p. 1932.
 ——— *longicornis*. v. 45. p. 1944.
Orobus lathyroides. v. 46. p. 2098.
 ——— *niger*. v. 48. p. 2261.
Othonna denticulata. v. 45. p. 1979.
Oxalis violacea. v. 48. p. 2215.
Oxyanthus speciosus. v. 45. p. 1992.
Oxytropis Lamberti. v. 47. p. 2147.
Pachysandria procumbens. v. 45. p. 1964.
Pæonia Moutan var. *papaveracea*. v. 47. p. 2175.
Pæonia officinalis. v. 43. p. 1784.
 ——— *pubens*. v. 48. p. 2264.
Palafoxia linearis. v. 47. p. 2132.
Pancreatium (Hymenocallis) distichum. v. 44. p. 1879.
 ——— (*Hymenocallis*) *expansum*. v. 44. p. 1941.
Passerina hirsuta. v. 45. p. 1949.
Passiflora angustifolia. v. 45. p. 1983.
 ——— *edulis*. v. 45. p. 1899.
 ——— *filamentosa*. v. 46. p. 2023.
 ——— *holosericea*. v. 45. p. 2015.
 ——— *quadrangularis*. v. 46. p. 2041.
 ——— *racemosa*. v. 45. p. 2001.
Pelargonium dasycaulon. v. 46. p. 2029.
 ——— *dioicum*. v. 48. p. 2234.
 ——— *lobatum*. α . *sphondylifolium*. v. 45. p. 1986.
 ——— *rapaceum*. β . v. 44. p. 1877.
Penstemon campanulata. v. 44. p. 1878.
Pharnaceum incanum. v. 44. p. 1883.
Phlomis fruticosa. v. 43. p. 1843.
 ——— *Samia*. v. 44. p. 1891.
Phlox acuminata. v. 44. p. 1880.
 ——— *carnea*. v. 47. p. 2155.
Phyllanthus turbinatus. v. 44. p. 1862.
Phyteuma betonicifolium. v. 46. p. 2066.
 ——— *Scheuchzeri*. v. 43. p. 1797.
 ——— *scorzonerifolia*. v. 48. p. 2271.
 ——— *stricta*. v. 47. p. 2145.
Piper acuminatum. v. 44. p. 1882.
Pistachia lentiscus. v. 45. p. 1967.

GENERAL INDEX &c.

- Pittosporum ferrugineum*. v. 46. p. 2075.
Plectranthus Forskohlæi. v. 46. p. 2036.
Pleea tenuifolia. v. 45. p. 1956.
Plumbago Europæa. v. 47. p. 2189.
 ——— *Capensis*. v. 47. p. 2110.
Podalyria sericea. v. 44. p. 1923.
Podophyllum peltatum. v. 43. p. 1819.
Polemonium reptans. v. 44. p. 1887.
Polyanthus tuberosa. v. 43. p. 1817.
Polygala speciosa. v. 43. p. 1780.
Pomaderris lanigera. v. 43. p. 1823.
Primula decora. v. 44. p. 1922.
Protea acaulis. v. 46. p. 2065.
Prunella grandiflora var. *latifolia*. v. 45. p. 2014.
Psidium cordatum. v. 43. p. 1779.
Psoralea aculeata. v. 47. p. 2158.
 ——— *arborea*. v. 46. p. 2090.
 ——— *melilotoides*. v. 46. p. 2063.
Pultenæa biloba. v. 46. p. 2091.
 ——— *retusa*. v. 46. p. 2081.
 ——— *tenuifolia*. v. 46. p. 2086.
Punica granatum. v. 43. p. 1832.
Puschkinia scilloides. v. 48. p. 2244.
Pyrus coronaria. v. 45. p. 2009.
Quisqualis Indica. v. 46. p. 2033.
Ranunculus cassubicus. v. 43. p. 2267.
 ——— *nodiflorus*. β . v. 47. p. 2171.
 ——— *pedatus*. v. 48. p. 2229.
Reaumuria hypericoides. v. 46. p. 2057.
Rhododendron Dahuricum. β . v. 44. p. 1888.
 ——— *hirsutum*. v. 43. p. 1853.
Rhus Toxicodendron. α . vulg. v. 43. p. 1806.
Ricinus communis. v. 48. p. 2209.
Rivina humilis. v. 43. p. 1781.
Robinia caragana. v. *arenaria*. v. 44. p. 1886.
Rosa arvensis. β . v. 46. p. 2054.
 ——— *Banksiæ*. v. 45. p. 1954.
 ——— *Gallica*. β . *versicolor*. v. 43. p. 1794.
Rubus rosæfolius. β . *coronar.* v. 43. p. 1783.
Rudbeckia fulgida. v. 45. p. 1996.
Rulingia pannosa. v. 48. p. 2191.
Ruscus androgynus. γ . v. 44. p. 1898.
 ——— *hypophyllum*. v. 46. p. 2049.
Ruta linifolia. β . *grandiflora*. v. 48. p. 2254.
 ——— *macrophylla*. v. 45. p. 2017.
Sagittaria lancifolia. v. 43. p. 1792.
Salmea scandens. v. 46. p. 2062.
Salvia bicolor. v. 43. p. 1774.
Satyrium coriifolium. v. 47. p. 2172.
Saxifraga irrigua. v. 48. p. 2207.
Scilla Lusitanica. v. 45. p. 1999.
Scutellaria orientalis. v. 47. p. 2120.
Sedum caruleum. v. 48. p. 2224.
 ——— *oppositifolia*. v. 43. p. 1807.
 ——— *ternatum*. v. 45. p. 1977.
Sempervivum ciliatum. v. 45. p. 1978.
 ——— *globiferum*. α . v. 47. p. 2115.
 ——— *glutinosum*. v. 45. p. 1963.
 ——— *Smithii*. v. 45. p. 1980.
 ——— *villosum*. v. 43. p. 1809.
Serratula quinquefolia. v. 43. p. 1871.
Seseli dichotomum. v. 46. p. 2073.
 ——— *gummiferum*. v. 48. p. 2259.
Sida Napæa. v. 43. p. 2193.
Sideroxylon mite. v. 43. p. 1853.
Silene lacera. v. 48. p. 2255.
 ——— *supina*. v. 45. p. 1997.
Sisyrinchium micranthum. v. 47. p. 2116.
 ——— *tenuiflorum*. v. 47. p. 2117.
Smilax glauca. v. 43. p. 1846.
 ——— *herbacea*. v. 44. p. 1920.
Solandra grandiflora. v. 44. p. 1874.
 ——— *viridiflora*. v. 45. p. 1948.
Solanum giganteum. v. 44. p. 1921.
 ——— *lanceolatum*. v. 47. p. 2173.
 ——— *marginatum*. v. 44. p. 1928.
 ——— *Seafortianum*. v. 45. p. 1982.
Soldanella Clusii. v. 47. p. 2163.
Spartium radiatum. v. 48. p. 2260.
 ——— *virgatum*. v. 48. p. 2265.
Spielmannia Africana. v. 44. p. 1899.
Stachys arenaria. v. 45. p. 1959.
Stachytarpheta Jamaicensis. v. 44. p. 1860.
 ——— *urticifolia*. v. 43. p. 1848.
Stapelia gemmiflora. β . v. 43. p. 1839.
 ——— *deflexa*. v. 44. p. 1890.
 ——— *maculosa*. v. 43. p. 1833.
 ——— *stricta*. v. 46. p. 2037.
Stenochilus glaber. v. 45. p. 1942.
Stevia eupatoria. v. 43. p. 1849.
 ——— *hyssopifolia*. v. 44. p. 1861.
 ——— *pedata*. v. 46. p. 2040.
Stobæa pinnata. v. 43. p. 1788.
Struthiola erecta. v. 47. p. 2138.
Stylidium graminifolium. v. 44. p. 1918.
 ——— *tenuifolium*. v. 48. p. 2249.
Symphoria racemosa. v. 48. p. 2211.
Symphytum orientale. v. 44. p. 1912.
 ——— *Tauricum*. v. 43. p. 1787.
Tagetes tenuifolium. v. 46. p. 2045.
Templetonia glauca. v. 46. p. 2088.
Teucrium Hyrcanicum. v. 45. p. 2013.
Thalictrum aquilegium. v. 43. p. 1818.
 ——— *aquilegium*. γ . v. 46. p. 2025.
 ——— *Alpinum*. v. 48. p. 2237.
Thunbergia fragrans. v. 44. p. 1881.
Thymus Alpinus. v. 47. p. 2153.
Trollius Americanus. v. 45. p. 1988.
Turnera trioniflora. v. 47. p. 2106.
Valeriana montana. β . v. 43. p. 1825.
Vanda Roxburghii. v. 48. p. 2245.
Verbascum bipinnatifidum. v. 43. p. 1777.
Verbena Lamberti. v. 48. p. 2200.
 ——— *stricta*. v. 45. p. 1976.
Veronica orchidea. v. 48. p. 2210.
 ——— *perfoliata*. v. 44. p. 1936.
Viburnum rugosum. v. 46. p. 2082.
Vicia onobrychioides. v. 48. p. 2206.
 ——— *tenuifolia*. v. 47. p. 2141.
Vinca herbacea. v. 45. p. 2002.
Viola Altaica. v. 43. p. 1776.
 ——— *biflora*. v. 46. p. 2089.
 ——— *cucullata*. v. 43. p. 1795.
Vitex trifolia. v. 47. p. 2187.
Yucca angustifolia. v. 48. p. 2236.
 ——— *stricta*. v. 48. p. 2222.
Zamia integrifolia. v. 43. p. 1851.
 ——— *furfuracea*. v. 45. p. 1969.
 ——— *media*. v. 43. p. 1838.
 ——— *pumila*. *mas.* v. 45. p. 2006.
Zingiber Zerumbet. v. 45. p. 2000.
Zinnia hybrida. v. 47. p. 2123.
Ziziphus Paliurus. v. 44. p. 1893.
Zygophyllum sessilifolium. v. 47. p. 2134.